

Schema documentation for flattened-generic-test-harness.xsd

9 november 2009

Table of Contents

Namespace: "http://www.cap.org/pert/2009/01/"	4
Schemas	4
Main schema flattened-generic-test-harness.xsd	4
Elements	4
Element pert:synopsis	4
Element pert:accessory	6
Element pert:venousInvasion	7
Element pert:response / pert:response	8
Element pert:comment	9
Element pert:label	9
Element pert:text	10
Element pert:specify	11
Element pert:lymphovascularInvasion	11
Element pert:response_2 / pert:response	12
Element pert:perineuralInvasion	13
Element pert:response_3 / pert:response	13
Element pert:treatmentEffect	14
Element pert:response_4 / pert:response	15
Element pert:additional	16
Element pert:item	17
Element pert:response_5 / pert:response	18
Element pert:clinical	19
Element pert:priorTherapy	20
Element pert:response_6 / pert:response	22
Element pert:clinicalFinding	23
Element pert:response_7 / pert:response	24
Element pert:radiologicFinding	25
Element pert:response_8 / pert:response	26
Element pert:extent	27
Element pert:tumorSize	27
Element pert:dimension / pert:dimension	29
Element pert:response_23 / pert:response	29
Element pert:dimension_2 / pert:dimension	31
Element pert:margins	32
Element pert:margin	33
Element pert:response_9 / pert:response	34
Element pert:distance	35
Element pert:metastases	35
Element pert:metastasis	36
Element pert:size	38
Element pert:howDiagnosed	39
Element pert:response_24 / pert:response	39
Element pert:nodes	40
Element pert:nodeGroup	41
Element pert:count / pert:count	42
Element pert:response_25 / pert:response	43
Element pert:count_2 / pert:count	44
Element pert:response_26 / pert:response	45
Element pert:largest	47
Element pert:extracapsular	47
Element pert:response_30 / pert:response	48
Element pert:count_3 / pert:count	49
Element pert:response_27 / pert:response	50
Element pert:count_4 / pert:count	51
Element pert:response_28 / pert:response	52
Element pert:specimen	54
Element pert:procedure	55
Element pert:response_10 / pert:response	56
Element pert:specimenSite	57
Element pert:response_11 / pert:response	57

Element pert:tumorSite	58
Element pert:response_12 / pert:response	59
Element pert:integrity	60
Element pert:response_13 / pert:response	61
Element pert:specimenSize	62
Element pert:tumorGrossSize	64
Element pert:specimenWeight	65
Element pert:response_14 / pert:response	65
Element pert:stage	67
Element pert:prefix	68
Element pert:response_15 / pert:response	69
Element pert:classification	70
Element pert:response_16 / pert:response	71
Element pert:T	72
Element pert:response_17 / pert:response	73
Element pert:N	73
Element pert:response_18 / pert:response	74
Element pert:M	75
Element pert:response_19 / pert:response	76
Element pert:studies	77
Element pert:study	78
Element pert:response_20 / pert:response	80
Element pert:method	80
Element pert:response_29 / pert:response	81
Element pert:tumor	82
Element pert:histologicType	83
Element pert:response_21 / pert:response	84
Element pert:grade	85
Element pert:response_22 / pert:response	85
Complex Types	87
Complex Type pert:response_24	87
Attributes	87
Attribute pert:response / pert:response_25 / @pert:lessThan	87
Attribute pert:response / pert:response_25 / @pert:lessThanOrEqual	87
Attribute pert:response / pert:response_25 / @pert:equal	87
Attribute pert:response / pert:response_25 / @pert:greaterThanOrEqual	88
Attribute pert:response / pert:response_25 / @pert:greaterThan	88
Attribute pert:response / pert:response_26 / @pert:lessThan	88
Attribute pert:response / pert:response_26 / @pert:lessThanOrEqual	88
Attribute pert:response / pert:response_26 / @pert:equal	88
Attribute pert:response / pert:response_26 / @pert:greaterThanOrEqual	88
Attribute pert:response / pert:response_26 / @pert:greaterThan	88
Attribute pert:response / pert:response_27 / @pert:lessThan	88
Attribute pert:response / pert:response_27 / @pert:lessThanOrEqual	89
Attribute pert:response / pert:response_27 / @pert:equal	89
Attribute pert:response / pert:response_27 / @pert:greaterThanOrEqual	89
Attribute pert:response / pert:response_27 / @pert:greaterThan	89
Attribute pert:response / pert:response_28 / @pert:lessThan	89
Attribute pert:response / pert:response_28 / @pert:lessThanOrEqual	89
Attribute pert:response / pert:response_28 / @pert:equal	89
Attribute pert:response / pert:response_28 / @pert:greaterThanOrEqual	90
Attribute pert:response / pert:response_28 / @pert:greaterThan	90
Attribute pert:synopsis / @pert:schemaLocation	90
Attribute pert:synopsis / @pert:version	90
Element Groups	90
Element Group pert:response	90
Element Group pert:_1	91
Element Group pert:response_2	91
Element Group pert:response_3	92
Element Group pert:response_4	93
Element Group pert:response_5	93
Element Group pert:response_6	94
Element Group pert:response_7	94
Element Group pert:response_8	95
Element Group pert:dimension	95
Element Group pert:response_23	96
Element Group pert:dimension_2	97
Element Group pert:response_9	97
Element Group pert:count	98
Element Group pert:response_25	99
Element Group pert:count_2	99
Element Group pert:response_26	100

Element Group pert:response_30	100
Element Group pert:count_3	101
Element Group pert:response_27	101
Element Group pert:count_4	102
Element Group pert:response_28	102
Element Group pert:response_10	103
Element Group pert:response_11	104
Element Group pert:response_12	104
Element Group pert:response_13	105
Element Group pert:response_14	105
Element Group pert:response_15	106
Element Group pert:response_16	107
Element Group pert:response_17	107
Element Group pert:response_18	108
Element Group pert:response_19	108
Element Group pert:response_20	109
Element Group pert:response_29	110
Element Group pert:response_21	110
Element Group pert:response_22	111
Namespace: "http://www.w3.org/2003/g/data-view#"	111
Schemas	111
Imported schema data-view.xsd	111
Attributes	111
Attribute @data-view:transformation	111
Namespace: "http://www.w3.org/XML/1998/namespace"	112
Schemas	112
Imported schema xml.xsd	112
Attributes	112
Attribute @xml:id	112
Namespace: ""	112
Attributes	112
Attribute pert:response / pert:response / @value	112
Attribute pert:response / pert:response_2 / @value	113
Attribute pert:response / pert:response_3 / @value	113
Attribute pert:response / pert:response_4 / @value	114
Attribute pert:response / pert:response_5 / @value	115
Attribute pert:item / @name	115
Attribute pert:response / pert:response_6 / @value	115
Attribute pert:priorTherapy / @date	116
Attribute pert:priorTherapy / @until	116
Attribute pert:priorTherapy / @duration	116
Attribute pert:response / pert:response_7 / @value	116
Attribute pert:clinicalFinding / @date	117
Attribute pert:clinicalFinding / @until	117
Attribute pert:clinicalFinding / @duration	117
Attribute pert:response / pert:response_8 / @value	117
Attribute pert:radiologicFinding / @date	118
Attribute pert:radiologicFinding / @until	118
Attribute pert:radiologicFinding / @duration	118
Attribute pert:response / pert:response_23 / @relation	118
Attribute pert:response / pert:response_23 / @value	119
Attribute pert:response / pert:response_23 / @unit	119
Attribute pert:dimension / pert:dimension / @largest	119
Attribute pert:dimension / pert:dimension_2 / @largest	120
Attribute pert:response / pert:response_9 / @value	120
Attribute pert:response / pert:response_9 / @closest	121
Attribute pert:margin / @location	121
Attribute pert:response / pert:response_24 / @value	121
Attribute pert:metastasis / @location	122
Attribute pert:response / pert:response_25 / @value	122
Attribute pert:count / pert:count / @status	123
Attribute pert:response / pert:response_26 / @value	123
Attribute pert:response / pert:response_30 / @value	123
Attribute pert:count / pert:count_2 / @status	124
Attribute pert:response / pert:response_27 / @value	124
Attribute pert:count / pert:count_3 / @status	124
Attribute pert:response / pert:response_28 / @value	125
Attribute pert:count / pert:count_4 / @status	125
Attribute pert:nodeGroup / @location	125
Attribute pert:response / pert:response_10 / @value	126
Attribute pert:response / pert:response_11 / @value	126
Attribute pert:response / pert:response_12 / @value	126

Attribute pert:response / pert:response_13 / @value	127
Attribute pert:response / pert:response_14 / @relation	127
Attribute pert:response / pert:response_14 / @value	128
Attribute pert:response / pert:response_14 / @unit	128
Attribute pert:response / pert:response_15 / @value	128
Attribute pert:response / pert:response_16 / @value	129
Attribute pert:response / pert:response_17 / @value	129
Attribute pert:response / pert:response_18 / @value	130
Attribute pert:response / pert:response_19 / @value	130
Attribute pert:response / pert:response_20 / @value	130
Attribute pert:response / pert:response_29 / @value	131
Attribute pert:study / @name	131
Attribute pert:response / pert:response_21 / @value	131
Attribute pert:response / pert:response_22 / @value	132
Attribute pert:response / pert:response_22 / @system	132

Namespace: "http://www.cap.org/pert/2009/01/"

Schemas

Main schema flattened-generic-test-harness.xsd


Namespace	http://www.cap.org/pert/2009/01/
Properties	attribute form default: unqualified
	element form default: qualified
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Elements

Element pert:synopsis

Namespace	http://www.cap.org/pert/2009/01/
-----------	----------------------------------

Diagram



Properties	content: complex				
Model	pert:accessory pert:additional pert:clinical pert:extent pert:margins pert:metastases pert:nodes pert:specimen pert:stage pert:studies pert:tumor pert:comment pert:label pert:text (ANY element from ANY namespace)				
Children	pert:accessory, pert:additional, pert:clinical, pert:comment, pert:extent, pert:label, pert:margins, pert:metastases, pert:nodes, pert:specimen, pert:stage, pert:studies, pert:text, pert:tumor				
Instance	<pre><pert:synopsis xml:id="" pert:schemaLocation="" data-view:transformation="" pert:version=""> <pert:accessory xml:id="">{1,1}</pert:accessory> <pert:additional xml:id="">{1,1}</pert:additional> <pert:clinical xml:id="">{1,1}</pert:clinical> <pert:extent xml:id="">{1,1}</pert:extent> <pert:margins xml:id="">{1,1}</pert:margins> <pert:metastases xml:id="">{1,1}</pert:metastases> <pert:nodes xml:id="">{1,1}</pert:nodes> <pert:specimen xml:id="">{1,1}</pert:specimen> <pert:stage xml:id="">{1,1}</pert:stage> <pert:studies xml:id="">{1,1}</pert:studies> <pert:tumor xml:id="">{1,1}</pert:tumor> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> </pert:synopsis></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	data-view:transformation	restriction of xs:token			required

	QName	Type	Fixed	Default	Use
	pert:schemaLocation	restriction of xs:token			required
	pert:version	restriction of xs:token			required
	xml:id	xs:ID			optional
Source	<pre> <xs:element name="synopsis"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:choice> <xs:element ref="pert:accessory"/> <xs:element ref="pert:additional"/> <xs:element ref="pert:clinical"/> <xs:element ref="pert:extent"/> <xs:element ref="pert:margins"/> <xs:element ref="pert:metastases"/> <xs:element ref="pert:nodes"/> <xs:element ref="pert:specimen"/> <xs:element ref="pert:stage"/> <xs:element ref="pert:studies"/> <xs:element ref="pert:tumor"/> </xs:choice> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> </xs:choice> <xs:attribute name="schemaLocation" use="required" form="qualified"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:length value="0"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:attribute name="version" use="required" form="qualified"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:length value="0"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:attribute ref="data-view:transformation" use="required"/> <xs:attribute ref="xml:id"/> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element> </pre>				
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd				

Element **pert:accessory**

Namespace	http://www.cap.org/pert/2009/01/
Diagram	
Properties	content: complex

Used by	Element pert:synopsis				
Model	pert:venousInvasion pert:lymphovascularInvasion pert:perineuralInvasion pert:treatmentEffect pert:comment pert:label pert:text (ANY element from ANY namespace)				
Children	pert:comment, pert:label, pert:lymphovascularInvasion, pert:perineuralInvasion, pert:text, pert:treatmentEffect, pert:venousInvasion				
Instance	<pre> <pert:accessory xml:id=""> <pert:venousInvasion xml:id="">{1,1}</pert:venousInvasion> <pert:lymphovascularInvasion xml:id="">{1,1}</pert:lymphovascularInvasion> <pert:perineuralInvasion xml:id="">{1,1}</pert:perineuralInvasion> <pert:treatmentEffect xml:id="">{1,1}</pert:treatmentEffect> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> </pert:accessory> </pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	xml:id	xs:ID			optional
Source	<pre> <xs:element name="accessory"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:venousInvasion"/> <xs:element ref="pert:lymphovascularInvasion"/> <xs:element ref="pert:perineuralInvasion"/> <xs:element ref="pert:treatmentEffect"/> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element> </pre>				
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd				

Element pert:venousInvasion

Namespace	http://www.cap.org/pert/2009/01/		
Diagram			
Properties	content:	complex	
Used by	Element	pert:accessory	
Model	(pert:response) pert:comment pert:label pert:text (ANY element from ANY namespace)		
Children	pert:comment, pert:label, pert:response, pert:text		
Instance	<pre><pert:venousInvasion xml:id=""> <pert:response xml:id="" value="">{1,1}</pert:response> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label></pre>		

	<code><pert:text>{1,1}</pert:text></code> <code></pert:venousInvasion></code>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	xml:id	xs:ID			optional
Source	<pre> <xs:element name="venousInvasion"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:group ref="pert:response"/> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element> </pre>				
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd				

Element `pert:response` / `pert:response`

Namespace	http://www.cap.org/pert/2009/01/				
Diagram					
Properties	content:	complex			
Model	pert:comment pert:label pert:text (ANY element from ANY namespace) pert:specify				
Children	pert:comment, pert:label, pert:specify, pert:text				
Instance	<pre><pert:response xml:id="" value=""> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> <pert:specify>{1,1}</pert:specify> </pert:response></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	value	restriction of xs:token			required
	xml:id	xs:ID			optional
Source	<pre><xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> </xs:complexType> </xs:element></pre>				

	<pre> </xs:choice> <xs:attribute ref="xml:id"/> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="positive"/> <xs:enumeration value="negative"/> <xs:enumeration value="equivocal"/> <xs:enumeration value="indeterminate"/> <xs:enumeration value="inapplicable"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element> </pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element pert:comment


Namespace	http://www.cap.org/pert/2009/01/				
Diagram					
Properties	<table> <tr> <td>content:</td><td>complex</td></tr> <tr> <td>mixed:</td><td>true</td></tr> </table>	content:	complex	mixed:	true
content:	complex				
mixed:	true				
Used by	<p>Elements</p> <p> pert:M, pert:N, pert:T, pert:accessory, pert:additional, pert:classification, pert:clinical, pert:clinicalFinding, pert:count/pert:count, pert:count_2/pert:count, pert:count_3/pert:count, pert:count_4/pert:count, pert:dimension/pert:dimension, pert:dimension_2/pert:dimension, pert:extent, pert:extracapsular, pert:grade, pert:histologicType, pert:integrity, pert:item, pert:lymphovascularInvasion, pert:margin, pert:margins, pert:metastases, pert:metastasis, pert:method, pert:nodeGroup, pert:nodes, pert:perineuralInvasion, pert:prefix, pert:priorTherapy, pert:procedure, pert:radiologicFinding, pert:response/pert:response, pert:response_10/pert:response, pert:response_11/pert:response, pert:response_12/pert:response, pert:response_13/pert:response, pert:response_14/pert:response, pert:response_15/pert:response, pert:response_16/pert:response, pert:response_17/pert:response, pert:response_18/pert:response, pert:response_19/pert:response, pert:response_2/pert:response, pert:response_20/pert:response, pert:response_21/pert:response, pert:response_22/pert:response, pert:response_23/pert:response, pert:response_24/pert:response, pert:response_25/pert:response, pert:response_26/pert:response, pert:response_27/pert:response, pert:response_28/pert:response, pert:response_29/pert:response, pert:response_3/pert:response, pert:response_30/pert:response, pert:response_4/pert:response, pert:response_5/pert:response, pert:response_6/pert:response, pert:response_7/pert:response, pert:response_8/pert:response, pert:response_9/pert:response, pert:size, pert:specimen, pert:specimenSite, pert:specimenSize, pert:specimenWeight, pert:stage, pert:studies, pert:study, pert:synopsis, pert:treatmentEffect, pert:tumor, pert:tumorGrossSize, pert:tumorSite, pert:tumorSize, pert:venousInvasion </p>				
Model	ANY element from ANY namespace				
Source	<pre> <xs:element name="comment"> <xs:complexType mixed="true"> <xs:group minOccurs="0" maxOccurs="unbounded" ref="pert:_1"/> </xs:complexType> </xs:element> </pre>				
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd				

Element pert:label

Namespace	http://www.cap.org/pert/2009/01/		
Diagram			
Properties	<table> <tr> <td>content:</td><td>complex</td></tr> </table>	content:	complex
content:	complex		


	mixed:	true
Used by	Elements	<p> pert:M, pert:N, pert:T, pert:accessory, pert:additional, pert:classification, pert:clinical, pert:clinicalFinding, pert:count/pert:count, pert:count_2/pert:count, pert:count_3/pert:count, pert:count_4/pert:count, pert:dimension/pert:dimension, pert:dimension_2/pert:dimension, pert:extent, pert:extracapsular, pert:grade, pert:histologicType, pert:integrity, pert:item, pert:lymphovascularInvasion, pert:margin, pert:margins, pert:metastases, pert:metastasis, pert:method, pert:nodeGroup, pert:nodes, pert:perineuralInvasion, pert:prefix, pert:priorTherapy, pert:procedure, pert:radiologicFinding, pert:response/pert:response, pert:response_10/pert:response, pert:response_11/pert:response, pert:response_12/pert:response, pert:response_13/pert:response, pert:response_14/pert:response, pert:response_15/pert:response, pert:response_16/pert:response, pert:response_17/pert:response, pert:response_18/pert:response, pert:response_19/pert:response, pert:response_2/pert:response, pert:response_20/pert:response, pert:response_21/pert:response, pert:response_22/pert:response, pert:response_23/pert:response, pert:response_24/pert:response, pert:response_25/pert:response, pert:response_26/pert:response, pert:response_27/pert:response, pert:response_28/pert:response, pert:response_29/pert:response, pert:response_3/pert:response, pert:response_30/pert:response, pert:response_4/pert:response, pert:response_5/pert:response, pert:response_6/pert:response, pert:response_7/pert:response, pert:response_8/pert:response, pert:response_9/pert:response, pert:size, pert:specimen, pert:specimenSite, pert:specimenSize, pert:specimenWeight, pert:stage, pert:studies, pert:study, pert:synopsis, pert:treatmentEffect, pert:tumor, pert:tumorGrossSize, pert:tumorSite, pert:tumorSize, pert:venousInvasion </p>
Model	ANY element from ANY namespace	
Source	<pre> <xs:element name="label"> <xs:complexType mixed="true"> <xs:group minOccurs="0" maxOccurs="unbounded" ref="pert:_1"/> </xs:complexType> </xs:element> </pre>	
Schema location	file://Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd	

Element pert:text

Namespace	http://www.cap.org/pert/2009/01/	
Diagram		
Properties	content:	complex
	mixed:	true
Used by	Elements	<p> pert:M, pert:N, pert:T, pert:accessory, pert:additional, pert:classification, pert:clinical, pert:clinicalFinding, pert:count/pert:count, pert:count_2/pert:count, pert:count_3/pert:count, pert:count_4/pert:count, pert:dimension/pert:dimension, pert:dimension_2/pert:dimension, pert:extent, pert:extracapsular, pert:grade, pert:histologicType, pert:integrity, pert:item, pert:lymphovascularInvasion, pert:margin, pert:margins, pert:metastases, pert:metastasis, pert:method, pert:nodeGroup, pert:nodes, pert:perineuralInvasion, pert:prefix, pert:priorTherapy, pert:procedure, pert:radiologicFinding, pert:response/pert:response, pert:response_10/pert:response, pert:response_11/pert:response, pert:response_12/pert:response, pert:response_13/pert:response, pert:response_14/pert:response, pert:response_15/pert:response, pert:response_16/pert:response, pert:response_17/pert:response, pert:response_18/pert:response, pert:response_19/pert:response, pert:response_2/pert:response, pert:response_20/pert:response, pert:response_21/pert:response, pert:response_22/pert:response, pert:response_23/pert:response, pert:response_24/pert:response, pert:response_25/pert:response, pert:response_26/pert:response, pert:response_27/pert:response, pert:response_28/pert:response, pert:response_29/pert:response, pert:response_3/pert:response, pert:response_30/pert:response, pert:response_4/pert:response, pert:response_5/pert:response, pert:response_6/pert:response, pert:response_7/pert:response, pert:response_8/pert:response, pert:response_9/pert:response, pert:size, pert:specimen, pert:specimenSite, pert:specimenSize, pert:specimenWeight, pert:stage, pert:studies, pert:study, pert:synopsis, pert:treatmentEffect, pert:tumor, pert:tumorGrossSize, pert:tumorSite, pert:tumorSize, pert:venousInvasion </p>
Model	ANY element from ANY namespace	
Source	<pre> <xs:element name="text"> <xs:complexType mixed="true"> <xs:group minOccurs="0" maxOccurs="unbounded" ref="pert:_1"/> </xs:complexType> </xs:element> </pre>	

Schema location	file://Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd
-----------------	--

Element `pert:specify`

Namespace	http://www.cap.org/pert/2009/01/		
Diagram			
Type	xs:string		
Properties	content:	simple	
Used by	Elements	pert:count_4/pert:count, pert:item, pert:margin, pert:metastasis, pert:nodeGroup, pert:response/pert:response, pert:response_10/pert:response, pert:response_11/pert:response, pert:response_12/pert:response, pert:response_13/pert:response, pert:response_14/pert:response, pert:response_15/pert:response, pert:response_16/pert:response, pert:response_17/pert:response, pert:response_18/pert:response, pert:response_19/pert:response, pert:response_2/pert:response, pert:response_20/pert:response, pert:response_21/pert:response, pert:response_22/pert:response, pert:response_23/pert:response, pert:response_24/pert:response, pert:response_25/pert:response, pert:response_26/pert:response, pert:response_27/pert:response, pert:response_28/pert:response, pert:response_29/pert:response, pert:response_3/pert:response, pert:response_30/pert:response, pert:response_4/pert:response, pert:response_5/pert:response, pert:response_6/pert:response, pert:response_7/pert:response, pert:response_8/pert:response, pert:response_9/pert:response, pert:study	
Source	<xs:element name="specify" type="xs:string" />		
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd		

Element `pert:lymphovascularInvasion`

Namespace	http://www.cap.org/pert/2009/01/				
Diagram					
Properties	content:	complex			
Used by	Element	pert:accessory			
Model	(pert:response) pert:comment pert:label pert:text (ANY element from ANY namespace)				
Children	pert:comment, pert:label, pert:response, pert:text				
Instance	<pre><pert:lymphovascularInvasion xml:id=""> <pert:response xml:id="" value="">{1,1}</pert:response> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> </pert:lymphovascularInvasion></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	xml:id	xs:ID			optional

Source	<pre> <xs:element name="lymphovascularInvasion"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:group ref="pert:response_2"/> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element> </pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element `pert:response_2` / `pert:response`

Namespace	http://www.cap.org/pert/2009/01/				
Diagram					
Properties	content:	complex			
Model	pert:comment pert:label pert:text (ANY element from ANY namespace) pert:specify				
Children	pert:comment, pert:label, pert:specify, pert:text				
Instance	<pre><pert:response xml:id="" value=""> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> <pert:specify>{1,1}</pert:specify> </pert:response></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	value	restriction of xs:token			required
	xml:id	xs:ID			optional
Source	<pre><xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="positive"/> <xs:enumeration value="negative"/> <xs:enumeration value="equivocal"/> <xs:enumeration value="indeterminate"/> </xs:restriction> </xs:simpleType> </xs:attribute> </xs:complexType> </xs:element></pre>				


	<pre> <xs:enumeration value="inapplicable"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element> </pre>
Schema location	file://Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element `pert:perineuralInvasion`

Namespace	http://www.cap.org/pert/2009/01/				
Diagram					
Properties	content:	complex			
Used by	Element	pert:accessory			
Model	(pert:response) pert:comment pert:label pert:text (ANY element from ANY namespace)				
Children	pert:comment, pert:label, pert:response, pert:text				
Instance	<pre><pert:perineuralInvasion xml:id=""> <pert:response xml:id="" value="">{1,1}</pert:response> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> </pert:perineuralInvasion></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	xml:id	xs:ID			optional
Source	<pre><xs:element name="perineuralInvasion"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:group ref="pert:response_3"/> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element></pre>				
Schema location	file://Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd				


Element `pert:response_3` / `pert:response`

Namespace	http://www.cap.org/pert/2009/01/
-----------	----------------------------------

Diagram					
Properties	content:	complex			
Model	pert:comment pert:label pert:text (ANY element from ANY namespace) pert:specify				
Children	pert:comment, pert:label, pert:specify, pert:text				
Instance	<pre><pert:response xml:id="" value=""> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> <pert:specify>{1,1}</pert:specify> </pert:response></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	value	restriction of xs:token			required
	xml:id	xs:ID			optional
Source	<pre><xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="positive"/> <xs:enumeration value="negative"/> <xs:enumeration value="equivocal"/> <xs:enumeration value="indeterminate"/> <xs:enumeration value="inapplicable"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element></pre>				
Schema location	file://Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd				


Element pert:treatmentEffect

Namespace	http://www.cap.org/pert/2009/01/
-----------	----------------------------------

Diagram					
Properties	content:	complex			
Used by	Element	pert:accessory			
Model	(pert:response) pert:comment pert:label pert:text (ANY element from ANY namespace)				
Children	pert:comment, pert:label, pert:response, pert:text				
Instance	<pre><pert:treatmentEffect xml:id=""> <pert:response xml:id="" value="">{1,1}</pert:response> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> </pert:treatmentEffect></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	xml:id	xs:ID			optional
Source	<pre><xs:element name="treatmentEffect"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:group ref="pert:response_4"/> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element></pre>				
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd				


Element pert:response_4 / pert:response

Namespace	http://www.cap.org/pert/2009/01/
-----------	----------------------------------

Diagram					
Properties	content:	complex			
Model	pert:comment pert:label pert:text (ANY element from ANY namespace) pert:specify				
Children	pert:comment, pert:label, pert:specify, pert:text				
Instance	<pre><pert:response xml:id="" value=""> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> <pert:specify>{1,1}</pert:specify> </pert:response></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	value	restriction of xs:token			required
	xml:id	xs:ID			optional
Source	<pre><xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="inapplicable"/> <xs:enumeration value="no response"/> <xs:enumeration value="slight response"/> <xs:enumeration value="marked response"/> <xs:enumeration value="complete response"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element></pre>				
Schema location	file://Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd				

Element pert:additional

Namespace	http://www.cap.org/pert/2009/01/
-----------	----------------------------------

Diagram					
Properties	content:	complex			
Used by	Element	pert:synopsis			
Model	pert:item pert:comment pert:label pert:text (ANY element from ANY namespace)				
Children	pert:comment, pert:item, pert:label, pert:text				
Instance	<pre><pert:additional xml:id=""> <pert:item xml:id="" name="">{1,1}</pert:item> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> </pert:additional></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	xml:id	xs:ID			optional
Source	<pre><xs:element name="additional"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:item"/> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element></pre>				
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd				


Element pert:item

Namespace	http://www.cap.org/pert/2009/01/
-----------	----------------------------------

Diagram					
Properties	content:	complex			
Used by	Element	pert:additional			
Model	(pert:response) pert:specify pert:comment pert:label pert:text (ANY element from ANY namespace)				
Children	pert:comment, pert:label, pert:response, pert:specify, pert:text				
Instance	<pre><pert:item xml:id="" name=""> <pert:response xml:id="" value="">{1,1}</pert:response> <pert:specify>{1,1}</pert:specify> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> </pert:item></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	name	restriction of xs:token			required
	xml:id	xs:ID			optional
Source	<pre><xs:element name="item"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:group ref="pert:response_5"/> <xs:element ref="pert:specify"/> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> </xs:choice> <xs:attribute name="name" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:attribute ref="xml:id"/> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element></pre>				
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd				

Element pert:response_5 / pert:response

Namespace	http://www.cap.org/pert/2009/01/
-----------	----------------------------------

Diagram					
Properties	content:	complex			
Model	pert:comment pert:label pert:text (ANY element from ANY namespace) pert:specify				
Children	pert:comment, pert:label, pert:specify, pert:text				
Instance	<pre><pert:response xml:id="" value=""> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> <pert:specify>{1,1}</pert:specify> </pert:response></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	value	restriction of xs:token			required
	xml:id	xs:ID			optional
Source	<pre><xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="positive"/> <xs:enumeration value="negative"/> <xs:enumeration value="equivocal"/> <xs:enumeration value="indeterminate"/> <xs:enumeration value="inapplicable"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element></pre>				
Schema location	file://Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd				

Element pert:clinical


Namespace	http://www.cap.org/pert/2009/01/
-----------	----------------------------------

Diagram					
Properties	content:	complex			
Used by	Element	pert:synopsis			
Model	pert:priorTherapy pert:clinicalFinding pert:radiologicFinding pert:comment pert:label pert:text (ANY element from ANY namespace)				
Children	pert:clinicalFinding, pert:comment, pert:label, pert:priorTherapy, pert:radiologicFinding, pert:text				
Instance	<pre><pert:clinical xml:id=""> <pert:priorTherapy date="" duration="" xml:id="" until="">{1,1}</pert:priorTherapy> <pert:clinicalFinding date="" duration="" xml:id="" until="">{1,1}</ pert:clinicalFinding> <pert:radiologicFinding date="" duration="" xml:id="" until="">{1,1}</ pert:radiologicFinding> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> </pert:clinical></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	xml:id	xs:ID			optional
Source	<pre><xs:element name="clinical"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:priorTherapy"/> <xs:element ref="pert:clinicalFinding"/> <xs:element ref="pert:radiologicFinding"/> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element></pre>				
Schema location	file://Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd				

Element pert:priorTherapy

Namespace	http://www.cap.org/pert/2009/01/
-----------	----------------------------------

Diagram



Properties

content: complex

Used by

Element pert:clinical

Model

(pert:response) | pert:comment | pert:label | pert:text | (ANY element from ANY namespace)

Children

pert:comment, pert:label, pert:response, pert:text

Instance

```
<pert:priorTherapy date="" duration="" xml:id="" until="">
  <pert:response xml:id="" value="">{1,1}</pert:response>
  <pert:comment>{1,1}</pert:comment>
  <pert:label>{1,1}</pert:label>
  <pert:text>{1,1}</pert:text>
</pert:priorTherapy>
```

Attributes

QName	Type	Fixed	Default	Use
ANY attribute from ANY namespace				
date	union of(xs:date, xs:gYearMonth, xs:gYear)			optional
duration	xs:duration			optional
until	union of(xs:date, xs:gYearMonth, xs:gYear)			optional
xml:id	xs:ID			optional

Source

```
<xs:element name="priorTherapy">
  <xs:complexType>
    <xs:choice minOccurs="0" maxOccurs="unbounded">
      <xs:group ref="pert:response_6"/>
      <xs:element ref="pert:comment"/>
      <xs:element ref="pert:label"/>
      <xs:element ref="pert:text"/>
      <xs:group ref="pert:_1"/>
    </xs:choice>
    <xs:attribute name="date">
      <xs:simpleType>
        <xs:union memberTypes="xs:date xs:gYearMonth xs:gYear"/>
      </xs:simpleType>
    </xs:attribute>
    <xs:attribute name="until">
      <xs:simpleType>
        <xs:union memberTypes="xs:date xs:gYearMonth xs:gYear"/>
      </xs:simpleType>
    </xs:attribute>
  </xs:complexType>
</xs:element>
```

	<pre> </xs:attribute> <xs:attribute name="duration" type="xs:duration"/> <xs:attribute ref="xml:id"/> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element> </pre>
Schema location	file://Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element `pert:response_6` / `pert:response`

Namespace	http://www.cap.org/pert/2009/01/				
Diagram					
Properties	content:	complex			
Model	pert:comment pert:label pert:text (ANY element from ANY namespace) pert:specify				
Children	pert:comment, pert:label, pert:specify, pert:text				
Instance	<pre><pert:response xml:id="" value=""> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> <pert:specify>{1,1}</pert:specify> </pert:response></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	value	restriction of xs:token			required
	xml:id	xs:ID			optional
Source	<pre><xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element></pre>				

Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd
-----------------	---

Element `pert:clinicalFinding`

Namespace	http://www.cap.org/pert/2009/01/				
Diagram					
Properties	content:	complex			
Used by	Element	pert:clinical			
Model	(pert:response) pert:comment pert:label pert:text (ANY element from ANY namespace)				
Children	pert:comment, pert:label, pert:response, pert:text				
Instance	<pre><pert:clinicalFinding date="" duration="" xml:id="" until=""> <pert:response xml:id="" value="">{1,1}</pert:response> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> </pert:clinicalFinding></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	date	union of(xs:date, xs:gYearMonth, xs:gYear)			optional
	duration	xs:duration			optional
	until	union of(xs:date, xs:gYearMonth, xs:gYear)			optional
	xml:id	xs:ID			optional
Source	<pre><xs:element name="clinicalFinding"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:group ref="pert:response_7"/> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> </xs:choice> <xs:attribute name="date"> <xs:simpleType></pre>				

	<pre> <xs:union memberTypes="xs:date xs:gYearMonth xs:gYear"/> </xs:simpleType> </xs:attribute> <xs:attribute name="until"> <xs:simpleType> <xs:union memberTypes="xs:date xs:gYearMonth xs:gYear"/> </xs:simpleType> </xs:attribute> <xs:attribute name="duration" type="xs:duration"/> <xs:attribute ref="xml:id"/> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element> </pre>
Schema location	file://Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element `pert:response_7` / `pert:response`

Namespace	http://www.cap.org/pert/2009/01/				
Diagram					
Properties	content:	complex			
Model	pert:comment pert:label pert:text (ANY element from ANY namespace) pert:specify				
Children	pert:comment, pert:label, pert:specify, pert:text				
Instance	<pre><pert:response xml:id=" " value=" "> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> <pert:specify>{1,1}</pert:specify> </pert:response></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	value	restriction of xs:token			required
	xml:id	xs:ID			optional
Source	<pre><xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert_1"/> <xs:element ref="pert:specify"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute> </xs:complexType> </xs:element></pre>				

	<pre> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip" /> </xs:complexType> </xs:element> </pre>
Schema location	file://Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element `pert:radiologicFinding`

Namespace	http://www.cap.org/pert/2009/01/				
Diagram					
Properties	content:	complex			
Used by	Element	pert:clinical			
Model	(pert:response) pert:comment pert:label pert:text (ANY element from ANY namespace)				
Children	pert:comment, pert:label, pert:response, pert:text				
Instance	<pre><pert:radiologicFinding date="" duration="" xml:id="" until=""> <pert:response xml:id="" value="">{1,1}</pert:response> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> </pert:radiologicFinding></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	date	union of(xs:date, xs:gYearMonth, xs:gYear)			optional
	duration	xs:duration			optional
	until	union of(xs:date, xs:gYearMonth, xs:gYear)			optional
	xml:id	xs:ID			optional
Source	<pre><xs:element name="radiologicFinding"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:group ref="pert:response_8" /> <xs:element ref="pert:comment" /> </xs:choice> </xs:complexType> </xs:element></pre>				


	<pre> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> </xs:choice> <xs:attribute name="date"> <xs:simpleType> <xs:union memberTypes="xs:date xs:gYearMonth xs:gYear"/> </xs:simpleType> </xs:attribute> <xs:attribute name="until"> <xs:simpleType> <xs:union memberTypes="xs:date xs:gYearMonth xs:gYear"/> </xs:simpleType> </xs:attribute> <xs:attribute name="duration" type="xs:duration"/> <xs:attribute ref="xml:id"/> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element> </pre>
Schema location	file://Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element `pert:response_8` / `pert:response`

Namespace	http://www.cap.org/pert/2009/01/				
Diagram					
Properties	content:	complex			
Model	pert:comment pert:label pert:text (ANY element from ANY namespace) pert:specify				
Children	pert:comment, pert:label, pert:specify, pert:text				
Instance	<pre><pert:response xml:id="" value=""> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> <pert:specify>{1,1}</pert:specify> </pert:response></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	value	restriction of xs:token			required
	xml:id	xs:ID			optional
Source	<pre><xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:attribute name="value" use="required"></pre>				

	<pre> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element> </pre>
Schema location	file://Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd


Element pert:extent

Namespace	http://www.cap.org/pert/2009/01/				
Diagram					
Properties	content:	complex			
Used by	Element	pert:synopsis			
Model	pert:tumorSize pert:comment pert:label pert:text (ANY element from ANY namespace)				
Children	pert:comment, pert:label, pert:text, pert:tumorSize				
Instance	<pre><pert:extent xml:id=""> <pert:tumorSize xml:id="">{1,1}</pert:tumorSize> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> </pert:extent></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	xml:id	xs:ID			optional
Source	<pre><xs:element name="extent"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:tumorSize"/> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element></pre>				
Schema location	file://Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd				

Element pert:tumorSize

Namespace	http://www.cap.org/pert/2009/01/
-----------	----------------------------------

Diagram



Properties	content: complex				
Used by	Element pert:extent				
Model	(pert:dimension) (pert:dimension) (pert:dimension) pert:comment pert:label pert:text (ANY element from ANY namespace)				
Children	pert:comment, pert:dimension, pert:label, pert:text				
Instance	<pre><pert:tumorSize xml:id=""> <pert:dimension xml:id="" largest="">{1,1}</pert:dimension> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> </pert:tumorSize></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	xml:id	xs:ID			optional
Source	<pre><xs:element name="tumorSize"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:choice> <xs:group ref="pert:dimension"/> <xs:choice> <xs:group ref="pert:dimension_2"/> <xs:group ref="pert:dimension_2"/> </xs:choice> </xs:choice> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element></pre>				
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd				


Element `pert:dimension` / `pert:dimension`

Namespace	http://www.cap.org/pert/2009/01/				
Diagram					
Properties	content:	complex			
Model	(pert:response) pert:comment pert:label pert:text (ANY element from ANY namespace)				
Children	pert:comment, pert:label, pert:response, pert:text				
Instance	<pre><pert:dimension xml:id="" largest=""> <pert:response xml:id="" relation="" unit="" value="">{1,1}</pert:response> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> </pert:dimension></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	largest	restriction of xs:token			optional
	xml:id	xs:ID			optional
Source	<pre><xs:element name="dimension"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:group ref="pert:response_23"/> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> </xs:choice> <xs:attribute name="largest"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="true"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:attribute ref="xml:id"/> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element></pre>				
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd				

Element `pert:response_23` / `pert:response`

Namespace	http://www.cap.org/pert/2009/01/
-----------	----------------------------------

Diagram



Properties	content: complex				
Model	pert:comment pert:label pert:text (ANY element from ANY namespace) pert:specify				
Children	pert:comment, pert:label, pert:specify, pert:text				
Instance	<pre><pert:response xml:id="" relation="" unit="" value=""> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> <pert:specify>{1,1}</pert:specify> </pert:response></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	relation	restriction of xs:token			optional
	unit	union of(restriction of xs:token, restriction of xs:token)			required
	value	union of(restriction of xs:decimal, restriction of xs:token, restriction of xs:token)			required
	xml:id	xs:ID			optional
Source	<pre><xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:attribute name="relation"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="lessThan"/> <xs:enumeration value="lessThanOrEqual"/> <xs:enumeration value="equal"/> <xs:enumeration value="greaterThanOrEqual"/> <xs:enumeration value="greaterThan"/> </xs:restriction> </xs:simpleType> </xs:attribute> </xs:complexType> </xs:element></pre>				

	<pre> </xs:attribute> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:union> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:minExclusive value="0.0"/> </xs:restriction> </xs:simpleType> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify"/> </xs:restriction> </xs:simpleType> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:union> </xs:simpleType> </xs:attribute> <xs:attribute name="unit" use="required"> <xs:simpleType> <xs:union> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="mm"/> <xs:enumeration value="cm"/> <xs:enumeration value="in"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> <xs:simpleType> <xs:restriction base="xs:token"> <xs:length value="0"/> </xs:restriction> </xs:simpleType> </xs:union> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element> </pre>
Schema location	file://Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element `pert:dimension_2` / `pert:dimension`

Namespace	http://www.cap.org/pert/2009/01/
Diagram	<pre> graph TD dimension([dimension]) --- largest["@ largest Type: restriction of 'xs:token'"] dimension --- xmlid["@ xml:id"] dimension --- any1["##any"] dimension --- response23[pert:response_23] response23 --- response([response]) dimension --- comment[pert:comment] dimension --- label[pert:label] label --- text[pert:text] text --- p1[pert:1] p1 --- any2["##any"] </pre>

Properties	content: complex				
Model	(pert:response) pert:comment pert:label pert:text (ANY element from ANY namespace)				
Children	pert:comment, pert:label, pert:response, pert:text				
Instance	<pre><pert:dimension xml:id="" largest=""> <pert:response xml:id="" relation="" unit="" value="">{1,1}</pert:response> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> </pert:dimension></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	largest	restriction of xs:token			optional
	xml:id	xs:ID			optional
Source	<pre><xs:element name="dimension"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:group ref="pert:response_23"/> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> </xs:choice> <xs:attribute name="largest"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="false"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:attribute ref="xml:id"/> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element></pre>				
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd				

Element pert:margins

Namespace	http://www.cap.org/pert/2009/01/
Diagram	
Properties	content: complex
Used by	Element pert:synopsis
Model	pert:margin pert:comment pert:label pert:text (ANY element from ANY namespace)
Children	pert:comment, pert:label, pert:margin, pert:text
Instance	<pre> <pert:margins xml:id=""> <pert:margin xml:id="" location="">{1,1}</pert:margin> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> </pert:margins> </pre>

Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	xml:id	xs:ID			optional
Source	<pre><xs:element name="margins"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:margin"/> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element></pre>				
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd				

Element pert:margin

Namespace	http://www.cap.org/pert/2009/01/				
Diagram					
Properties	content:	complex			
Used by	Element	pert:margins			
Model	(pert:response) pert:specify pert:comment pert:label pert:text (ANY element from ANY namespace)				
Children	pert:comment, pert:label, pert:response, pert:specify, pert:text				
Instance	<pre><pert:margin xml:id="" location=""> <pert:response closest="" xml:id="" value="">{1,1}</pert:response> <pert:specify>{1,1}</pert:specify> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> </pert:margin></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	location	restriction of xs:token			required
	xml:id	xs:ID			optional
Source	<xs:element name="margin">				

	<pre> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:group ref="pert:response_9"/> <xs:element ref="pert:specify"/> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> </xs:choice> <xs:attribute name="location" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:attribute ref="xml:id"/> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element> </pre>
Schema location	file://Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element `pert:response_9` / `pert:response`

Namespace	http://www.cap.org/pert/2009/01/				
Diagram					
Properties	content:	complex			
Model	pert:distance pert:comment pert:label pert:text (ANY element from ANY namespace) pert:specify				
Children	pert:comment, pert:distance, pert:label, pert:specify, pert:text				
Instance	<pre><pert:response closest="" xml:id="" value=""> <pert:distance>{1,1}</pert:distance> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> <pert:specify>{1,1}</pert:specify> </pert:response></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	closest	restriction of xs:token			optional
	value	restriction of xs:token			required
	xml:id	xs:ID			optional


Source	<pre> <xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:distance"/> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="positive"/> <xs:enumeration value="negative"/> <xs:enumeration value="equivocal"/> <xs:enumeration value="indeterminate"/> <xs:enumeration value="inapplicable"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:attribute name="closest"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="positive"/> <xs:enumeration value="negative"/> <xs:enumeration value="equivocal"/> <xs:enumeration value="indeterminate"/> <xs:enumeration value="inapplicable"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element> </pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element pert:distance

Namespace	http://www.cap.org/pert/2009/01/
Diagram	
Properties	content: complex
Used by	Element pert:response_9/pert:response
Model	pert:response
Children	pert:response
Instance	<pre> <pert:distance> <pert:response xml:id=" " relation=" " unit=" " value="">{1,1}</pert:response> </pert:distance> </pre>
Source	<pre> <xs:element name="distance"> <xs:complexType> <xs:group ref="pert:response_23"/> </xs:complexType> </xs:element> </pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element pert:metastases


Namespace	http://www.cap.org/pert/2009/01/
-----------	----------------------------------

Diagram					
Properties	content:	complex			
Used by	Element	pert:synopsis			
Model	pert:metastasis pert:comment pert:label pert:text (ANY element from ANY namespace)				
Children	pert:comment, pert:label, pert:metastasis, pert:text				
Instance	<pre><pert:metastases xml:id=" "> <pert:metastasis xml:id=" " location=" ">{1,1}</pert:metastasis> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> </pert:metastases></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	xml:id	xs:ID			optional
Source	<pre><xs:element name="metastases"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:metastasis"/> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element></pre>				
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd				

Element pert:metastasis

Namespace	http://www.cap.org/pert/2009/01/
-----------	----------------------------------

Diagram



Properties	content: complex				
Used by	Element pert:metastases				
Model	pert:size pert:specify pert:howDiagnosed pert:comment pert:label pert:text (ANY element from ANY namespace)				
Children	pert:comment, pert:howDiagnosed, pert:label, pert:size, pert:specify, pert:text				
Instance	<pre><pert:metastasis xml:id="" location=""> <pert:size xml:id="">{1,1}</pert:size> <pert:specify>{1,1}</pert:specify> <pert:howDiagnosed>{1,1}</pert:howDiagnosed> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> </pert:metastasis></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	location	restriction of xs:token			required
	xml:id	xs:ID			optional
Source	<pre><xs:element name="metastasis"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:size"/> <xs:element ref="pert:specify"/> <xs:element ref="pert:howDiagnosed"/> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> </xs:choice> <xs:attribute name="location" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:attribute ref="xml:id"/> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element></pre>				


Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd
-----------------	---

Element pert:size

Namespace	http://www.cap.org/pert/2009/01/				
Diagram					
Properties	content:	complex			
Used by	Element	pert:metastasis			
Model	(pert:dimension) (pert:dimension) (pert:dimension) pert:comment pert:label pert:text (ANY element from ANY namespace)				
Children	pert:comment, pert:dimension, pert:label, pert:text				
Instance	<pre><pert:size xml:id=""> <pert:dimension xml:id="" largest="">{1,1}</pert:dimension> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> </pert:size></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	xml:id	xs:ID			optional
Source	<pre><xs:element name="size"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:choice> <xs:group ref="pert:dimension"/> <xs:choice> <xs:group ref="pert:dimension_2"/> <xs:group ref="pert:dimension_2"/> </xs:choice> </xs:choice> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:anyAttribute processContents="skip"/> </xs:complexType></pre>				

	</xs:element>
Schema location	file://Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element pert:howDiagnosed

Namespace	http://www.cap.org/pert/2009/01/
Diagram	
Type	pert:response_24
Properties	content: complex
Used by	Element pert:metastasis
Model	pert:response
Children	pert:response
Instance	<pre><pert:howDiagnosed> <pert:response xml:id=" " value=" ">{1,1}</pert:response> </pert:howDiagnosed></pre>
Source	<xs:element name="howDiagnosed" type="pert:response_24"/>
Schema location	file://Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element pert:response_24 / pert:response

Namespace	http://www.cap.org/pert/2009/01/				
Diagram					
Properties	content:	complex			
Model	pert:comment pert:label pert:text (ANY element from ANY namespace) pert:specify				
Children	pert:comment, pert:label, pert:specify, pert:text				
Instance	<pre><pert:response xml:id="" value=""> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> <pert:specify>{1,1}</pert:specify> </pert:response></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	value	restriction of xs:token			required
	xml:id	xs:ID			optional
Source	<xs:element name="response">				

	<pre> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="this accession"/> <xs:enumeration value="prior accession"/> <xs:enumeration value="outside report"/> <xs:enumeration value="clinical history"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element> </pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element pert:nodes

Namespace	http://www.cap.org/pert/2009/01/				
Diagram					
Properties	content:	complex			
Used by	Element	pert:synopsis			
Model	pert:nodeGroup pert:comment pert:label pert:text (ANY element from ANY namespace)				
Children	pert:comment, pert:label, pert:nodeGroup, pert:text				
Instance	<pre><pert:nodes xml:id=""> <pert:nodeGroup xml:id="" location="">{1,1}</pert:nodeGroup> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> </pert:nodes></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	xml:id	xs:ID			optional
Source	<pre><xs:element name="nodes"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:nodeGroup"/> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert: 1"/> </xs:choice> </xs:complexType> </xs:element></pre>				

	<pre> </xs:choice> <xs:attribute ref="xml:id"/> <xs:anyAttribute processContents="skip" /> </xs:complexType> </xs:element> </pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element pert:nodeGroup

Namespace	http://www.cap.org/pert/2009/01/				
Diagram					
Properties	content:	complex			
Used by	Element	pert:nodes			
Model	pert:specify (pert:count) (pert:count) (pert:count) (pert:count) pert:comment pert:label pert:text (ANY element from ANY namespace)				
Children	pert:comment, pert:count, pert:label, pert:specify, pert:text				
Instance	<pre><pert:nodeGroup xml:id="" location=""> <pert:specify>{1,1}</pert:specify> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> </pert:nodeGroup></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	location	union of(restriction of xs:token, restriction of xs:token)			required

	QName	Type	Fixed	Default	Use
	xml:id	xs:ID			optional
Source	<pre> <xs:element name="nodeGroup"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:specify"/> <xs:choice> <xs:group ref="pert:count"/> <xs:group ref="pert:count_2"/> <xs:group ref="pert:count_3"/> <xs:group ref="pert:count_4"/> </xs:choice> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> </xs:choice> <xs:attribute name="location" use="required"> <xs:simpleType> <xs:union> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> <xs:simpleType> <xs:restriction base="xs:token"> <xs:length value="0"/> </xs:restriction> </xs:simpleType> </xs:union> </xs:simpleType> </xs:attribute> <xs:attribute ref="xml:id"/> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element> </pre>				
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd				

Element pert:count / pert:count

Namespace	http://www.cap.org/pert/2009/01/
Diagram	
Properties	content: complex
Model	(pert:response) pert:comment pert:label pert:text (ANY element from ANY namespace)
Children	pert:comment, pert:label, pert:response, pert:text
Instance	<pre> <pert:count status=""> <pert:response pert:equal="" pert:greaterThan="" pert:greaterThanOrEqual="" xml:id="" pert:lessThan=""> pert:response </pert:response> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> </pert:count> </pre>

Attributes	QName	Type	Fixed	Default	Use
	status	restriction of xs:token			required
Source	<pre> <xs:element name="count"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:group ref="pert:response_25"/> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> </xs:choice> <xs:attribute name="status" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="total"/> </xs:restriction> </xs:simpleType> </xs:attribute> </xs:complexType> </xs:element> </pre>				
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd				


Element `pert:response_25` / `pert:response`

Namespace	http://www.cap.org/pert/2009/01/				
Diagram					

	QName	Type	Fixed	Default	Use
	pert:greaterThan				optional
	pert:greaterThanOrEqual				optional
	pert:lessThan				optional
	pert:lessThanOrEqual				optional
	value	union of(xs:nonNegativeInteger, restriction of xs:token, restriction of xs:token)			required
	xml:id	xs:ID			optional
Source	<pre> <xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:attribute name="lessThan" form="qualified"/> <xs:attribute name="lessThanOrEqual" form="qualified"/> <xs:attribute name="equal" form="qualified"/> <xs:attribute name="greaterThanOrEqual" form="qualified"/> <xs:attribute name="greaterThan" form="qualified"/> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:union memberTypes="xs:nonNegativeInteger"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify"/> </xs:restriction> </xs:simpleType> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:union> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element> </pre>				
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd				

Element **pert:count_2** / **pert:count**


Namespace	http://www.cap.org/pert/2009/01/
-----------	---

Diagram					
Properties	content:	complex			
Model	(pert:response) pert:comment pert:label pert:text (ANY element from ANY namespace) pert:largest pert:extracapsular				
Children	pert:comment, pert:extracapsular, pert:label, pert:largest, pert:response, pert:text				
Instance	<pre><pert:count status=""> <pert:response pert:equal="" pert:greaterThan="" pert:greaterThanOrEqual="" xml:id="" pert:lessThan=""> pert:response </pert:response> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> <pert:largest>{1,1}</pert:largest> <pert:extracapsular>{1,1}</pert:extracapsular> </pert:count></pre>				
Attributes	QName	Type	Fixed	Default	Use
	status	restriction of xs:token			required
Source	<pre><xs:element name="count"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:group ref="pert:response_26"/> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:largest"/> <xs:element ref="pert:extracapsular"/> </xs:choice> <xs:attribute name="status" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="positive"/> </xs:restriction> </xs:simpleType> </xs:attribute> </xs:complexType> </xs:element></pre>				
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd				

Element pert:response_26 / pert:response

Namespace	http://www.cap.org/pert/2009/01/
-----------	----------------------------------

Diagram



Properties

content: complex

Model

pert:comment | pert:label | pert:text | (ANY element from ANY namespace) | pert:specify

Children

pert:comment, pert:label, pert:specify, pert:text

Instance

```
<pert:response pert:equal="" pert:greaterThan="" pert:greaterThanOrEqualTo="" xml:id="" pert:lessThan="" p
<pert:comment>{1,1}</pert:comment>
<pert:label>{1,1}</pert:label>
<pert:text>{1,1}</pert:text>
<pert:specify>{1,1}</pert:specify>
</pert:response>
```

Attributes

QName	Type	Fixed	Default	Use
ANY attribute from ANY namespace				
pert:equal				optional
pert:greaterThan				optional
pert:greaterThanOrEqualTo				optional
pert:lessThan				optional
pert:lessThanOrEqualTo				optional
value	union of(xs:nonNegativeInteger, restriction of xs:token, restriction of xs:token)			required
xml:id	xs:ID			optional

Source

```
<xs:element name="response">
  <xs:complexType>
    <xs:choice minOccurs="0" maxOccurs="unbounded">
      <xs:element ref="pert:comment"/>
      <xs:element ref="pert:label"/>
      <xs:element ref="pert:text"/>
      <xs:group ref="pert:_1"/>
      <xs:element ref="pert:specify"/>
    </xs:choice>
    <xs:attribute ref="xml:id"/>
    <xs:attribute name="lessThan" form="qualified"/>
    <xs:attribute name="lessThanOrEqualTo" form="qualified"/>
    <xs:attribute name="equal" form="qualified"/>
    <xs:attribute name="greaterThanOrEqualTo" form="qualified"/>
```

	<pre> <xs:attribute name="greaterThan" form="qualified"/> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:union memberTypes="xs:nonNegativeInteger"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify"/> </xs:restriction> </xs:simpleType> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:union> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element> </pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element pert:largest

Namespace	http://www.cap.org/pert/2009/01/
Diagram	
Properties	content: complex
Used by	Element pert:count_2/pert:count
Model	pert:dimension , pert:dimension , pert:dimension
Children	pert:dimension
Instance	<pre> <pert:largest> <pert:dimension xml:id=" " largest="">{1,1}</pert:dimension> </pert:largest> </pre>
Source	<pre> <xs:element name="largest"> <xs:complexType> <xs:sequence> <xs:group ref="pert:dimension"/> <xs:sequence minOccurs="0"> <xs:group ref="pert:dimension_2"/> <xs:group minOccurs="0" ref="pert:dimension_2"/> </xs:sequence> </xs:sequence> </xs:complexType> </xs:element> </pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element pert:extracapsular

Namespace	http://www.cap.org/pert/2009/01/
-----------	----------------------------------

Diagram	
Properties	content: complex
Used by	Element pert:count_2/pert:count
Model	(pert:response) pert:comment pert:label pert:text (ANY element from ANY namespace)
Children	pert:comment, pert:label, pert:response, pert:text
Instance	<pre> <pert:extracapsular> <pert:response xml:id="" value="">{1,1}</pert:response> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> </pert:extracapsular> </pre>
Source	<pre> <xs:element name="extracapsular"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:group ref="pert:response_30"/> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> </xs:choice> </xs:complexType> </xs:element> </pre>
Schema location	file://Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element pert:response_30 / pert:response

Namespace	http://www.cap.org/pert/2009/01/
Diagram	
Properties	content: complex
Model	pert:comment pert:label pert:text (ANY element from ANY namespace) pert:specify
Children	pert:comment, pert:label, pert:specify, pert:text
Instance	<pre> <pert:response xml:id="" value=""> <pert:comment>{1,1}</pert:comment> </pre>

	<code><pert:label>{1,1}</pert:label></code> <code><pert:text>{1,1}</pert:text></code> <code><pert:specify>{1,1}</pert:specify></code> <code></pert:response></code>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	value	restriction of xs:token			required
	xml:id	xs:ID			optional
Source	<pre> <xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="positive"/> <xs:enumeration value="negative"/> <xs:enumeration value="equivocal"/> <xs:enumeration value="indeterminate"/> <xs:enumeration value="inapplicable"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element> </pre>				
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd				

Element `pert:count_3` / `pert:count`

Namespace	http://www.cap.org/pert/2009/01/
Diagram	
Properties	content: complex
Model	(pert:response) pert:comment pert:label pert:text (ANY element from ANY namespace)
Children	pert:comment, pert:label, pert:response, pert:text
Instance	<pre> <pert:count status=""> <pert:response pert:equal="" pert:greaterThan="" pert:greaterThanOrEqual="" xml:id="" pert:lessThan=""> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> </pert:response> </pert:count> </pre>

	</pert:count>				
Attributes	QName	Type	Fixed	Default	Use
	status	restriction of xs:token			required
Source	<pre> <xs:element name="count"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:group ref="pert:response_27"/> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> </xs:choice> <xs:attribute name="status" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="regressed"/> </xs:restriction> </xs:simpleType> </xs:attribute> </xs:complexType> </xs:element> </pre>				
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd				

Element pert:response_27 / pert:response

Namespace	http://www.cap.org/pert/2009/01/				
Diagram					
Properties	content:	complex			
Model	pert:comment pert:label pert:text (ANY element from ANY namespace) pert:specify				
Children	pert:comment, pert:label, pert:specify, pert:text				
Instance	<pre><pert:response pert:equal="" pert:greaterThan="" pert:greaterThanOrEqual="" xml:id="" pert:lessThan="" <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> <pert:specify>{1,1}</pert:specify> </pert:response></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				

	QName	Type	Fixed	Default	Use
	pert:equal				optional
	pert:greaterThan				optional
	pert:greaterThanOrEqual				optional
	pert:lessThan				optional
	pert:lessThanOrEqual				optional
	value	union of(xs:nonNegativeInteger, restriction of xs:token, restriction of xs:token)			required
	xml:id	xs:ID			optional
Source	<pre> <xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:attribute name="lessThan" form="qualified"/> <xs:attribute name="lessThanOrEqual" form="qualified"/> <xs:attribute name="equal" form="qualified"/> <xs:attribute name="greaterThanOrEqual" form="qualified"/> <xs:attribute name="greaterThan" form="qualified"/> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:union memberTypes="xs:nonNegativeInteger"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify"/> </xs:restriction> </xs:simpleType> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:union> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element> </pre>				
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd				

Element **pert:count_4** / **pert:count**


Namespace	http://www.cap.org/pert/2009/01/
-----------	----------------------------------

Diagram					
Properties	content:	complex			
Model	(pert:response) pert:comment pert:label pert:text (ANY element from ANY namespace) pert:specify				
Children	pert:comment, pert:label, pert:response, pert:specify, pert:text				
Instance	<pre><pert:count status=""> <pert:response pert:equal="" pert:greaterThan="" pert:greaterThanOrEqual="" xml:id="" pert:lessThan="" pert:response> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> <pert:specify>{1,1}</pert:specify> </pert:count></pre>				
Attributes	QName	Type	Fixed	Default	Use
	status	restriction of xs:token			required
Source	<pre><xs:element name="count"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:group ref="pert:response_28"/> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> <xs:attribute name="status" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify"/> </xs:restriction> </xs:simpleType> </xs:attribute> </xs:complexType> </xs:element></pre>				
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd				

Element pert:response_28 / pert:response

Namespace	http://www.cap.org/pert/2009/01/
-----------	----------------------------------

Diagram



Properties

content: complex

Model

pert:comment | pert:label | pert:text | (ANY element from ANY namespace) | pert:specify

Children

pert:comment, pert:label, pert:specify, pert:text

Instance

```
<pert:response pert:equal="" pert:greaterThan="" pert:greaterThanOrEqualTo="" xml:id="" pert:lessThan="" pert:lessThanOrEqualTo="">
  <pert:comment>{1,1}</pert:comment>
  <pert:label>{1,1}</pert:label>
  <pert:text>{1,1}</pert:text>
  <pert:specify>{1,1}</pert:specify>
</pert:response>
```

Attributes

QName	Type	Fixed	Default	Use
ANY attribute from ANY namespace				
pert:equal				optional
pert:greaterThan				optional
pert:greaterThanOrEqualTo				optional
pert:lessThan				optional
pert:lessThanOrEqualTo				optional
value	union of(xs:nonNegativeInteger, restriction of xs:token, restriction of xs:token)			required
xml:id	xs:ID			optional

Source

```
<xs:element name="response">
  <xs:complexType>
    <xs:choice minOccurs="0" maxOccurs="unbounded">
      <xs:element ref="pert:comment"/>
      <xs:element ref="pert:label"/>
      <xs:element ref="pert:text"/>
      <xs:group ref="pert:_1"/>
      <xs:element ref="pert:specify"/>
    </xs:choice>
    <xs:attribute ref="xml:id"/>
    <xs:attribute name="lessThan" form="qualified"/>
    <xs:attribute name="lessThanOrEqualTo" form="qualified"/>
    <xs:attribute name="equal" form="qualified"/>
    <xs:attribute name="greaterThanOrEqualTo" form="qualified"/>
  </xs:complexType>
</xs:element>
```


	<pre> <xs:attribute name="greaterThan" form="qualified"/> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:union memberTypes="xs:nonNegativeInteger"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify"/> </xs:restriction> </xs:simpleType> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:union> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element> </pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element pert:specimen

Namespace	http://www.cap.org/pert/2009/01/
Diagram	
Properties	content: complex
Used by	Element pert:synopsis
Model	<p> pert:procedure pert:specimenSite pert:tumorSite pert:integrity pert:specimenSize pert:tumorGrossSize pert:specimenWeight pert:comment pert:label pert:text (ANY element from ANY namespace) </p>
Children	<p> pert:comment, pert:integrity, pert:label, pert:procedure, pert:specimenSite, pert:specimenSize, pert:specimenWeight, pert:text, pert:tumorGrossSize, pert:tumorSite </p>
Instance	<pre> <pert:specimen xml:id=""> <pert:procedure xml:id="">{1,1}</pert:procedure> <pert:specimenSite xml:id="">{1,1}</pert:specimenSite> <pert:tumorSite xml:id="">{1,1}</pert:tumorSite> <pert:integrity xml:id="">{1,1}</pert:integrity> <pert:specimenSize xml:id="">{1,1}</pert:specimenSize> <pert:tumorGrossSize xml:id="">{1,1}</pert:tumorGrossSize> <pert:specimenWeight xml:id="">{1,1}</pert:specimenWeight> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> </pert:specimen> </pre>

Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	xml:id	xs:ID			optional
Source	<pre> <xs:element name="specimen"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:procedure"/> <xs:element ref="pert:specimenSite"/> <xs:element ref="pert:tumorSite"/> <xs:element ref="pert:integrity"/> <xs:element ref="pert:specimenSize"/> <xs:element ref="pert:tumorGrossSize"/> <xs:element ref="pert:specimenWeight"/> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element> </pre>				
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd				

Element pert:procedure

Namespace	http://www.cap.org/pert/2009/01/				
Diagram					
Properties	content:	complex			
Used by	Element	pert:specimen			
Model	(pert:response) pert:comment pert:label pert:text (ANY element from ANY namespace)				
Children	pert:comment, pert:label, pert:response, pert:text				
Instance	<pre><pert:procedure xml:id=""> <pert:response xml:id="" value="">{1,1}</pert:response> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> </pert:procedure></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	xml:id	xs:ID			optional
Source	<pre><xs:element name="procedure"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:group ref="pert:response_10"/> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:any namespace="##other" processContents="lax"/> </xs:choice> </xs:complexType> </xs:element></pre>				


	<pre> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element> </pre>
Schema location	file://Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element `pert:response_10` / `pert:response`

Namespace	http://www.cap.org/pert/2009/01/				
Diagram	<p>The diagram shows a complex type 'response' with the following structure:</p> <ul style="list-style-type: none">Attributes:<ul style="list-style-type: none"><code>xml:id</code> (optional)<code>value</code> (optional, Type: restriction of 'xs:token')<code>##any</code> (optional)Content (0..∞ occurrences):<ul style="list-style-type: none">Choice of:<ul style="list-style-type: none"><code>pert:comment</code> (optional)<code>pert:label</code> (optional)<code>pert:text</code> (optional)Group <code>pert:_1</code> (optional):<ul style="list-style-type: none"><code>##any</code> (optional)<code>pert:specify</code> (optional, Type: xs:string)				
Properties	content:	complex			
Model	pert:comment pert:label pert:text (ANY element from ANY namespace) pert:specify				
Children	pert:comment, pert:label, pert:specify, pert:text				
Instance	<pre><pert:response xml:id="" value=""> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> <pert:specify>{1,1}</pert:specify> </pert:response></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	value	restriction of xs:token			required
	xml:id	xs:ID			optional
Source	<pre><xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element></pre>				


	</xs:element>
Schema location	file://Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element **pert:specimenSite**

Namespace	http://www.cap.org/pert/2009/01/				
Diagram					
Properties	content:	complex			
Used by	Element	pert:specimen			
Model	(pert:response) pert:comment pert:label pert:text (ANY element from ANY namespace)				
Children	pert:comment, pert:label, pert:response, pert:text				
Instance	<pre><pert:specimenSite xml:id=""> <pert:response xml:id="" value="">{1,1}</pert:response> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> </pert:specimenSite></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	xml:id	xs:ID			optional
Source	<pre><xs:element name="specimenSite"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:group ref="pert:response_11"/> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element></pre>				
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd				

Element **pert:response_11** / **pert:response**

Namespace	http://www.cap.org/pert/2009/01/
-----------	----------------------------------

Diagram					
Properties	content:	complex			
Model	pert:comment pert:label pert:text (ANY element from ANY namespace) pert:specify				
Children	pert:comment, pert:label, pert:specify, pert:text				
Instance	<pre><pert:response xml:id="" value=""> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> <pert:specify>{1,1}</pert:specify> </pert:response></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	value	restriction of xs:token			required
	xml:id	xs:ID			optional
Source	<pre><xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element></pre>				
Schema location	file://Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd				

Element pert:tumorSite

Namespace	http://www.cap.org/pert/2009/01/
-----------	----------------------------------

Diagram					
Properties	content:	complex			
Used by	Element	pert:specimen			
Model	(pert:response) pert:comment pert:label pert:text (ANY element from ANY namespace)				
Children	pert:comment, pert:label, pert:response, pert:text				
Instance	<pre><pert:tumorSite xml:id=""> <pert:response xml:id="" value="">{1,1}</pert:response> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> </pert:tumorSite></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	xml:id	xs:ID			optional
Source	<pre><xs:element name="tumorSite"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:group ref="pert:response_12"/> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element></pre>				
Schema location	file://Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd				

Element pert:response_12 / pert:response

Namespace	http://www.cap.org/pert/2009/01/
-----------	----------------------------------

Diagram					
Properties	content:	complex			
Model	pert:comment pert:label pert:text (ANY element from ANY namespace) pert:specify				
Children	pert:comment, pert:label, pert:specify, pert:text				
Instance	<pre><pert:response xml:id="" value=""> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> <pert:specify>{1,1}</pert:specify> </pert:response></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	value	restriction of xs:token			required
	xml:id	xs:ID			optional
Source	<pre><xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element></pre>				
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd				


Element pert:integrity

Namespace	http://www.cap.org/pert/2009/01/
-----------	----------------------------------

Diagram					
Properties	content:	complex			
Used by	Element	pert:specimen			
Model	(pert:response) pert:comment pert:label pert:text (ANY element from ANY namespace)				
Children	pert:comment, pert:label, pert:response, pert:text				
Instance	<pre><pert:integrity xml:id=""> <pert:response xml:id="" value="">{1,1}</pert:response> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> </pert:integrity></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	xml:id	xs:ID			optional
Source	<pre><xs:element name="integrity"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:group ref="pert:response_13"/> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element></pre>				
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd				

Element pert:response_13 / pert:response


Namespace	http://www.cap.org/pert/2009/01/
-----------	----------------------------------

Diagram					
Properties	content:	complex			
Model	pert:comment pert:label pert:text (ANY element from ANY namespace) pert:specify				
Children	pert:comment, pert:label, pert:specify, pert:text				
Instance	<pre><pert:response xml:id="" value=""> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> <pert:specify>{1,1}</pert:specify> </pert:response></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	value	restriction of xs:token			required
	xml:id	xs:ID			optional
Source	<pre><xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="intact"/> <xs:enumeration value="fragmented"/> <xs:enumeration value="inapplicable"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element></pre>				
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd				

Element pert:specimenSize

Namespace	http://www.cap.org/pert/2009/01/
-----------	----------------------------------

Diagram



Properties	content: complex				
Used by	Element pert:specimen				
Model	(pert:dimension) (pert:dimension) (pert:dimension) pert:comment pert:label pert:text (ANY element from ANY namespace)				
Children	pert:comment, pert:dimension, pert:label, pert:text				
Instance	<pre><pert:specimenSize xml:id=""> <pert:dimension xml:id="" largest="">{1,1}</pert:dimension> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> </pert:specimenSize></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	xml:id	xs:ID			optional
Source	<pre><xs:element name="specimenSize"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:choice> <xs:group ref="pert:dimension" /> <xs:choice> <xs:group ref="pert:dimension_2"/> <xs:group ref="pert:dimension_2"/> </xs:choice> </xs:choice> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element></pre>				
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd				

Element `pert:tumorGrossSize`

Namespace	http://www.cap.org/pert/2009/01/				
Diagram					
Properties	content:	complex			
Used by	Element	pert:specimen			
Model	(pert:dimension) (pert:dimension) (pert:dimension) pert:comment pert:label pert:text (ANY element from ANY namespace)				
Children	pert:comment, pert:dimension, pert:label, pert:text				
Instance	<pre><pert:tumorGrossSize xml:id=""> <pert:dimension xml:id="" largest="">{1,1}</pert:dimension> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> </pert:tumorGrossSize></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	xml:id	xs:ID			optional
Source	<pre><xs:element name="tumorGrossSize"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:choice> <xs:group ref="pert:dimension"/> <xs:choice> <xs:group ref="pert:dimension_2"/> <xs:group ref="pert:dimension_2"/> </xs:choice> </xs:choice> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element></pre>				
Schema location	file://Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd				


Element `pert:specimenWeight`

Namespace	http://www.cap.org/pert/2009/01/				
Diagram					
Properties	content:	complex			
Used by	Element	pert:specimen			
Model	(pert:response) pert:comment pert:label pert:text (ANY element from ANY namespace)				
Children	pert:comment, pert:label, pert:response, pert:text				
Instance	<pre><pert:specimenWeight xml:id=""> <pert:response xml:id="" relation="" unit="" value="">{1,1}</pert:response> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> </pert:specimenWeight></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	xml:id	xs:ID			optional
Source	<pre><xs:element name="specimenWeight"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:group ref="pert:response_14"/> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element></pre>				
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd				

Element `pert:response_14` / `pert:response`

Namespace	http://www.cap.org/pert/2009/01/
-----------	----------------------------------

Diagram



Properties	content: complex				
Model	pert:comment pert:label pert:text (ANY element from ANY namespace) pert:specify				
Children	pert:comment, pert:label, pert:specify, pert:text				
Instance	<pre><pert:response xml:id="" relation="" unit="" value=""> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> <pert:specify>{1,1}</pert:specify> </pert:response></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	relation	restriction of xs:token			optional
	unit	union of(restriction of xs:token, restriction of xs:token)			required
	value	union of(restriction of xs:decimal, restriction of xs:token, restriction of xs:token)			required
	xml:id	xs:ID			optional
Source	<pre><xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:attribute name="relation"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="lessThan"/> <xs:enumeration value="lessThanOrEqual"/> <xs:enumeration value="equal"/> <xs:enumeration value="greaterThanOrEqual"/> <xs:enumeration value="greaterThan"/> </xs:restriction> </xs:simpleType> </xs:attribute> </xs:complexType> </xs:element></pre>				

	<pre> </xs:attribute> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:union> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:minExclusive value="0.0"/> </xs:restriction> </xs:simpleType> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify"/> </xs:restriction> </xs:simpleType> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:union> </xs:simpleType> </xs:attribute> <xs:attribute name="unit" use="required"> <xs:simpleType> <xs:union> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="g"/> <xs:enumeration value="kg"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> <xs:simpleType> <xs:restriction base="xs:token"> <xs:length value="0"/> </xs:restriction> </xs:simpleType> </xs:union> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element> </pre>
Schema location	file://Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element pert:stage

Namespace	http://www.cap.org/pert/2009/01/
Diagram	

Properties	content: complex				
Used by	Element pert:synopsis				
Model	pert:prefix pert:classification pert:T pert:N pert:M pert:comment pert:label pert:text (ANY element from ANY namespace)				
Children	pert:M, pert:N, pert:T, pert:classification, pert:comment, pert:label, pert:prefix, pert:text				
Instance	<pre><pert:stage xml:id=""> <pert:prefix xml:id="">{1,1}</pert:prefix> <pert:classification xml:id="">{1,1}</pert:classification> <pert:T xml:id="">{1,1}</pert:T> <pert:N xml:id="">{1,1}</pert:N> <pert:M xml:id="">{1,1}</pert:M> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> </pert:stage></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	xml:id	xs:ID			optional
Source	<pre><xs:element name="stage"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:prefix"/> <xs:element ref="pert:classification"/> <xs:element ref="pert:T"/> <xs:element ref="pert:N"/> <xs:element ref="pert:M"/> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element></pre>				
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd				

Element pert:prefix

Namespace	http://www.cap.org/pert/2009/01/
Diagram	
Properties	content: complex
Used by	Element pert:stage
Model	(pert:response) pert:comment pert:label pert:text (ANY element from ANY namespace)
Children	pert:comment, pert:label, pert:response, pert:text

Instance	<pre> <pert:prefix xml:id=""> <pert:response xml:id="" value="">{1,1}</pert:response> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> </pert:prefix> </pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	xml:id	xs:ID			optional
Source	<pre> <xs:element name="prefix"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:group ref="pert:response_15"/> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element> </pre>				
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd				

Element pert:response_15 / pert:response

Namespace	http://www.cap.org/pert/2009/01/				
Diagram					
Properties	content:	complex			
Model	pert:comment pert:label pert:text (ANY element from ANY namespace) pert:specify				
Children	pert:comment, pert:label, pert:specify, pert:text				
Instance	<pre><pert:response xml:id="" value=""> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> <pert:specify>{1,1}</pert:specify> </pert:response></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	value	union of(restriction of xs:token, restriction of xs:token, restriction of xs:token)			required
	xml:id	xs:ID			optional

Source	<pre> <xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:union> <xs:simpleType> <xs:restriction base="xs:token"> <xs:pattern value="y?m?r?a?" /> </xs:restriction> </xs:simpleType> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify" /> </xs:restriction> </xs:simpleType> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="unreported" /> </xs:restriction> </xs:simpleType> </xs:union> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip" /> </xs:complexType> </xs:element> </pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element pert:classification

Namespace	http://www.cap.org/pert/2009/01/
Diagram	
Properties	content: complex
Used by	Element pert:stage
Model	(pert:response) pert:comment pert:label pert:text (ANY element from ANY namespace)
Children	pert:comment, pert:label, pert:response, pert:text
Instance	<pre> <pert:classification xml:id=""> <pert:response xml:id="" value="">{1,1}</pert:response> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> </pert:classification> </pre>


Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	xml:id	xs:ID			optional
Source	<pre><xs:element name="classification"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:group ref="pert:response_16"/> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element></pre>				
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd				

Element pert:response_16 / pert:response


Namespace	http://www.cap.org/pert/2009/01/				
Diagram					
Properties	content:	complex			
Model	pert:comment pert:label pert:text (ANY element from ANY namespace) pert:specify				
Children	pert:comment, pert:label, pert:specify, pert:text				
Instance	<pre><pert:response xml:id="" value=""> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> <pert:specify>{1,1}</pert:specify> </pert:response></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	value	restriction of xs:token			required
	xml:id	xs:ID			optional
Source	<pre><xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> <xs:attribute ref="xml:id"/></pre>				

	<pre> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="p"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip" /> </xs:complexType> </xs:element> </pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element pert:T

Namespace	http://www.cap.org/pert/2009/01/				
Diagram					
Properties	content:	complex			
Used by	Element	pert:stage			
Model	(pert:response) pert:comment pert:label pert:text (ANY element from ANY namespace)				
Children	pert:comment, pert:label, pert:response, pert:text				
Instance	<pre><pert:T xml:id=""> <pert:response xml:id="" value="" {1,1}</pert:response> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> </pert:T></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	xml:id	xs:ID			optional
Source	<pre><xs:element name="T"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:group ref="pert:response_17"/> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element></pre>				
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd				

Element `pert:response_17` / `pert:response`

Namespace	http://www.cap.org/pert/2009/01/				
Diagram					
Properties	content:	complex			
Model	pert:comment pert:label pert:text (ANY element from ANY namespace) pert:specify				
Children	pert:comment, pert:label, pert:specify, pert:text				
Instance	<pre><pert:response xml:id="" value=""> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> <pert:specify>{1,1}</pert:specify> </pert:response></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	value	restriction of xs:token			required
	xml:id	xs:ID			optional
Source	<pre><xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element></pre>				
Schema location	file://Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd				


Element `pert:N`

Namespace	http://www.cap.org/pert/2009/01/
-----------	----------------------------------

Diagram					
Properties	content:	complex			
Used by	Element	pert:stage			
Model	(pert:response) pert:comment pert:label pert:text (ANY element from ANY namespace)				
Children	pert:comment, pert:label, pert:response, pert:text				
Instance	<pre><pert:N xml:id=""> <pert:response xml:id="" value="">{1,1}</pert:response> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> </pert:N></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	xml:id	xs:ID			optional
Source	<pre><xs:element name="N"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:group ref="pert:response_18"/> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element></pre>				
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd				

Element pert:response_18 / pert:response

Namespace	http://www.cap.org/pert/2009/01/
-----------	----------------------------------

Diagram					
Properties	content:	complex			
Model	pert:comment pert:label pert:text (ANY element from ANY namespace) pert:specify				
Children	pert:comment, pert:label, pert:specify, pert:text				
Instance	<pre><pert:response xml:id="" value=""> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> <pert:specify>{1,1}</pert:specify> </pert:response></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	value	restriction of xs:token			required
	xml:id	xs:ID			optional
Source	<pre><xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element></pre>				
Schema location	file://Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd				

Element pert:M

Namespace	http://www.cap.org/pert/2009/01/
-----------	----------------------------------

Diagram					
Properties	content:	complex			
Used by	Element	pert:stage			
Model	(pert:response) pert:comment pert:label pert:text (ANY element from ANY namespace)				
Children	pert:comment, pert:label, pert:response, pert:text				
Instance	<pre><pert:M xml:id=""> <pert:response xml:id="" value="">{1,1}</pert:response> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> </pert:M></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	xml:id	xs:ID			optional
Source	<pre><xs:element name="M"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:group ref="pert:response_19"/> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element></pre>				
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd				

Element pert:response_19 / pert:response

Namespace	http://www.cap.org/pert/2009/01/
-----------	----------------------------------

Diagram	<p>The diagram shows a complex type 'response' with the following structure:</p> <ul style="list-style-type: none">Attributes:<ul style="list-style-type: none">xml:id (optional)value (required, Type: restriction of 'xs.token')##any (optional)Content (0..∞ occurrences):<ul style="list-style-type: none">Choice of:<ul style="list-style-type: none">pert:comment (optional)pert:label (optional)pert:text (optional)Group 'pert:_1' (optional) containing:<ul style="list-style-type: none">##any (optional)pert:specify (optional, Type: xs:string)				
Properties	content:	complex			
Model	pert:comment pert:label pert:text (ANY element from ANY namespace) pert:specify				
Children	pert:comment, pert:label, pert:specify, pert:text				
Instance	<pre><pert:response xml:id="" value=""> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> <pert:specify>{1,1}</pert:specify> </pert:response></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	value	restriction of xs:token			required
	xml:id	xs:ID			optional
Source	<pre><xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="1"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element></pre>				
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd				

Element pert:studies


Namespace	http://www.cap.org/pert/2009/01/
-----------	----------------------------------

Diagram					
Properties	content:	complex			
Used by	Element	pert:synopsis			
Model	pert:study pert:comment pert:label pert:text (ANY element from ANY namespace)				
Children	pert:comment, pert:label, pert:study, pert:text				
Instance	<pre><pert:studies xml:id=""> <pert:study xml:id="" name="">{1,1}</pert:study> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> </pert:studies></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	xml:id	xs:ID			optional
Source	<pre><xs:element name="studies"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:study"/> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element></pre>				
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd				

Element pert:study

Namespace	http://www.cap.org/pert/2009/01/
-----------	----------------------------------

Diagram



Properties	content: complex
Used by	Element pert:studies
Model	(pert:response) pert:method pert:specify pert:comment pert:label pert:text (ANY element from ANY namespace)
Children	pert:comment, pert:label, pert:method, pert:response, pert:specify, pert:text
Instance	<pre> <pert:study xml:id="" name=""> <pert:response xml:id="" value="">{1,1}</pert:response> <pert:method>{1,1}</pert:method> <pert:specify>{1,1}</pert:specify> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> </pert:study> </pre>

Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	name	restriction of xs:token			required
	xml:id	xs:ID			optional

Source

```

<xs:element name="study">
  <xs:complexType>
    <xs:choice minOccurs="0" maxOccurs="unbounded">
      <xs:group ref="pert:response_20"/>
      <xs:element ref="pert:method"/>
      <xs:element ref="pert:specify"/>
      <xs:element ref="pert:comment"/>
      <xs:element ref="pert:label"/>
      <xs:element ref="pert:text"/>
      <xs:group ref="pert:_1"/>
    </xs:choice>
    <xs:attribute name="name" use="required">
      <xs:simpleType>
        <xs:restriction base="xs:token">
          <xs:enumeration value="specify"/>
        </xs:restriction>
      </xs:simpleType>
    </xs:attribute>
    <xs:attribute ref="xml:id"/>
    <xs:anyAttribute processContents="skip"/>
  </xs:complexType>
</xs:element>

```


Schema location file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element `pert:response_20` / `pert:response`


Namespace	http://www.cap.org/pert/2009/01/				
Diagram					
Properties	content:	complex			
Model	pert:comment pert:label pert:text (ANY element from ANY namespace) pert:specify				
Children	pert:comment, pert:label, pert:specify, pert:text				
Instance	<pre><pert:response xml:id="" value=""> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> <pert:specify>{1,1}</pert:specify> </pert:response></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	value	restriction of xs:token			required
	xml:id	xs:ID			optional
Source	<pre><xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="pending"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element></pre>				
Schema location	file://Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd				

Element `pert:method`

Namespace	http://www.cap.org/pert/2009/01/
-----------	----------------------------------

Diagram	
Properties	content: complex
Used by	Element pert:study
Model	(pert:response) pert:comment pert:label pert:text (ANY element from ANY namespace)
Children	pert:comment, pert:label, pert:response, pert:text
Instance	<pre> <pert:method> <pert:response xml:id="" value="">{1,1}</pert:response> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> </pert:method> </pre>
Source	<pre> <xs:element name="method"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:group ref="pert:response_29"/> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> </xs:choice> </xs:complexType> </xs:element> </pre>
Schema location	file://Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element pert:response_29 / pert:response

Namespace	http://www.cap.org/pert/2009/01/
Diagram	
Properties	content: complex
Model	pert:comment pert:label pert:text (ANY element from ANY namespace) pert:specify
Children	pert:comment, pert:label, pert:specify, pert:text
Instance	<pre> <pert:response xml:id="" value=""> </pre>

	<pre> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> <pert:specify>{1,1}</pert:specify> </pert:response> </pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	value	restriction of xs:token			required
	xml:id	xs:ID			optional
Source	<pre> <xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element> </pre>				
Schema location	file://Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd				

Element pert:tumor

Namespace	http://www.cap.org/pert/2009/01/
Diagram	
Properties	content: complex
Used by	Element pert:synopsis
Model	pert:histologicType pert:grade pert:comment pert:label pert:text (ANY element from ANY namespace)
Children	pert:comment, pert:grade, pert:histologicType, pert:label, pert:text
Instance	<pre> <pert:tumor xml:id=""> <pert:histologicType xml:id="">{1,1}</pert:histologicType> <pert:grade xml:id="">{1,1}</pert:grade> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> </pert:tumor> </pre>

Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	xml:id	xs:ID			optional
Source	<pre><xs:element name="tumor"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:histologicType"/> <xs:element ref="pert:grade"/> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element></pre>				
Schema location	file://Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd				

Element pert:histologicType

Namespace	http://www.cap.org/pert/2009/01/				
Diagram					
Properties	content:	complex			
Used by	Element	pert:tumor			
Model	(pert:response) pert:comment pert:label pert:text (ANY element from ANY namespace)				
Children	pert:comment, pert:label, pert:response, pert:text				
Instance	<pre><pert:histologicType xml:id=""> <pert:response xml:id="" value="">{1,1}</pert:response> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> </pert:histologicType></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	xml:id	xs:ID			optional
Source	<pre><xs:element name="histologicType"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:group ref="pert:response_21"/> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> </xs:choice> </xs:complexType> </xs:element></pre>				

	<pre> <xs:attribute ref="xml:id" /> <xs:anyAttribute processContents="skip" /> </xs:complexType> </xs:element> </pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element `pert:response_21` / `pert:response`

Namespace	http://www.cap.org/pert/2009/01/				
Diagram					
Properties	content:	complex			
Model	pert:comment pert:label pert:text (ANY element from ANY namespace) pert:specify				
Children	pert:comment, pert:label, pert:specify, pert:text				
Instance	<pre><pert:response xml:id="" value=""> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> <pert:specify>{1,1}</pert:specify> </pert:response></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	value	restriction of xs:token			required
	xml:id	xs:ID			optional
Source	<pre><xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element></pre>				
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd				


Element `pert:grade`

Namespace	http://www.cap.org/pert/2009/01/				
Diagram					
Properties	content:	complex			
Used by	Element	pert:tumor			
Model	(pert:response) pert:comment pert:label pert:text				
Children	pert:comment, pert:label, pert:response, pert:text				
Instance	<pre><pert:grade xml:id=""> <pert:response xml:id="" system="" value="">{1,1}</pert:response> <pert:comment>{1,1}</pert:comment> <pert:label>{1,1}</pert:label> <pert:text>{1,1}</pert:text> </pert:grade></pre>				
Attributes	QName	Type	Fixed	Default	Use
	ANY attribute from ANY namespace				
	xml:id	xs:ID			optional
Source	<pre><xs:element name="grade"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:group ref="pert:response_22"/> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element></pre>				
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd				

Element `pert:response_22` / `pert:response`

Namespace	http://www.cap.org/pert/2009/01/
-----------	----------------------------------

Diagram



Properties

content: complex

Model

pert:comment | pert:label | pert:text | (ANY element from ANY namespace) | pert:specify

Children

pert:comment, pert:label, pert:specify, pert:text

Instance

```
<pert:response xml:id="" system="" value="">
  <pert:comment>{1,1}</pert:comment>
  <pert:label>{1,1}</pert:label>
  <pert:text>{1,1}</pert:text>
  <pert:specify>{1,1}</pert:specify>
</pert:response>
```

Attributes

QName	Type	Fixed	Default	Use
ANY attribute from ANY namespace				
system	restriction of xs:token			optional
value	restriction of xs:token			required
xml:id	xs:ID			optional


Source

```
<xs:element name="response">
  <xs:complexType>
    <xs:choice minOccurs="0" maxOccurs="unbounded">
      <xs:element ref="pert:comment"/>
      <xs:element ref="pert:label"/>
      <xs:element ref="pert:text"/>
      <xs:group ref="pert_1"/>
      <xs:element ref="pert:specify"/>
    </xs:choice>
    <xs:attribute ref="xml:id"/>
    <xs:attribute name="value" use="required">
      <xs:simpleType>
        <xs:restriction base="xs:token">
          <xs:enumeration value="specify"/>
          <xs:enumeration value="unreported"/>
          <xs:enumeration value="specify"/>
          <xs:enumeration value="unreported"/>
        </xs:restriction>
      </xs:simpleType>
    </xs:attribute>
    <xs:attribute name="system">
      <xs:simpleType>
        <xs:restriction base="xs:token">
          <xs:enumeration value="WHO"/>
          <xs:enumeration value="specify"/>
          <xs:enumeration value="unreported"/>
        </xs:restriction>
      </xs:simpleType>
    </xs:attribute>
    <xs:anyAttribute processContents="skip"/>
  </xs:complexType>
</xs:element>
```

Schema location	file://Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd
-----------------	--

Complex Types

Complex Type `pert:response_24`

Namespace	http://www.cap.org/pert/2009/01/
Diagram	
Used by	Element <code>pert:howDiagnosed</code>
Model	<code>pert:response</code>
Children	<code>pert:response</code>
Source	<pre> <xs:complexType name="response_24"> <xs:sequence> <xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="this accession"/> <xs:enumeration value="prior accession"/> <xs:enumeration value="outside report"/> <xs:enumeration value="clinical history"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </pre>
Schema location	file://Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attributes

Attribute `pert:response` / `pert:response_25` / `@pert:lessThan`

Namespace	http://www.cap.org/pert/2009/01/
Used by	Element <code>pert:response_25/pert:response</code>
Source	<code><xs:attribute name="lessThan" form="qualified"/></code>
Schema location	file://Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute `pert:response` / `pert:response_25` / `@pert:lessThanOrEqual`

Namespace	http://www.cap.org/pert/2009/01/
Used by	Element <code>pert:response_25/pert:response</code>
Source	<code><xs:attribute name="lessThanOrEqual" form="qualified"/></code>
Schema location	file://Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute `pert:response` / `pert:response_25` / `@pert:equal`

Namespace	http://www.cap.org/pert/2009/01/
Used by	Element <code>pert:response_25/pert:response</code>

Source	<xs:attribute name="equal" form="qualified"/>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute `pert:response` / `pert:response_25` / `@pert:greaterThanOrEqual`

Namespace	http://www.cap.org/pert/2009/01/
Used by	Element <code>pert:response_25/pert:response</code>
Source	<xs:attribute name="greaterThanOrEqual" form="qualified"/>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute `pert:response` / `pert:response_25` / `@pert:greaterThan`

Namespace	http://www.cap.org/pert/2009/01/
Used by	Element <code>pert:response_25/pert:response</code>
Source	<xs:attribute name="greaterThan" form="qualified"/>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute `pert:response` / `pert:response_26` / `@pert:lessThan`

Namespace	http://www.cap.org/pert/2009/01/
Used by	Element <code>pert:response_26/pert:response</code>
Source	<xs:attribute name="lessThan" form="qualified"/>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute `pert:response` / `pert:response_26` / `@pert:lessThanOrEqual`

Namespace	http://www.cap.org/pert/2009/01/
Used by	Element <code>pert:response_26/pert:response</code>
Source	<xs:attribute name="lessThanOrEqual" form="qualified"/>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute `pert:response` / `pert:response_26` / `@pert:equal`

Namespace	http://www.cap.org/pert/2009/01/
Used by	Element <code>pert:response_26/pert:response</code>
Source	<xs:attribute name="equal" form="qualified"/>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute `pert:response` / `pert:response_26` / `@pert:greaterThanOrEqual`

Namespace	http://www.cap.org/pert/2009/01/
Used by	Element <code>pert:response_26/pert:response</code>
Source	<xs:attribute name="greaterThanOrEqual" form="qualified"/>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute `pert:response` / `pert:response_26` / `@pert:greaterThan`

Namespace	http://www.cap.org/pert/2009/01/
Used by	Element <code>pert:response_26/pert:response</code>
Source	<xs:attribute name="greaterThan" form="qualified"/>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute `pert:response` / `pert:response_27` / `@pert:lessThan`

Namespace	http://www.cap.org/pert/2009/01/
-----------	----------------------------------

Used by	Element pert:response_27/pert:response
Source	<xs:attribute name="lessThan" form="qualified"/>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute **pert:response / pert:response_27 / @pert:lessThanOrEqual**

Namespace	http://www.cap.org/pert/2009/01/
Used by	Element pert:response_27/pert:response
Source	<xs:attribute name="lessThanOrEqual" form="qualified"/>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute **pert:response / pert:response_27 / @pert:equal**

Namespace	http://www.cap.org/pert/2009/01/
Used by	Element pert:response_27/pert:response
Source	<xs:attribute name="equal" form="qualified"/>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute **pert:response / pert:response_27 / @pert:greaterThanOrEqual**

Namespace	http://www.cap.org/pert/2009/01/
Used by	Element pert:response_27/pert:response
Source	<xs:attribute name="greaterThanOrEqual" form="qualified"/>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute **pert:response / pert:response_27 / @pert:greaterThan**

Namespace	http://www.cap.org/pert/2009/01/
Used by	Element pert:response_27/pert:response
Source	<xs:attribute name="greaterThan" form="qualified"/>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute **pert:response / pert:response_28 / @pert:lessThan**

Namespace	http://www.cap.org/pert/2009/01/
Used by	Element pert:response_28/pert:response
Source	<xs:attribute name="lessThan" form="qualified"/>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute **pert:response / pert:response_28 / @pert:lessThanOrEqual**

Namespace	http://www.cap.org/pert/2009/01/
Used by	Element pert:response_28/pert:response
Source	<xs:attribute name="lessThanOrEqual" form="qualified"/>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute **pert:response / pert:response_28 / @pert:equal**

Namespace	http://www.cap.org/pert/2009/01/
Used by	Element pert:response_28/pert:response
Source	<xs:attribute name="equal" form="qualified"/>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute `pert:response` / `pert:response_28` / `@pert:greaterThanOrEqualTo`

Namespace	http://www.cap.org/pert/2009/01/
Used by	Element <code>pert:response_28/pert:response</code>
Source	<xs:attribute name="greaterThanOrEqualTo" form="qualified" />
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute `pert:response` / `pert:response_28` / `@pert:greaterThan`

Namespace	http://www.cap.org/pert/2009/01/
Used by	Element <code>pert:response_28/pert:response</code>
Source	<xs:attribute name="greaterThan" form="qualified" />
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute `pert:synopsis` / `@pert:schemaLocation`


Namespace	http://www.cap.org/pert/2009/01/
Type	restriction of <code>xs:token</code>
Properties	use: <code>required</code>
Facets	length <code>0</code>
Used by	Element <code>pert:synopsis</code>
Source	<pre><xs:attribute name="schemaLocation" use="required" form="qualified"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:length value="0" /> </xs:restriction> </xs:simpleType> </xs:attribute></pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute `pert:synopsis` / `@pert:version`

Namespace	http://www.cap.org/pert/2009/01/
Type	restriction of <code>xs:token</code>
Properties	use: <code>required</code>
Facets	length <code>0</code>
Used by	Element <code>pert:synopsis</code>
Source	<pre><xs:attribute name="version" use="required" form="qualified"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:length value="0" /> </xs:restriction> </xs:simpleType> </xs:attribute></pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element Groups

Element Group `pert:response`

Namespace	http://www.cap.org/pert/2009/01/
Diagram	
Used by	Element <code>pert:venousInvasion</code>
Model	<code>pert:response</code>
Children	<code>pert:response</code>


Source	<pre> <xs:group name="response"> <xs:sequence> <xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="positive"/> <xs:enumeration value="negative"/> <xs:enumeration value="equivocal"/> <xs:enumeration value="indeterminate"/> <xs:enumeration value="inapplicable"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element> </xs:sequence> </xs:group> </pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element Group pert:_1


Namespace	http://www.cap.org/pert/2009/01/
Diagram	
Used by	<p>Elements</p> <p> pert:M, pert:N, pert:T, pert:accessory, pert:additional, pert:classification, pert:clinical, pert:clinicalFinding, pert:comment, pert:count/pert:count, pert:count_2/pert:count, pert:count_3/pert:count, pert:count_4/pert:count, pert:dimension/pert:dimension, pert:dimension_2/pert:dimension, pert:extent, pert:extracapsular, pert:histologicType, pert:integrity, pert:item, pert:label, pert:lymphovascularInvasion, pert:margin, pert:margins, pert:metastases, pert:metastasis, pert:method, pert:nodeGroup, pert:nodes, pert:perineuralInvasion, pert:prefix, pert:priorTherapy, pert:procedure, pert:radiologicFinding, pert:response/pert:response, pert:response_10/pert:response, pert:response_11/pert:response, pert:response_12/pert:response, pert:response_13/pert:response, pert:response_14/pert:response, pert:response_15/pert:response, pert:response_16/pert:response, pert:response_17/pert:response, pert:response_18/pert:response, pert:response_19/pert:response, pert:response_2/pert:response, pert:response_20/pert:response, pert:response_21/pert:response, pert:response_22/pert:response, pert:response_23/pert:response, pert:response_24/pert:response, pert:response_25/pert:response, pert:response_26/pert:response, pert:response_27/pert:response, pert:response_28/pert:response, pert:response_29/pert:response, pert:response_3/pert:response, pert:response_30/pert:response, pert:response_4/pert:response, pert:response_5/pert:response, pert:response_6/pert:response, pert:response_7/pert:response, pert:response_8/pert:response, pert:response_9/pert:response, pert:size, pert:specimen, pert:specimenSite, pert:specimenSize, pert:specimenWeight, pert:stage, pert:studies, pert:study, pert:synopsis, pert:text, pert:treatmentEffect, pert:tumor, pert:tumorGrossSize, pert:tumorSite, pert:tumorSize, pert:venousInvasion </p>
Model	ANY element from ANY namespace
Source	<pre> <xs:group name="_1"> <xs:sequence> <xs:any processContents="skip"/> </xs:sequence> </xs:group> </pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element Group pert:response_2

Namespace	http://www.cap.org/pert/2009/01/
-----------	----------------------------------


Diagram	
Used by	Element pert:lymphovascularInvasion
Model	pert:response
Children	pert:response
Source	<pre> <xs:group name="response_2"> <xs:sequence> <xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="positive"/> <xs:enumeration value="negative"/> <xs:enumeration value="equivocal"/> <xs:enumeration value="indeterminate"/> <xs:enumeration value="inapplicable"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element> </xs:sequence> </xs:group> </pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element Group pert:response_3


Namespace	http://www.cap.org/pert/2009/01/
Diagram	
Used by	Element pert:perineuralInvasion
Model	pert:response
Children	pert:response
Source	<pre> <xs:group name="response_3"> <xs:sequence> <xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="positive"/> <xs:enumeration value="negative"/> <xs:enumeration value="equivocal"/> <xs:enumeration value="indeterminate"/> <xs:enumeration value="inapplicable"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute> </xs:complexType> </xs:element> </xs:sequence> </xs:group> </pre>

	<pre> </xs:attribute> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element> </xs:sequence> </xs:group> </pre>
Schema location	file://Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element Group `pert:response_4`


Namespace	http://www.cap.org/pert/2009/01/
Diagram	
Used by	Element <code>pert:treatmentEffect</code>
Model	<code>pert:response</code>
Children	<code>pert:response</code>
Source	<pre> <xs:group name="response_4"> <xs:sequence> <xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="inapplicable"/> <xs:enumeration value="no response"/> <xs:enumeration value="slight response"/> <xs:enumeration value="marked response"/> <xs:enumeration value="complete response"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element> </xs:sequence> </xs:group> </pre>
Schema location	file://Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element Group `pert:response_5`


Namespace	http://www.cap.org/pert/2009/01/
Diagram	
Used by	Element <code>pert:item</code>
Model	<code>pert:response</code>
Children	<code>pert:response</code>
Source	<pre> <xs:group name="response_5"> <xs:sequence> <xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:attribute name="value" use="required"> </pre>

	<pre> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="positive"/> <xs:enumeration value="negative"/> <xs:enumeration value="equivocal"/> <xs:enumeration value="indeterminate"/> <xs:enumeration value="inapplicable"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element> </xs:sequence> </xs:group> </pre>
Schema location	file://Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element Group `pert:response_6`


Namespace	http://www.cap.org/pert/2009/01/
Diagram	
Used by	Element <code>pert:priorTherapy</code>
Model	<code>pert:response</code>
Children	<code>pert:response</code>
Source	<pre> <xs:group name="response_6"> <xs:sequence> <xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element> </xs:sequence> </xs:group> </pre>
Schema location	file://Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element Group `pert:response_7`


Namespace	http://www.cap.org/pert/2009/01/
Diagram	
Used by	Element <code>pert:clinicalFinding</code>
Model	<code>pert:response</code>
Children	<code>pert:response</code>
Source	<pre> <xs:group name="response_7"> <xs:sequence> <xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> </pre>

	<pre> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element> </xs:sequence> </xs:group> </pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element Group pert:response_8

Namespace	http://www.cap.org/pert/2009/01/
Diagram	
Used by	Element pert:radiologicFinding
Model	pert:response
Children	pert:response
Source	<pre> <xs:group name="response_8"> <xs:sequence> <xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element> </xs:sequence> </xs:group> </pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element Group pert:dimension

Namespace	http://www.cap.org/pert/2009/01/
Diagram	
Used by	Elements pert:largest, pert:size, pert:specimenSize, pert:tumorGrossSize, pert:tumorSize
Model	pert:dimension
Children	pert:dimension
Source	<pre> <xs:group name="dimension"> <xs:sequence> </pre>


	<pre> <xs:element name="dimension"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:group ref="pert:response_23"/> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> </xs:choice> <xs:attribute name="largest"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="true"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:attribute ref="xml:id"/> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element> </xs:sequence> </xs:group> </pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element Group pert:response_23


Namespace	http://www.cap.org/pert/2009/01/
Diagram	<pre> graph LR response_23[response_23] --> choice(()) choice --> response[response] </pre>
Used by	Elements pert:dimension/pert:dimension, pert:dimension_2/pert:dimension, pert:distance
Model	pert:response
Children	pert:response
Source	<pre> <xs:group name="response_23"> <xs:sequence> <xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:attribute name="relation"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="lessThan"/> <xs:enumeration value="lessThanOrEqual"/> <xs:enumeration value="equal"/> <xs:enumeration value="greaterThanOrEqual"/> <xs:enumeration value="greaterThan"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:union> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:minExclusive value="0.0"/> </xs:restriction> </xs:simpleType> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify"/> </xs:restriction> </xs:simpleType> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:union> </xs:simpleType> </xs:attribute> <xs:attribute name="unit" use="required"> </pre>

	<pre> <xs:simpleType> <xs:union> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="mm" /> <xs:enumeration value="cm" /> <xs:enumeration value="in" /> <xs:enumeration value="specify" /> <xs:enumeration value="unreported" /> <xs:enumeration value="specify" /> <xs:enumeration value="unreported" /> </xs:restriction> </xs:simpleType> <xs:simpleType> <xs:restriction base="xs:token"> <xs:length value="0" /> </xs:restriction> </xs:simpleType> </xs:union> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip" /> </xs:complexType> </xs:element> </xs:sequence> </xs:group> </pre>
Schema location	file://Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element Group pert:dimension_2

Namespace	http://www.cap.org/pert/2009/01/
Diagram	
Used by	Elements pert:largest, pert:size, pert:specimenSize, pert:tumorGrossSize, pert:tumorSize
Model	pert:dimension
Children	pert:dimension
Source	<pre> <xs:group name="dimension_2"> <xs:sequence> <xs:element name="dimension"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:group ref="pert:response_23" /> <xs:element ref="pert:comment" /> <xs:element ref="pert:label" /> <xs:element ref="pert:text" /> <xs:group ref="pert:_1" /> </xs:choice> <xs:attribute name="largest"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="false" /> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:attribute ref="xml:id" /> <xs:anyAttribute processContents="skip" /> </xs:complexType> </xs:element> </xs:sequence> </xs:group> </pre>
Schema location	file://Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element Group pert:response_9

Namespace	http://www.cap.org/pert/2009/01/
Diagram	
Used by	Element pert:margin
Model	pert:response
Children	pert:response
Source	<pre> <xs:group name="response_9"> </pre>


	<pre> <xs:sequence> <xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:distance"/> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="positive"/> <xs:enumeration value="negative"/> <xs:enumeration value="equivocal"/> <xs:enumeration value="indeterminate"/> <xs:enumeration value="inapplicable"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:attribute name="closest"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="positive"/> <xs:enumeration value="negative"/> <xs:enumeration value="equivocal"/> <xs:enumeration value="indeterminate"/> <xs:enumeration value="inapplicable"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element> </xs:sequence> </xs:group> </pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element Group pert:count


Namespace	http://www.cap.org/pert/2009/01/
Diagram	
Used by	Element pert:nodeGroup
Model	pert:count
Children	pert:count
Source	<pre> <xs:group name="count"> <xs:sequence> <xs:element name="count"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:group ref="pert:response_25"/> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> </xs:choice> <xs:attribute name="status" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="total"/> </xs:restriction> </xs:simpleType> </xs:attribute> </xs:complexType> </xs:element> </xs:sequence> </xs:group> </pre>

Schema location	file://Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd
-----------------	--

Element Group `pert:response_25`


Namespace	http://www.cap.org/pert/2009/01/
Diagram	
Used by	Element <code>pert:count/pert:count</code>
Model	<code>pert:response</code>
Children	<code>pert:response</code>
Source	<pre> <xs:group name="response_25"> <xs:sequence> <xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:comment" /> <xs:element ref="pert:label" /> <xs:element ref="pert:text" /> <xs:group ref="pert:_1" /> <xs:element ref="pert:specify" /> </xs:choice> <xs:attribute ref="xml:id" /> <xs:attribute name="lessThan" form="qualified" /> <xs:attribute name="lessThanOrEqual" form="qualified" /> <xs:attribute name="equal" form="qualified" /> <xs:attribute name="greaterThanOrEqual" form="qualified" /> <xs:attribute name="greaterThan" form="qualified" /> <xs:attribute name="value" use="required" /> <xs:simpleType> <xs:union memberTypes="xs:nonNegativeInteger"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify" /> </xs:restriction> </xs:simpleType> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="unreported" /> </xs:restriction> </xs:simpleType> </xs:union> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip" /> </xs:complexType> </xs:element> </xs:sequence> </xs:group> </pre>
Schema location	file://Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element Group `pert:count_2`


Namespace	http://www.cap.org/pert/2009/01/
Diagram	
Used by	Element <code>pert:nodeGroup</code>
Model	<code>pert:count</code>
Children	<code>pert:count</code>
Source	<pre> <xs:group name="count_2"> <xs:sequence> <xs:element name="count"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:group ref="pert:response_26" /> <xs:element ref="pert:comment" /> <xs:element ref="pert:label" /> <xs:element ref="pert:text" /> <xs:group ref="pert:_1" /> <xs:element ref="pert:largest" /> <xs:element ref="pert:extracapsular" /> </xs:choice> <xs:attribute name="status" use="required" /> </xs:complexType> </xs:element> </xs:sequence> </xs:group> </pre>

	<pre> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="positive"/> </xs:restriction> </xs:simpleType> </xs:attribute> </xs:complexType> </xs:element> </xs:sequence> </xs:group> </pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element Group pert:response_26


Namespace	http://www.cap.org/pert/2009/01/
Diagram	
Used by	Element pert:count_2/pert:count
Model	pert:response
Children	pert:response
Source	<pre> <xs:group name="response_26"> <xs:sequence> <xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:attribute name="lessThan" form="qualified"/> <xs:attribute name="lessThanOrEqual" form="qualified"/> <xs:attribute name="equal" form="qualified"/> <xs:attribute name="greaterThanOrEqual" form="qualified"/> <xs:attribute name="greaterThan" form="qualified"/> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:union memberTypes="xs:nonNegativeInteger"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify"/> </xs:restriction> </xs:simpleType> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:union> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element> </xs:sequence> </xs:group> </pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element Group pert:response_30


Namespace	http://www.cap.org/pert/2009/01/
Diagram	
Used by	Element pert:extracapsular
Model	pert:response
Children	pert:response
Source	<pre> <xs:group name="response_30"> <xs:sequence> <xs:element name="response"> <xs:complexType> </pre>

	<pre> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="positive"/> <xs:enumeration value="negative"/> <xs:enumeration value="equivocal"/> <xs:enumeration value="indeterminate"/> <xs:enumeration value="inapplicable"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element> </xs:sequence> </xs:group> </pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element Group pert:count_3

Namespace	http://www.cap.org/pert/2009/01/
Diagram	
Used by	Element pert:nodeGroup
Model	pert:count
Children	pert:count
Source	<pre> <xs:group name="count_3"> <xs:sequence> <xs:element name="count"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:group ref="pert:response_27"/> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> </xs:choice> <xs:attribute name="status" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="regressed"/> </xs:restriction> </xs:simpleType> </xs:attribute> </xs:complexType> </xs:element> </xs:sequence> </xs:group> </pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element Group pert:response_27

Namespace	http://www.cap.org/pert/2009/01/
Diagram	
Used by	Element pert:count_3/pert:count
Model	pert:response
Children	pert:response
Source	<pre> <xs:group name="response_27"> </pre>


	<pre> <xs:sequence> <xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:attribute name="lessThan" form="qualified"/> <xs:attribute name="lessThanOrEqual" form="qualified"/> <xs:attribute name="equal" form="qualified"/> <xs:attribute name="greaterThanOrEqual" form="qualified"/> <xs:attribute name="greaterThan" form="qualified"/> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:union memberTypes="xs:nonNegativeInteger"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify"/> </xs:restriction> </xs:simpleType> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:union> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element> </xs:sequence> </xs:group> </pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element Group pert:count_4


Namespace	http://www.cap.org/pert/2009/01/
Diagram	
Used by	Element pert:nodeGroup
Model	pert:count
Children	pert:count
Source	<pre> <xs:group name="count_4"> <xs:sequence> <xs:element name="count"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:group ref="pert:response_28"/> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> <xs:attribute name="status" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify"/> </xs:restriction> </xs:simpleType> </xs:attribute> </xs:complexType> </xs:element> </xs:sequence> </xs:group> </pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element Group pert:response_28

Namespace	http://www.cap.org/pert/2009/01/
-----------	----------------------------------


Diagram	
Used by	Element pert:count_4/pert:count
Model	pert:response
Children	pert:response
Source	<pre> <xs:group name="response_28"> <xs:sequence> <xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:attribute name="lessThan" form="qualified"/> <xs:attribute name="lessThanOrEqual" form="qualified"/> <xs:attribute name="equal" form="qualified"/> <xs:attribute name="greaterThanOrEqual" form="qualified"/> <xs:attribute name="greaterThan" form="qualified"/> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:union memberTypes="xs:nonNegativeInteger"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify"/> </xs:restriction> </xs:simpleType> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:union> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element> </xs:sequence> </xs:group> </pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element Group pert:response_10


Namespace	http://www.cap.org/pert/2009/01/
Diagram	
Used by	Element pert:procedure
Model	pert:response
Children	pert:response
Source	<pre> <xs:group name="response_10"> <xs:sequence> <xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute> </xs:complexType> </xs:element> </xs:sequence> </xs:group> </pre>

	<pre> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip" /> </xs:complexType> </xs:element> </xs:sequence> </xs:group> </pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element Group pert:response_11

Namespace	http://www.cap.org/pert/2009/01/
Diagram	 The diagram shows a blue box labeled 'response_11' connected by a line to a yellow circle containing a blue box with a plus sign, which is then connected to a blue box labeled 'response'.
Used by	Element pert:specimenSite
Model	pert:response
Children	pert:response
Source	<pre> <xs:group name="response_11"> <xs:sequence> <xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip" /> </xs:complexType> </xs:element> </xs:sequence> </xs:group> </pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element Group pert:response_12

Namespace	http://www.cap.org/pert/2009/01/
Diagram	 The diagram shows a blue box labeled 'response_12' connected by a line to a yellow circle containing a blue box with a plus sign, which is then connected to a blue box labeled 'response'.
Used by	Element pert:tumorSite
Model	pert:response
Children	pert:response
Source	<pre> <xs:group name="response_12"> <xs:sequence> <xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip" /> </xs:complexType> </xs:element> </xs:sequence> </xs:group> </pre>

	<pre> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element> </xs:sequence> </xs:group> </pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element Group pert:response_13

Namespace	http://www.cap.org/pert/2009/01/
Diagram	
Used by	Element pert:integrity
Model	pert:response
Children	pert:response
Source	<pre> <xs:group name="response_13"> <xs:sequence> <xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="intact"/> <xs:enumeration value="fragmented"/> <xs:enumeration value="inapplicable"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element> </xs:sequence> </xs:group> </pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element Group pert:response_14

Namespace	http://www.cap.org/pert/2009/01/
Diagram	
Used by	Element pert:specimenWeight
Model	pert:response
Children	pert:response
Source	<pre> <xs:group name="response_14"> <xs:sequence> <xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> </xs:complexType> </xs:element> </xs:sequence> </xs:group> </pre>


	<pre> </xs:choice> <xs:attribute ref="xml:id"/> <xs:attribute name="relation"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="lessThan"/> <xs:enumeration value="lessThanOrEqual"/> <xs:enumeration value="equal"/> <xs:enumeration value="greaterThanOrEqual"/> <xs:enumeration value="greaterThan"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:union> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:minExclusive value="0.0"/> </xs:restriction> </xs:simpleType> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify"/> </xs:restriction> </xs:simpleType> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:union> </xs:simpleType> </xs:attribute> <xs:attribute name="unit" use="required"> <xs:simpleType> <xs:union> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="g"/> <xs:enumeration value="kg"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> <xs:simpleType> <xs:restriction base="xs:token"> <xs:length value="0"/> </xs:restriction> </xs:simpleType> </xs:union> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element> </xs:sequence> </xs:group> </pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element Group pert:response_15

Namespace	http://www.cap.org/pert/2009/01/
Diagram	<pre> graph LR response_15[response_15] --- response(response) response --- choice{choice} choice --- comment[pert:comment] choice --- label[pert:label] </pre>
Used by	Element pert:prefix
Model	pert:response
Children	pert:response
Source	<pre> <xs:group name="response_15"> <xs:sequence> <xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> </xs:choice> </xs:complexType> </xs:element> </xs:sequence> </xs:group> </pre>

	<pre> <xs:element ref="pert:text" /> <xs:group ref="pert:_1" /> <xs:element ref="pert:specify" /> </xs:choice> <xs:attribute ref="xml:id" /> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:union> <xs:simpleType> <xs:restriction base="xs:token"> <xs:pattern value="y?m?r?a?" /> </xs:restriction> </xs:simpleType> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify" /> </xs:restriction> </xs:simpleType> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="unreported" /> </xs:restriction> </xs:simpleType> </xs:union> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip" /> </xs:complexType> </xs:element> </xs:sequence> </xs:group> </pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element Group pert:response_16

Namespace	http://www.cap.org/pert/2009/01/
Diagram	
Used by	Element pert:classification
Model	pert:response
Children	pert:response
Source	<pre> <xs:group name="response_16"> <xs:sequence> <xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:comment" /> <xs:element ref="pert:label" /> <xs:element ref="pert:text" /> <xs:group ref="pert:_1" /> <xs:element ref="pert:specify" /> </xs:choice> <xs:attribute ref="xml:id" /> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="p" /> <xs:enumeration value="specify" /> <xs:enumeration value="unreported" /> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip" /> </xs:complexType> </xs:element> </xs:sequence> </xs:group> </pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element Group pert:response_17

Namespace	http://www.cap.org/pert/2009/01/
Diagram	


Used by	Element pert:T
Model	pert:response
Children	pert:response
Source	<pre> <xs:group name="response_17"> <xs:sequence> <xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element> </xs:sequence> </xs:group> </pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element Group pert:response_18


Namespace	http://www.cap.org/pert/2009/01/
Diagram	<pre> graph LR response_18[response_18] --- response[response] </pre>
Used by	Element pert:N
Model	pert:response
Children	pert:response
Source	<pre> <xs:group name="response_18"> <xs:sequence> <xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element> </xs:sequence> </xs:group> </pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element Group pert:response_19

Namespace	http://www.cap.org/pert/2009/01/
-----------	----------------------------------

Diagram	
Used by	Element pert:M
Model	pert:response
Children	pert:response
Source	<pre> <xs:group name="response_19"> <xs:sequence> <xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="1"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element> </xs:sequence> </xs:group> </pre>
Schema location	file://Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element Group pert:response_20

Namespace	http://www.cap.org/pert/2009/01/
Diagram	
Used by	Element pert:study
Model	pert:response
Children	pert:response
Source	<pre> <xs:group name="response_20"> <xs:sequence> <xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="pending"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element> </xs:sequence> </xs:group> </pre>
Schema location	file://Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element Group `pert:response_29`


Namespace	http://www.cap.org/pert/2009/01/
Diagram	
Used by	Element <code>pert:method</code>
Model	<code>pert:response</code>
Children	<code>pert:response</code>
Source	<pre> <xs:group name="response_29"> <xs:sequence> <xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element> </xs:sequence> </xs:group> </pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Element Group `pert:response_21`

Namespace	http://www.cap.org/pert/2009/01/
Diagram	
Used by	Element <code>pert:histologicType</code>
Model	<code>pert:response</code>
Children	<code>pert:response</code>
Source	<pre> <xs:group name="response_21"> <xs:sequence> <xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element> </xs:sequence> </xs:group> </pre>

Schema location	file://Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd
-----------------	--

Element Group `pert:response_22`

Namespace	http://www.cap.org/pert/2009/01/
Diagram	
Used by	Element <code>pert:grade</code>
Model	<code>pert:response</code>
Children	<code>pert:response</code>
Source	<pre> <xs:group name="response_22"> <xs:sequence> <xs:element name="response"> <xs:complexType> <xs:choice minOccurs="0" maxOccurs="unbounded"> <xs:element ref="pert:comment"/> <xs:element ref="pert:label"/> <xs:element ref="pert:text"/> <xs:group ref="pert:_1"/> <xs:element ref="pert:specify"/> </xs:choice> <xs:attribute ref="xml:id"/> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:attribute name="system"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="WHO"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:anyAttribute processContents="skip"/> </xs:complexType> </xs:element> </xs:sequence> </xs:group> </pre>
Schema location	file://Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Namespace: "<http://www.w3.org/2003/g/data-view#>"

Schemas

Imported schema `data-view.xsd`

Namespace	http://www.w3.org/2003/g/data-view#
Properties	attribute form default: <code>unqualified</code> element form default: <code>qualified</code>
Schema location	file://Applications/oXygen11-2009102316/data-view.xsd

Attributes

Attribute `@data-view:transformation`

Namespace	http://www.w3.org/2003/g/data-view#
Type	restriction of <code>xs:token</code>
Properties	content: <code>simple</code>
Facets	length <code>0</code>

Used by	Element pert:synopsis
Source	<pre><xs:attribute name="transformation"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:length value="0"/> </xs:restriction> </xs:simpleType> </xs:attribute></pre>
Schema location	file:/Applications/oXygen11-2009102316/data-view.xsd

Namespace: "http://www.w3.org/XML/1998/namespace"

Schemas

Imported schema xml.xsd

Namespace	http://www.w3.org/XML/1998/namespace
Properties	attribute form default: unqualified element form default: qualified
Schema location	file:/Applications/oXygen11-2009102316/xml.xsd

Attributes

Attribute @xml:id

Namespace	http://www.w3.org/XML/1998/namespace
Type	xs:ID
Properties	content: simple
Used by	Elements pert:M, pert:N, pert:T, pert:accessory, pert:additional, pert:classification, pert:clinical, pert:clinicalFinding, pert:dimension/pert:dimension, pert:dimension_2/pert:dimension, pert:extent, pert:grade, pert:histologicType, pert:integrity, pert:item, pert:lymphovascularInvasion, pert:margin, pert:margins, pert:metastases, pert:metastasis, pert:nodeGroup, pert:nodes, pert:perineuralInvasion, pert:prefix, pert:priorTherapy, pert:procedure, pert:radiologicFinding, pert:response/pert:response, pert:response_10/pert:response, pert:response_11/pert:response, pert:response_12/pert:response, pert:response_13/pert:response, pert:response_14/pert:response, pert:response_15/pert:response, pert:response_16/pert:response, pert:response_17/pert:response, pert:response_18/pert:response, pert:response_19/pert:response, pert:response_2/pert:response, pert:response_20/pert:response, pert:response_21/pert:response, pert:response_22/pert:response, pert:response_23/pert:response, pert:response_24/pert:response, pert:response_25/pert:response, pert:response_26/pert:response, pert:response_27/pert:response, pert:response_28/pert:response, pert:response_29/pert:response, pert:response_3/pert:response, pert:response_30/pert:response, pert:response_4/pert:response, pert:response_5/pert:response, pert:response_6/pert:response, pert:response_7/pert:response, pert:response_8/pert:response, pert:response_9/pert:response, pert:size, pert:specimen, pert:specimenSite, pert:specimenSize, pert:specimenWeight, pert:stage, pert:studies, pert:study, pert:synopsis, pert:treatmentEffect, pert:tumor, pert:tumorGrossSize, pert:tumorSite, pert:tumorSize, pert:venousInvasion
Source	<xs:attribute name="id" type="xs:ID"/>
Schema location	file:/Applications/oXygen11-2009102316/xml.xsd

Namespace: ""

Attributes

Attribute pert:response / pert:response / @value

Namespace	No namespace
Type	restriction of xs:token
Properties	use: required
Facets	enumeration positive

	<table> <tr><td>enumeration</td><td>negative</td></tr> <tr><td>enumeration</td><td>equivocal</td></tr> <tr><td>enumeration</td><td>indeterminate</td></tr> <tr><td>enumeration</td><td>inapplicable</td></tr> <tr><td>enumeration</td><td>specify</td></tr> <tr><td>enumeration</td><td>unreported</td></tr> <tr><td>enumeration</td><td>specify</td></tr> <tr><td>enumeration</td><td>unreported</td></tr> </table>	enumeration	negative	enumeration	equivocal	enumeration	indeterminate	enumeration	inapplicable	enumeration	specify	enumeration	unreported	enumeration	specify	enumeration	unreported
enumeration	negative																
enumeration	equivocal																
enumeration	indeterminate																
enumeration	inapplicable																
enumeration	specify																
enumeration	unreported																
enumeration	specify																
enumeration	unreported																
Used by	<table> <tr><td>Element</td><td>pert:response/pert:response</td></tr> </table>	Element	pert:response/pert:response														
Element	pert:response/pert:response																
Source	<pre><xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="positive"/> <xs:enumeration value="negative"/> <xs:enumeration value="equivocal"/> <xs:enumeration value="indeterminate"/> <xs:enumeration value="inapplicable"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute></pre>																
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd																

Attribute **pert:response** / **pert:response_2** / **@value**

Namespace	No namespace																		
Type	restriction of xs:token																		
Properties	<table> <tr><td>use:</td><td>required</td></tr> </table>	use:	required																
use:	required																		
Facets	<table> <tr><td>enumeration</td><td>positive</td></tr> <tr><td>enumeration</td><td>negative</td></tr> <tr><td>enumeration</td><td>equivocal</td></tr> <tr><td>enumeration</td><td>indeterminate</td></tr> <tr><td>enumeration</td><td>inapplicable</td></tr> <tr><td>enumeration</td><td>specify</td></tr> <tr><td>enumeration</td><td>unreported</td></tr> <tr><td>enumeration</td><td>specify</td></tr> <tr><td>enumeration</td><td>unreported</td></tr> </table>	enumeration	positive	enumeration	negative	enumeration	equivocal	enumeration	indeterminate	enumeration	inapplicable	enumeration	specify	enumeration	unreported	enumeration	specify	enumeration	unreported
enumeration	positive																		
enumeration	negative																		
enumeration	equivocal																		
enumeration	indeterminate																		
enumeration	inapplicable																		
enumeration	specify																		
enumeration	unreported																		
enumeration	specify																		
enumeration	unreported																		
Used by	<table> <tr><td>Element</td><td>pert:response_2/pert:response</td></tr> </table>	Element	pert:response_2/pert:response																
Element	pert:response_2/pert:response																		
Source	<pre><xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="positive"/> <xs:enumeration value="negative"/> <xs:enumeration value="equivocal"/> <xs:enumeration value="indeterminate"/> <xs:enumeration value="inapplicable"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute></pre>																		
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd																		

Attribute **pert:response** / **pert:response_3** / **@value**

Namespace	No namespace
-----------	--------------

Type	restriction of xs:token
Properties	use: required
Facets	enumeration positive
	enumeration negative
	enumeration equivocal
	enumeration indeterminate
	enumeration inapplicable
	enumeration specify
	enumeration unreported
	enumeration specify
	enumeration unreported
Used by	Element pert:response_3/pert:response
Source	<pre><xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="positive"/> <xs:enumeration value="negative"/> <xs:enumeration value="equivocal"/> <xs:enumeration value="indeterminate"/> <xs:enumeration value="inapplicable"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute></pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute pert:response / pert:response_4 / @value

Namespace	No namespace
Type	restriction of xs:token
Properties	use: required
Facets	enumeration inapplicable
	enumeration no response
	enumeration slight response
	enumeration marked response
	enumeration complete response
	enumeration specify
	enumeration unreported
	enumeration specify
	enumeration unreported
Used by	Element pert:response_4/pert:response
Source	<pre><xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="inapplicable"/> <xs:enumeration value="no response"/> <xs:enumeration value="slight response"/> <xs:enumeration value="marked response"/> <xs:enumeration value="complete response"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute></pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute `pert:response` / `pert:response_5` / `@value`

Namespace	No namespace																		
Type	restriction of <code>xs:token</code>																		
Properties	use: required																		
Facets	<table> <tr><td>enumeration</td><td>positive</td></tr> <tr><td>enumeration</td><td>negative</td></tr> <tr><td>enumeration</td><td>equivocal</td></tr> <tr><td>enumeration</td><td>indeterminate</td></tr> <tr><td>enumeration</td><td>inapplicable</td></tr> <tr><td>enumeration</td><td>specify</td></tr> <tr><td>enumeration</td><td>unreported</td></tr> <tr><td>enumeration</td><td>specify</td></tr> <tr><td>enumeration</td><td>unreported</td></tr> </table>	enumeration	positive	enumeration	negative	enumeration	equivocal	enumeration	indeterminate	enumeration	inapplicable	enumeration	specify	enumeration	unreported	enumeration	specify	enumeration	unreported
enumeration	positive																		
enumeration	negative																		
enumeration	equivocal																		
enumeration	indeterminate																		
enumeration	inapplicable																		
enumeration	specify																		
enumeration	unreported																		
enumeration	specify																		
enumeration	unreported																		
Used by	Element <code>pert:response_5/pert:response</code>																		
Source	<pre><xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="positive"/> <xs:enumeration value="negative"/> <xs:enumeration value="equivocal"/> <xs:enumeration value="indeterminate"/> <xs:enumeration value="inapplicable"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute></pre>																		
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd																		

Attribute `pert:item` / `@name`

Namespace	No namespace
Type	restriction of <code>xs:token</code>
Properties	use: required
Facets	enumeration specify
Used by	Element <code>pert:item</code>
Source	<pre><xs:attribute name="name" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify"/> </xs:restriction> </xs:simpleType> </xs:attribute></pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute `pert:response` / `pert:response_6` / `@value`

Namespace	No namespace								
Type	restriction of <code>xs:token</code>								
Properties	use: required								
Facets	<table> <tr><td>enumeration</td><td>specify</td></tr> <tr><td>enumeration</td><td>unreported</td></tr> <tr><td>enumeration</td><td>specify</td></tr> <tr><td>enumeration</td><td>unreported</td></tr> </table>	enumeration	specify	enumeration	unreported	enumeration	specify	enumeration	unreported
enumeration	specify								
enumeration	unreported								
enumeration	specify								
enumeration	unreported								
Used by	Element <code>pert:response_6/pert:response</code>								

Source	<pre><xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify" /> <xs:enumeration value="unreported" /> <xs:enumeration value="specify" /> <xs:enumeration value="unreported" /> </xs:restriction> </xs:simpleType> </xs:attribute></pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute **pert:priorTherapy / @date**

Namespace	No namespace
Type	union of(xs:date, xs:gYearMonth, xs:gYear)
Properties	content: simple
Used by	Element pert:priorTherapy
Source	<pre><xs:attribute name="date"> <xs:simpleType> <xs:union memberTypes="xs:date xs:gYearMonth xs:gYear" /> </xs:simpleType> </xs:attribute></pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute **pert:priorTherapy / @until**

Namespace	No namespace
Type	union of(xs:date, xs:gYearMonth, xs:gYear)
Properties	content: simple
Used by	Element pert:priorTherapy
Source	<pre><xs:attribute name="until"> <xs:simpleType> <xs:union memberTypes="xs:date xs:gYearMonth xs:gYear" /> </xs:simpleType> </xs:attribute></pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute **pert:priorTherapy / @duration**

Namespace	No namespace
Type	xs:duration
Properties	content: simple
Used by	Element pert:priorTherapy
Source	<pre><xs:attribute name="duration" type="xs:duration" /></pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute **pert:response / pert:response_7 / @value**

Namespace	No namespace								
Type	restriction of xs:token								
Properties	use: required								
Facets	<table> <tr> <td>enumeration</td><td>specify</td></tr> <tr> <td>enumeration</td><td>unreported</td></tr> <tr> <td>enumeration</td><td>specify</td></tr> <tr> <td>enumeration</td><td>unreported</td></tr> </table>	enumeration	specify	enumeration	unreported	enumeration	specify	enumeration	unreported
enumeration	specify								
enumeration	unreported								
enumeration	specify								
enumeration	unreported								
Used by	Element pert:response_7/pert:response								
Source	<pre><xs:attribute name="value" use="required"> <xs:simpleType></pre>								

	<pre> <xs:restriction base="xs:token"> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute> </pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute `pert:clinicalFinding / @date`

Namespace	No namespace
Type	union of(xs:date, xs:gYearMonth, xs:gYear)
Properties	content: simple
Used by	Element <code>pert:clinicalFinding</code>
Source	<pre> <xs:attribute name="date"> <xs:simpleType> <xs:union memberTypes="xs:date xs:gYearMonth xs:gYear"/> </xs:simpleType> </xs:attribute> </pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute `pert:clinicalFinding / @until`

Namespace	No namespace
Type	union of(xs:date, xs:gYearMonth, xs:gYear)
Properties	content: simple
Used by	Element <code>pert:clinicalFinding</code>
Source	<pre> <xs:attribute name="until"> <xs:simpleType> <xs:union memberTypes="xs:date xs:gYearMonth xs:gYear"/> </xs:simpleType> </xs:attribute> </pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute `pert:clinicalFinding / @duration`

Namespace	No namespace
Type	xs:duration
Properties	content: simple
Used by	Element <code>pert:clinicalFinding</code>
Source	<pre> <xs:attribute name="duration" type="xs:duration"/> </pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute `pert:response / pert:response_8 / @value`

Namespace	No namespace								
Type	restriction of xs:token								
Properties	use: required								
Facets	<table> <tr> <td>enumeration</td><td>specify</td></tr> <tr> <td>enumeration</td><td>unreported</td></tr> <tr> <td>enumeration</td><td>specify</td></tr> <tr> <td>enumeration</td><td>unreported</td></tr> </table>	enumeration	specify	enumeration	unreported	enumeration	specify	enumeration	unreported
enumeration	specify								
enumeration	unreported								
enumeration	specify								
enumeration	unreported								
Used by	Element <code>pert:response_8/pert:response</code>								
Source	<pre> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify"/> </pre>								

	<pre> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute> </pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute **pert:radiologicFinding / @date**

Namespace	No namespace
Type	union of(xs:date, xs:gYearMonth, xs:gYear)
Properties	content: simple
Used by	Element pert:radiologicFinding
Source	<pre> <xs:attribute name="date"> <xs:simpleType> <xs:union memberTypes="xs:date xs:gYearMonth xs:gYear"/> </xs:simpleType> </xs:attribute> </pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute **pert:radiologicFinding / @until**

Namespace	No namespace
Type	union of(xs:date, xs:gYearMonth, xs:gYear)
Properties	content: simple
Used by	Element pert:radiologicFinding
Source	<pre> <xs:attribute name="until"> <xs:simpleType> <xs:union memberTypes="xs:date xs:gYearMonth xs:gYear"/> </xs:simpleType> </xs:attribute> </pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute **pert:radiologicFinding / @duration**

Namespace	No namespace
Type	xs:duration
Properties	content: simple
Used by	Element pert:radiologicFinding
Source	<pre> <xs:attribute name="duration" type="xs:duration"/> </pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute **pert:response / pert:response_23 / @relation**

Namespace	No namespace										
Type	restriction of xs:token										
Properties	content: simple										
Facets	<table> <tr> <td>enumeration</td><td>lessThan</td></tr> <tr> <td>enumeration</td><td>lessThanOrEqual</td></tr> <tr> <td>enumeration</td><td>equal</td></tr> <tr> <td>enumeration</td><td>greaterThanOrEqual</td></tr> <tr> <td>enumeration</td><td>greaterThan</td></tr> </table>	enumeration	lessThan	enumeration	lessThanOrEqual	enumeration	equal	enumeration	greaterThanOrEqual	enumeration	greaterThan
enumeration	lessThan										
enumeration	lessThanOrEqual										
enumeration	equal										
enumeration	greaterThanOrEqual										
enumeration	greaterThan										
Used by	Element pert:response_23/pert:response										
Source	<pre> <xs:attribute name="relation"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="lessThan"/> </pre>										

	<pre> <xs:enumeration value="lessThanOrEqualTo" /> <xs:enumeration value="equal" /> <xs:enumeration value="greaterThanOrEqualTo" /> <xs:enumeration value="greaterThan" /> </xs:restriction> </xs:simpleType> </xs:attribute> </pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute `pert:response` / `pert:response_23` / `@value`

Namespace	No namespace
Type	union of(restriction of xs:decimal, restriction of xs:token, restriction of xs:token)
Properties	use: required
Used by	Element <code>pert:response_23/pert:response</code>
Source	<pre> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:union> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:minExclusive value="0.0" /> </xs:restriction> </xs:simpleType> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify" /> </xs:restriction> </xs:simpleType> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="unreported" /> </xs:restriction> </xs:simpleType> </xs:union> </xs:simpleType> </xs:attribute> </pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute `pert:response` / `pert:response_23` / `@unit`

Namespace	No namespace
Type	union of(restriction of xs:token, restriction of xs:token)
Properties	use: required
Used by	Element <code>pert:response_23/pert:response</code>
Source	<pre> <xs:attribute name="unit" use="required"> <xs:simpleType> <xs:union> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="mm" /> <xs:enumeration value="cm" /> <xs:enumeration value="in" /> <xs:enumeration value="specify" /> <xs:enumeration value="unreported" /> <xs:enumeration value="specify" /> <xs:enumeration value="unreported" /> </xs:restriction> </xs:simpleType> <xs:simpleType> <xs:restriction base="xs:token"> <xs:length value="0" /> </xs:restriction> </xs:simpleType> </xs:union> </xs:simpleType> </xs:attribute> </pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute `pert:dimension` / `pert:dimension` / `@largest`

Namespace	No namespace
-----------	--------------

Type	restriction of xs:token
Properties	content: simple
Facets	enumeration true
Used by	Element pert:dimension/pert:dimension
Source	<pre><xs:attribute name="largest"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="true"/> </xs:restriction> </xs:simpleType> </xs:attribute></pre>
Schema location	file://Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute pert:dimension / pert:dimension_2 / @largest

Namespace	No namespace
Type	restriction of xs:token
Properties	content: simple
Facets	enumeration false
Used by	Element pert:dimension_2/pert:dimension
Source	<pre><xs:attribute name="largest"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="false"/> </xs:restriction> </xs:simpleType> </xs:attribute></pre>
Schema location	file://Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute pert:response / pert:response_9 / @value

Namespace	No namespace																		
Type	restriction of xs:token																		
Properties	use: required																		
Facets	<table> <tr><td>enumeration</td><td>positive</td></tr> <tr><td>enumeration</td><td>negative</td></tr> <tr><td>enumeration</td><td>equivocal</td></tr> <tr><td>enumeration</td><td>indeterminate</td></tr> <tr><td>enumeration</td><td>inapplicable</td></tr> <tr><td>enumeration</td><td>specify</td></tr> <tr><td>enumeration</td><td>unreported</td></tr> <tr><td>enumeration</td><td>specify</td></tr> <tr><td>enumeration</td><td>unreported</td></tr> </table>	enumeration	positive	enumeration	negative	enumeration	equivocal	enumeration	indeterminate	enumeration	inapplicable	enumeration	specify	enumeration	unreported	enumeration	specify	enumeration	unreported
enumeration	positive																		
enumeration	negative																		
enumeration	equivocal																		
enumeration	indeterminate																		
enumeration	inapplicable																		
enumeration	specify																		
enumeration	unreported																		
enumeration	specify																		
enumeration	unreported																		
Used by	Element pert:response_9/pert:response																		
Source	<pre><xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="positive"/> <xs:enumeration value="negative"/> <xs:enumeration value="equivocal"/> <xs:enumeration value="indeterminate"/> <xs:enumeration value="inapplicable"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute></pre>																		
Schema location	file://Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd																		

Attribute `pert:response` / `pert:response_9` / `@closest`

Namespace	No namespace
Type	restriction of <code>xs:token</code>
Properties	content: simple
Facets	enumeration positive
	enumeration negative
	enumeration equivocal
	enumeration indeterminate
	enumeration inapplicable
	enumeration specify
	enumeration unreported
Used by	Element <code>pert:response_9/pert:response</code>
Source	<pre><xs:attribute name="closest"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="positive"/> <xs:enumeration value="negative"/> <xs:enumeration value="equivocal"/> <xs:enumeration value="indeterminate"/> <xs:enumeration value="inapplicable"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute></pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute `pert:margin` / `@location`

Namespace	No namespace
Type	restriction of <code>xs:token</code>
Properties	use: required
Facets	enumeration specify
	enumeration unreported
	enumeration specify
	enumeration unreported
Used by	Element <code>pert:margin</code>
Source	<pre><xs:attribute name="location" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute></pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute `pert:response` / `pert:response_24` / `@value`

Namespace	No namespace
Type	restriction of <code>xs:token</code>
Properties	use: required
Facets	enumeration this accession
	enumeration prior accession
	enumeration outside report

	<table> <tr><td>enumeration</td><td>clinical history</td></tr> <tr><td>enumeration</td><td>specify</td></tr> <tr><td>enumeration</td><td>unreported</td></tr> <tr><td>enumeration</td><td>specify</td></tr> <tr><td>enumeration</td><td>unreported</td></tr> </table>	enumeration	clinical history	enumeration	specify	enumeration	unreported	enumeration	specify	enumeration	unreported
enumeration	clinical history										
enumeration	specify										
enumeration	unreported										
enumeration	specify										
enumeration	unreported										
Used by	Element pert:response_24/pert:response										
Source	<pre><xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="this accession"/> <xs:enumeration value="prior accession"/> <xs:enumeration value="outside report"/> <xs:enumeration value="clinical history"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute></pre>										
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd										

Attribute pert:metastasis / @location

Namespace	No namespace								
Type	restriction of xs:token								
Properties	use: required								
Facets	<table> <tr><td>enumeration</td><td>specify</td></tr> <tr><td>enumeration</td><td>unreported</td></tr> <tr><td>enumeration</td><td>specify</td></tr> <tr><td>enumeration</td><td>unreported</td></tr> </table>	enumeration	specify	enumeration	unreported	enumeration	specify	enumeration	unreported
enumeration	specify								
enumeration	unreported								
enumeration	specify								
enumeration	unreported								
Used by	Element pert:metastasis								
Source	<pre><xs:attribute name="location" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute></pre>								
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd								

Attribute pert:response / pert:response_25 / @value

Namespace	No namespace
Type	union of(xs:nonNegativeInteger, restriction of xs:token, restriction of xs:token)
Properties	use: required
Used by	Element pert:response_25/pert:response
Source	<pre><xs:attribute name="value" use="required"> <xs:simpleType> <xs:union memberTypes="xs:nonNegativeInteger"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify"/> </xs:restriction> </xs:simpleType> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:union> </xs:simpleType> </xs:attribute></pre>

	<pre></xs:simpleType> </xs:attribute></pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute `pert:count` / `pert:count` / `@status`

Namespace	No namespace
Type	restriction of xs:token
Properties	use: required
Facets	enumeration total
Used by	Element <code>pert:count/pert:count</code>
Source	<pre><xs:attribute name="status" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="total"/> </xs:restriction> </xs:simpleType> </xs:attribute></pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute `pert:response` / `pert:response_26` / `@value`

Namespace	No namespace
Type	union of(xs:nonNegativeInteger, restriction of xs:token, restriction of xs:token)
Properties	use: required
Used by	Element <code>pert:response_26/pert:response</code>
Source	<pre><xs:attribute name="value" use="required"> <xs:simpleType> <xs:union memberTypes="xs:nonNegativeInteger"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify"/> </xs:restriction> </xs:simpleType> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:union> </xs:simpleType> </xs:attribute></pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute `pert:response` / `pert:response_30` / `@value`

Namespace	No namespace																		
Type	restriction of xs:token																		
Properties	use: required																		
Facets	<table> <tr><td>enumeration</td><td>positive</td></tr> <tr><td>enumeration</td><td>negative</td></tr> <tr><td>enumeration</td><td>equivocal</td></tr> <tr><td>enumeration</td><td>indeterminate</td></tr> <tr><td>enumeration</td><td>inapplicable</td></tr> <tr><td>enumeration</td><td>specify</td></tr> <tr><td>enumeration</td><td>unreported</td></tr> <tr><td>enumeration</td><td>specify</td></tr> <tr><td>enumeration</td><td>unreported</td></tr> </table>	enumeration	positive	enumeration	negative	enumeration	equivocal	enumeration	indeterminate	enumeration	inapplicable	enumeration	specify	enumeration	unreported	enumeration	specify	enumeration	unreported
enumeration	positive																		
enumeration	negative																		
enumeration	equivocal																		
enumeration	indeterminate																		
enumeration	inapplicable																		
enumeration	specify																		
enumeration	unreported																		
enumeration	specify																		
enumeration	unreported																		
Used by	Element <code>pert:response_30/pert:response</code>																		

Source	<pre><xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="positive"/> <xs:enumeration value="negative"/> <xs:enumeration value="equivocal"/> <xs:enumeration value="indeterminate"/> <xs:enumeration value="inapplicable"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute></pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute `pert:count` / `pert:count_2` / `@status`

Namespace	No namespace
Type	restriction of xs:token
Properties	use: required
Facets	enumeration positive
Used by	Element <code>pert:count_2/pert:count</code>
Source	<pre><xs:attribute name="status" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="positive"/> </xs:restriction> </xs:simpleType> </xs:attribute></pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute `pert:response` / `pert:response_27` / `@value`

Namespace	No namespace
Type	union of(xs:nonNegativeInteger, restriction of xs:token, restriction of xs:token)
Properties	use: required
Used by	Element <code>pert:response_27/pert:response</code>
Source	<pre><xs:attribute name="value" use="required"> <xs:simpleType> <xs:union memberTypes="xs:nonNegativeInteger"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify"/> </xs:restriction> </xs:simpleType> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:union> </xs:simpleType> </xs:attribute></pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute `pert:count` / `pert:count_3` / `@status`

Namespace	No namespace
Type	restriction of xs:token
Properties	use: required
Facets	enumeration regressed
Used by	Element <code>pert:count_3/pert:count</code>

Source	<pre><xs:attribute name="status" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="regressed" /> </xs:restriction> </xs:simpleType> </xs:attribute></pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute **pert:response** / **pert:response_28** / **@value**

Namespace	No namespace
Type	union of(xs:nonNegativeInteger, restriction of xs:token, restriction of xs:token)
Properties	use: required
Used by	Element pert:response_28/pert:response
Source	<pre><xs:attribute name="value" use="required"> <xs:simpleType> <xs:union memberTypes="xs:nonNegativeInteger"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify" /> </xs:restriction> </xs:simpleType> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="unreported" /> </xs:restriction> </xs:simpleType> </xs:union> </xs:simpleType> </xs:attribute></pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute **pert:count** / **pert:count_4** / **@status**

Namespace	No namespace
Type	restriction of xs:token
Properties	use: required
Facets	enumeration specify
Used by	Element pert:count_4/pert:count
Source	<pre><xs:attribute name="status" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify" /> </xs:restriction> </xs:simpleType> </xs:attribute></pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute **pert:nodeGroup** / **@location**

Namespace	No namespace
Type	union of(restriction of xs:token, restriction of xs:token)
Properties	use: required
Used by	Element pert:nodeGroup
Source	<pre><xs:attribute name="location" use="required"> <xs:simpleType> <xs:union> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify" /> <xs:enumeration value="unreported" /> </xs:restriction> </xs:simpleType> <xs:simpleType> <xs:restriction base="xs:token"></pre>

	<pre> <xs:length value="0" /> </xs:restriction> </xs:simpleType> </xs:union> </xs:simpleType> </xs:attribute> </pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute `pert:response` / `pert:response_10` / `@value`

Namespace	No namespace
Type	restriction of <code>xs:token</code>
Properties	use: required
Facets	enumeration specify
	enumeration unreported
	enumeration specify
	enumeration unreported
Used by	Element <code>pert:response_10/pert:response</code>
Source	<pre> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify" /> <xs:enumeration value="unreported" /> <xs:enumeration value="specify" /> <xs:enumeration value="unreported" /> </xs:restriction> </xs:simpleType> </xs:attribute> </pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute `pert:response` / `pert:response_11` / `@value`

Namespace	No namespace
Type	restriction of <code>xs:token</code>
Properties	use: required
Facets	enumeration specify
	enumeration unreported
	enumeration specify
	enumeration unreported
Used by	Element <code>pert:response_11/pert:response</code>
Source	<pre> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify" /> <xs:enumeration value="unreported" /> <xs:enumeration value="specify" /> <xs:enumeration value="unreported" /> </xs:restriction> </xs:simpleType> </xs:attribute> </pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute `pert:response` / `pert:response_12` / `@value`

Namespace	No namespace
Type	restriction of <code>xs:token</code>
Properties	use: required
Facets	enumeration specify
	enumeration unreported
	enumeration specify

	enumeration unreported
Used by	Element pert:response_12/pert:response
Source	<pre><xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute></pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute **pert:response** / **pert:response_13** / **@value**

Namespace	No namespace
Type	restriction of xs:token
Properties	use: required
Facets	enumeration intact
	enumeration fragmented
	enumeration inapplicable
	enumeration unreported
	enumeration specify
	enumeration unreported
	enumeration specify
	enumeration unreported
Used by	Element pert:response_13/pert:response
Source	<pre><xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="intact"/> <xs:enumeration value="fragmented"/> <xs:enumeration value="inapplicable"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute></pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute **pert:response** / **pert:response_14** / **@relation**

Namespace	No namespace
Type	restriction of xs:token
Properties	content: simple
Facets	enumeration lessThan
	enumeration lessThanOrEqual
	enumeration equal
	enumeration greaterThanOrEqual
	enumeration greaterThan
Used by	Element pert:response_14/pert:response
Source	<pre><xs:attribute name="relation"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="lessThan"/> <xs:enumeration value="lessThanOrEqual"/></pre>

	<pre> <xs:enumeration value="equal" /> <xs:enumeration value="greaterThanOrEqual" /> <xs:enumeration value="greaterThan" /> </xs:restriction> </xs:simpleType> </xs:attribute> </pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute `pert:response` / `pert:response_14` / `@value`

Namespace	No namespace
Type	union of(restriction of xs:decimal, restriction of xs:token, restriction of xs:token)
Properties	use: required
Used by	Element <code>pert:response_14/pert:response</code>
Source	<pre> <xs:attribute name="value" use="required"> <xs:simpleType> <xs:union> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:minExclusive value="0.0" /> </xs:restriction> </xs:simpleType> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify" /> </xs:restriction> </xs:simpleType> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="unreported" /> </xs:restriction> </xs:simpleType> </xs:union> </xs:simpleType> </xs:attribute> </pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute `pert:response` / `pert:response_14` / `@unit`

Namespace	No namespace
Type	union of(restriction of xs:token, restriction of xs:token)
Properties	use: required
Used by	Element <code>pert:response_14/pert:response</code>
Source	<pre> <xs:attribute name="unit" use="required"> <xs:simpleType> <xs:union> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="g" /> <xs:enumeration value="kg" /> <xs:enumeration value="specify" /> <xs:enumeration value="unreported" /> <xs:enumeration value="specify" /> <xs:enumeration value="unreported" /> </xs:restriction> </xs:simpleType> <xs:simpleType> <xs:restriction base="xs:token"> <xs:length value="0" /> </xs:restriction> </xs:simpleType> </xs:union> </xs:simpleType> </xs:attribute> </pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute `pert:response` / `pert:response_15` / `@value`

Namespace	No namespace
Type	union of(restriction of xs:token, restriction of xs:token, restriction of xs:token)

Properties	use: required
Used by	Element pert:response_15/pert:response
Source	<pre><xs:attribute name="value" use="required"> <xs:simpleType> <xs:union> <xs:simpleType> <xs:restriction base="xs:token"> <xs:pattern value="y?m?r?a?" /> </xs:restriction> </xs:simpleType> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify" /> </xs:restriction> </xs:simpleType> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="unreported" /> </xs:restriction> </xs:simpleType> </xs:union> </xs:simpleType> </xs:attribute></pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute pert:response / pert:response_16 / @value

Namespace	No namespace						
Type	restriction of xs:token						
Properties	use: required						
Facets	<table> <tr> <td>enumeration</td><td>p</td></tr> <tr> <td>enumeration</td><td>specify</td></tr> <tr> <td>enumeration</td><td>unreported</td></tr> </table>	enumeration	p	enumeration	specify	enumeration	unreported
enumeration	p						
enumeration	specify						
enumeration	unreported						
Used by	Element pert:response_16/pert:response						
Source	<pre><xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="p" /> <xs:enumeration value="specify" /> <xs:enumeration value="unreported" /> </xs:restriction> </xs:simpleType> </xs:attribute></pre>						
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd						

Attribute pert:response / pert:response_17 / @value

Namespace	No namespace								
Type	restriction of xs:token								
Properties	use: required								
Facets	<table> <tr> <td>enumeration</td><td>specify</td></tr> <tr> <td>enumeration</td><td>unreported</td></tr> <tr> <td>enumeration</td><td>specify</td></tr> <tr> <td>enumeration</td><td>unreported</td></tr> </table>	enumeration	specify	enumeration	unreported	enumeration	specify	enumeration	unreported
enumeration	specify								
enumeration	unreported								
enumeration	specify								
enumeration	unreported								
Used by	Element pert:response_17/pert:response								
Source	<pre><xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify" /> <xs:enumeration value="unreported" /> <xs:enumeration value="specify" /> <xs:enumeration value="unreported" /> </xs:restriction> </xs:simpleType> </xs:attribute></pre>								

	</xs:attribute>
Schema location	file://Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute `pert:response` / `pert:response_18` / `@value`

Namespace	No namespace
Type	restriction of xs:token
Properties	use: required
Facets	enumeration specify
	enumeration unreported
	enumeration specify
	enumeration unreported
Used by	Element <code>pert:response_18/pert:response</code>
Source	<pre><xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute></pre>
Schema location	file://Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute `pert:response` / `pert:response_19` / `@value`

Namespace	No namespace
Type	restriction of xs:token
Properties	use: required
Facets	enumeration 1
	enumeration specify
	enumeration unreported
	enumeration specify
	enumeration unreported
Used by	Element <code>pert:response_19/pert:response</code>
Source	<pre><xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="1"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute></pre>
Schema location	file://Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute `pert:response` / `pert:response_20` / `@value`

Namespace	No namespace
Type	restriction of xs:token
Properties	use: required
Facets	enumeration pending
	enumeration specify
	enumeration unreported
	enumeration specify

	enumeration unreported
Used by	Element pert:response_20/pert:response
Source	<pre><xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="pending"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute></pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute **pert:response** / **pert:response_29** / **@value**

Namespace	No namespace
Type	restriction of xs:token
Properties	use: required
Facets	enumeration specify
	enumeration unreported
	enumeration specify
	enumeration unreported
Used by	Element pert:response_29/pert:response
Source	<pre><xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute></pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute **pert:study** / **@name**

Namespace	No namespace
Type	restriction of xs:token
Properties	use: required
Facets	enumeration specify
Used by	Element pert:study
Source	<pre><xs:attribute name="name" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify"/> </xs:restriction> </xs:simpleType> </xs:attribute></pre>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute **pert:response** / **pert:response_21** / **@value**

Namespace	No namespace
Type	restriction of xs:token
Properties	use: required
Facets	enumeration specify
	enumeration unreported

	<table> <tr> <td>enumeration</td><td>specify</td></tr> <tr> <td>enumeration</td><td>unreported</td></tr> </table>	enumeration	specify	enumeration	unreported
enumeration	specify				
enumeration	unreported				
Used by	Element pert:response_21/pert:response				
Source	<pre><xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify" /> <xs:enumeration value="unreported" /> <xs:enumeration value="specify" /> <xs:enumeration value="unreported" /> </xs:restriction> </xs:simpleType> </xs:attribute></pre>				
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd				

Attribute **pert:response** / **pert:response_22** / **@value**

Namespace	No namespace
Type	restriction of xs:token
Properties	use: required
Facets	enumeration specify
	enumeration unreported
	enumeration specify
	enumeration unreported
Used by	Element pert:response_22/pert:response
Source	<xs:attribute name="value" use="required"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> <xs:enumeration value="specify"/> <xs:enumeration value="unreported"/> </xs:restriction> </xs:simpleType> </xs:attribute>
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd

Attribute **pert:response** / **pert:response_22** / **@system**

Namespace	No namespace	
Type	restriction of xs:token	
Properties	content:	simple
Facets	enumeration	WHO
	enumeration	specify
	enumeration	unreported
Used by	Element	pert:response_22/pert:response
Source	<pre><xs:attribute name="system"> <xs:simpleType> <xs:restriction base="xs:token"> <xs:enumeration value="WHO" /> <xs:enumeration value="specify" /> <xs:enumeration value="unreported" /> </xs:restriction> </xs:simpleType> </xs:attribute></pre>	
Schema location	file:/Applications/oXygen11-2009102316/flattened-generic-test-harness.xsd	