
University of Padova Department of Information Engineering

Biomedical Wearable Technologies for Healthcare and Wellbeing

Understanding UI

A.Y. 2021-2022

Giacomo Cappon





Outline


- Recap
- Some fundamental Flutter Widgets
- Layout in Flutter
- > App#1: layout_basics
- ➤ App#2: scaffolding
- ListView
- Exercise
- > Homework
- Resources


Outline

- > Recap
- ➤ Some fundamental Flutter Widgets
- > Layout in Flutter
- > App#1: layout_basics
- ➤ App#2: scaffolding
- ➤ ListView
- > Exercise
- > Homework
- > Resources

Recap: Widget tree

➤ UIs are represented in Flutter hierarchically through a Widget tree





Outline


- > Recap
- > Some fundamental Flutter Widgets
- > Layout in Flutter
- > App#1: layout_basics
- ➤ App#2: scaffolding
- ➤ ListView
- > Exercise
- > Homework
- > Resources

Fundamental Widget for UI



Scaffold

Implements the basic Material Design visual layout structure. This class provides APIs for showing drawers, snack bars, and bottom sheets.



Center

A widget that centers its child within itself.




Column

Layout a list of child widgets in the vertical direction.



Row


Layout a list of child widgets in the horizontal direction.



Container

A convenience widget that combines common painting, positioning, and sizing widgets.

Of course, there are many others...



Stack

This class is useful if you want to overlap several children in a simple way, for example having some text and an image, overlaid with...



SizedBox

A box with a specified size. If given a child, this widget forces its child to have a specific width and/or height (assuming values are...



Expanded

A widget that expands a child of a Row, Column, or Flex.





Card


A Material Design card. A card has slightly rounded corners and a shadow.

Fundamental Widget for UI


















Form


An optional container for grouping together multiple form field widgets (e.g. TextField widgets).

Fundamental Widget for UI










➤ Of course, there are many others...


Extensively discussed in the next lesson

Designing your UI - Material



- Many approaches can be followed
- Material is an adaptable system of guidelines, components, and tools to support best practices of UI design
- > Flutter includes many widgets from Material


Material UI Widget – App Structure and Navigation





Scaffold

Implements the basic Material Design visual layout structure. This class provides APIs for showing drawers, snack bars, and bottom sheets.



A Material Design app bar. An app bar consists of a toolbar and potentially other widgets, such as a TabBar and a FlexibleSpaceBar.



Drawer


A Material Design panel that slides in horizontally from the edge of a Scaffold to show navigation links in an application.



BottomNavigationBar

Bottom navigation bars make it easy to explore and switch between top-level views in a single tap. The BottomNavigationBar widget implements this component.

Material UI Widget – Buttons




Checkbox

Checkboxes allow the user to select multiple options from a set. The Checkbox widget implements this component.



Date & Time Pickers

Date pickers use a dialog window to select a single date on mobile. Time pickers use a dialog to select a single time (in the...



Radio


Radio buttons allow the user to select one option from a set. Use radio buttons for exclusive selection if you think that the user needs...





Switch


On/off switches toggle the state of a single settings option. The Switch widget implements this component.



TextField

Touching a text field places the cursor and displays the keyboard. The TextField widget implements this component.

Material UI Widget – Dialogs, alerts, and panels



AlertDialog

Alerts are urgent interruptions requiring acknowledgement that inform the user about a situation. The AlertDialog widget implements this component.



BottomSheet

Bottom sheets slide up from the bottom of the screen to reveal more content. You can call showBottomSheet() to implement a persistent bottom sheet or...



ExpansionPanel

Expansion panels contain creation flows and allow lightweight editing of an element. The ExpansionPanel widget implements this component.



SimpleDialog


Simple dialogs can provide additional details or actions about a list item. For example they can display avatars icons clarifying subtext or orthogonal actions (such...





SnackBar


A lightweight message with an optional action which briefly displays at the bottom of the screen.


Material UI Widget – Information displays


















Material UI Widget – Layout



Outline

- > Recap
- ➤ Some fundamental Flutter Widgets
- **Layout in Flutter**
- > App#1: layout_basics
- ➤ App#2: scaffolding
- ➤ ListView
- > Exercise
- > Homework
- > Resources

Layouts in Flutter

- ➤ Layouts are organized in a Widget tree
- ➤ But how a widget is sized and positioned somewhere?
- ➤ To answer this question, we need to fully understand this rule:

Constraints go down. Sizes go up. Parent sets position.

The set of 4 doubles: minimum and maximum height, minimum and maximum width.


The set of 2 doubles: height and width.

The set of 2 doubles: x and y.

Layouts in Flutter


Constraints go down. Sizes go up. Parent sets position.


- A widget gets its constraints from its parent and tells its children what are the constraints (i.e., "constraints go down").
- A widget then asks its children the sizes they want to be (i.e., "sizes go up").
- A widget positions its children (i.e., "parent sets position").



Negotiating constraints, sizes, and position


- ➤ **Widget**: "Hey parent, what are my constraints?"
- Parent: "You must be from 80 to 300 pixels wide, and 30 to 85 tall."
- ➤ **Widget**: "Since I want to have 5 pixels of padding, then my children can have at most 290 pixels of width and 75 pixels o height."
- Widget: "Hey first child, You must be from 0 to 290 pixels wide, and 0 to 75 tall."
- First child: "OK, then I wish to be 290 pixels wide, and 20 pixels tall."
- ➤ **Widget**: "Since I want to put my second child below the first one, this leaves only 55 pixels of height for my second child."
- ➤ **Widget**: "Hey second child, You must be from 0 to 290 wide, and 0 to 55 tall."
- > Second child: "OK, I wish to be 140 pixels wide, and 30 pixels tall."
- ➤ **Widget**: "Very well. My first child has position x: 5 and y: 5, and my second child has x: 80 and y: 25."
- ➤ **Widget**: "Hey parent, I've decided that my size is going to be 300 pixels wide, and 60 pixels tall."





Limitations

- A widget can decide its own size only within the constraints given to it by its parent: a widget can't have any size it wants.
- A widget can't know and doesn't decide its own position in the screen.
- ➤ It's impossible to precisely define the size and position of any widget without taking into consideration the tree as a whole.
- ➤ If a child wants a different size from its parent and the parent doesn't have enough information to align it, then the child's size might be ignored. Be specific when defining alignment.



Outline

- > Recap
- ➤ Some fundamental Flutter Widgets
- > Layout in Flutter
- > App#1: layout_basics
- ➤ App#2: scaffolding
- ➤ ListView
- > Exercise
- > Homework
- > Resources

Dive into examples

In the "Understanding constraints" article by Marcelo Glasberg https://docs.flutter.dev/development/ui/layout/constraints (you will also find the link in the Resources section of this presentation) there are a lot (29) of examples explaining how all of this works.

Let's report the most interesting ones.

App #1: layout_basics

- Create a new project named 'layout_basics'
- > Replace all the code of main.dart with

```
import 'package:flutter/material.dart';
void main() {
   runApp(const MyApp());
}//main
class MyApp extends StatelessWidget {
   const MyApp({Key? key}) : super(key: key);
   @override
   Widget build(BuildContext context) {
     return MaterialApp(
        home:
        //TODO: implement something here
   );
   }//build
}//MyApp
```

```
Widget _example1() => Container(color:
Colors.red);
```

- > The screen is the parent of the Container, and it forces the Container to be exactly the same size as the screen.
- > So the Container fills the screen and paints it red.


```
Widget _example2() => Container(width:
100, height: 100, color: red);
```

The red Container wants to be 100 × 100, but it can't, because the screen forces it to be exactly the same size as the screen.

> The Container fills the screen.

```
Widget _example3() => Center(
   child: Container(width: 100, height: 100,
   color: red),
);
```

- The screen forces the Center to be exactly the same size as the screen, so the Center fills the screen.
- The Center tells the Container that it can be any size it wants, but not bigger than the screen. Now the Container can be 100 × 100.



```
Widget _example6() => Center(
   child: Container(color: red),
)
```


- The screen forces the Center to be exactly the same size as the screen, so the Center fills the screen.
- The Center tells the Container that it can be any size it wants, but not bigger than the screen. Since the Container has no child and no fixed size, it decides it wants to be as big as possible, so it fills the whole screen.

```
Widget _example7() => Center(
    child: Container(
        color: red,
        child: Container(color: green, width: 30, height: 30),
    ),
    );
```

- The screen forces the Center to be exactly the same size as the screen, so the Center fills the screen.
- The Center tells the red Container that it can be any size it wants, but not bigger than the screen. Since the red Container has no size but has a child, it decides it wants to be the same size as its child.
- The red Container tells its child that it can be any size it wants, but not bigger than the screen.
- The child is a green Container that wants to be 30 × 30. Given that the red Container sizes itself to the size of its child, it is also 30 × 30. The red color isn't visible because the green Container entirely covers the red Container.

```
Widget _example14() => UnconstrainedBox(
   child: Container(color: red, width: 4000,
height: 50),
);
```

- The screen forces the UnconstrainedBox to be exactly the same size as the screen, and UnconstrainedBox lets its child Container be any size it wants.
- ➤ Unfortunately, in this case the Container is 4000 pixels wide and is too big to fit in the UnconstrainedBox, so the UnconstrainedBox displays the much dreaded "overflow warning".



```
Widget _example18() => const FittedBox(
  child: Text('Some Example Text.'),
);
```

The screen forces the FittedBox to be exactly the same size as the screen. The Text has some natural width (also called its intrinsic width) that depends on the amount of text, its font size, and so on.

The FittedBox lets the Text be any size it wants, but after the Text tells its size to the FittedBox, the FittedBox scales the Text until it fills all of the available width.

Some Example Text.

```
Widget _example19() => const Center(
  child: FittedBox(
    child: Text('Some Example Text.'),
  ),
);
```

- ➤ But what happens if you put the FittedBox inside of a Center widget? The Center lets the FittedBox be any size it wants, up to the screen size.
- The FittedBox then sizes itself to the Text, and lets the Text be any size it wants. Since both FittedBox and the Text have the same size, no scaling happens.

Some Example Text.

Outline

- > Recap
- ➤ Some fundamental Flutter Widgets
- > Layout in Flutter
- > App#1: layout_basics
- ➤ App#2: scaffolding
- ➤ ListView
- > Exercise
- > Homework
- > Resources

App #2: scaffolding

- Create a new project named 'scaffolding'
- > Replace all the code of main.dart with

```
import 'package:flutter/material.dart';
void main() {
   runApp(const MyApp());
}//main
class MyApp extends StatelessWidget {
   const MyApp({Key? key}) : super(key: key);
   @override
   Widget build(BuildContext context) {
     return MaterialApp(
        home:
        //TODO: implement something here
   );
   }//build
}//MyApp
```


- ➤ Let's focus into the Scaffold Widget
- ➤ It provides a framework which implements the basic material design visual layout structure
- Detailed info:
 https://api.flutter.dev/flutter/material/S
 caffold-class.html

```
//Constructor of Scaffold
const Scaffold({
  Key key,
  this.appBar,
  this.body,
  this.floatingActionButton,
  this.floatingActionButtonLocation,
  this.floatingActionButtonAnimator,
  this.persistentFooterButtons,
  this.drawer,
  this.endDrawer,
  this.bottomNavigationBar,
  this.bottomSheet,
  this.backgroundColor,
  this.resizeToAvoidBottomPadding = true,
  this.primary = true,
```

```
3:27
                                                     The AppBar
//Constructor of Scaffold
const Scaffold({
  Key key,
  this.appBar,
  this.body,
  this.floatingActionButton,
  this.floatingActionButtonLocation,
                                                                               An option
  this.floatingActionButtonAnimator,
                                                          The body.
                                                                              Another option
  this.persistentFooterButtons,
  this.drawer,
  this.endDrawer,
  this.bottomNavigationBar,
  this.bottomSheet,
  this.backgroundColor,
  this.resizeToAvoidBottomPadding = true,
  this.primary = true,
                                                      Profile
                                                                Settings
})
```

```
3:27
                                                    The AppBar
//Constructor of Scaffold
const Scaffold({
  Key key,
  this.appBar,
  this.body,
  this.floatingActionButton,
  this.floatingActionButtonLocation,
                                                                             An option
  this.floatingActionButtonAnimator,
                                                         The body.
  this.persistentFooterButtons,
  this.drawer,
  this.endDrawer,
  this.bottomNavigationBar,
  this.bottomSheet,
  this.backgroundColor,
  this.resizeToAvoidBottomPadding = true,
  this.primary = true,
                                                     Profile
                                                               Settings
```

```
home: Scaffold(
   appBar: AppBar(
      actions: const [
         Icon(Icons.done,),
         Icon(Icons.error),
      ],
      title: const Text('The AppBar'),
   ),
```




```
The AppBar
//Constructor of Scaffold
const Scaffold({
  Key key,
  this.appBar,
  this.body,
  this.floatingActionButton,
  this.floatingActionButtonLocation,
  this.floatingActionButtonAnimator,
                                                                              An option
                                                        The body.
                                                                             Another option
  this.persistent Footer Buttons,
  this.drawer,
  this.endDrawer,
  this.bottomNavigationBar,
  this.bottomSheet,
  this.backgroundColor,
  this.resizeToAvoidBottomPadding = true,
  this.primary = true,
                                                    Profile
                                                              Settings
```

```
The AppBar
home: Scaffold(
  drawer: Drawer(
     child: Column(
                                                                                      An option
       mainAxisAlignment:
                                                              The body.
                                                                                     Another option
MainAxisAlignment.center,
       children: const [
          Text('An option'),
          Text('Another option'),
                                                         Profile
                                                                    Settings
```


```
The AppBar
//Constructor of Scaffold
const Scaffold({
  Key key,
  this.appBar,
  this.body,-
  this.floatingActionButton,
  this.floatingActionButtonLocation,
                                                                              An option
  this.floatingActionButtonAnimator,
                                                        The body.
                                                                             Another option
  this.persistentFooterButtons,
  this.drawer,
  this.endDrawer,
  this.bottomNavigationBar,
  this.bottomSheet,
  this.backgroundColor,
  this.resizeToAvoidBottomPadding = true,
  this.primary = true,
                                                   Profile
                                                              Settings
```

```
home: Scaffold(
    ...
body: const Center(
    child: Text('The body.'),
    ),
...
```



```
The AppBar
//Constructor of Scaffold
const Scaffold({
  Key key,
  this.appBar,
  this.body,
  this.floatingActionButton,
  this.floatingActionButtonLocation,
                                                                             An option
  this.floatingActionButtonAnimator,
                                                        The body
                                                                             Another option
  this.persistentFooterButtons,
  this.drawer,
  this.endDrawer,
  this.bottomNavigationBar,
  this.bottomSheet,
  this.backgroundColor,
  this.resizeToAvoidBottomPadding = true,
  this.primary = true,
                                                    *
                                                   Profile
                                                              Settings
```

```
home: Scaffold(
    ...
floatingActionButton:
    FloatingActionButton(
        child: const Icon(Icons.add),
        onPressed: () {},
    ),
...
```



```
The AppBar
//Constructor of Scaffold
const Scaffold({
  Key key,
  this.appBar,
  this.body,
  this.floatingActionButton,
  this.floatingActionButtonLocation,
                                                                              An option
  this.floatingActionButtonAnimator,
                                                        The body.
                                                                             Another option
  this.persistentFooterButtons,
  this.drawer,
  this.endDrawer,
  this.bottomNavigationBar,
  this.bottomSheet,
  this.backgroundColor,
  this.resizeToAvoidBottomPadding = true,
  this.primary = true,
                                                   Profile
                                                              Settings
})
```


```
The AppBar
home: Scaffold(
  bottomNavigationBar:
    BottomNavigationBar(
       items: const [
         BottomNavigationBarItem(
            icon:
                                                                                  An option
                                                           The body.
Icon(Icons.supervisor_account),
                                                                                  Another option
            label: 'Profile',
         BottomNavigationBarItem(
            icon: Icon(Icons.settings),
            label: 'Settings',
                                                       Profile
                                                                 Settings
```

Outline

- > Recap
- ➤ Some fundamental Flutter Widgets
- > Layout in Flutter
- > App#1: layout_basics
- ➤ App#2: scaffolding
- ListView
- > Exercise
- > Homework
- > Resources

ListView

- Let's replace the body with something cooler: ListView
- ➤ ListView is the most commonly used scrolling widget. It displays its children one after another in the scroll direction. In the cross axis, the children are required to fill the ListView.
- Detailed info:
 https://api.flutter.dev/flutter/widgets/ListView-class.html



ListView

```
home: Scaffold(
  body: ListView(
                                                             ListTile 1 title
    children: [

    ListTile 1 subtitle


      ListTile(
        leading: Icon(Icons.settings),
        title: Text('ListTile 1 title'),
        subtitle: Text('ListTile 1 subtitle'),
        trailing: Icon(Icons.arrow right),
      ListTile(
        leading: Icon(Icons.settings),
        title: Text('ListTile 2 title'),
        subtitle: Text('ListTile 2 subtitle'),
        trailing: Icon(Icons.arrow right),
```

Full example in lab_05-understanding_ui/scaffolding/


Outline

- > Recap
- ➤ Some fundamental Flutter Widgets
- > Layout in Flutter
- > App#1: layout_basics
- ➤ App#2: scaffolding
- ➤ ListView
- **Exercise**
- > Homework
- > Resources


- > Exercise 05.01 (easy)
 - Create a new project 'reproduce_layout'
 - Reproduce, as close as possible, the layout on the right.
 - Hint: I used the following widgets: ThemeData, AppBar, Text, Container, Icon, SizedBox, Column, Row, and some others...




- > Exercise 05.02 (easy)
 - Create a new project 'exercise_listview'
 - Copy the code of main.dart of 'scaffolding' into the main.dart of 'exercise_view'
 - Modify the ListView so that the app looks like the app on the right (hint: I used Icons.info)




- > Exercise 05.03 (easy)
 - Install the english_words package into the 'exercise_listview' app
 - Starting from the code of exercise 05.02, modify each ListTile in order to have as a title a random word in uppercase generated using the english_words package just installed



- > Exercise 05.04 (medium)
 - Starting from the code of exercise 05.03, refactor MyApp so that it becomes a StatefulWidget
 - Add to the state of MyApp the current list of ListTiles to be displayed in the ListView
 - Replace the harcoded list of ListTiles with the "state" list just implemented
 - Note that when the app is reloaded or restarted, the ListView will look empty.



- > Exercise 05.05 (medium-hard)
 - Modify the code of exercise 05.04 so that when the user pushes the FloatingActionButton on the bottom right, a new ListTile is added to the ListView and displayed to the user.
 - Hint: ListView has not just 1 but 4 constructurs! ListView.builder could be of help. Look at the docs.



Outline

- > Recap
- ➤ Some fundamental Flutter Widgets
- > Layout in Flutter
- > App#1: layout_basics
- ➤ App#2: scaffolding
- ➤ ListView
- > Exercise
- **Homework**
- > Resources

Homework

> Get familiar with UI constraints

> Get fluent in writing simple UIs

Outline

- > Recap
- ➤ Some fundamental Flutter Widgets
- > Layout in Flutter
- > App#1: layout_basics
- ➤ App#2: scaffolding
- ➤ ListView
- > Exercise
- > Homework
- Resources

Resources

- Material Widgets for UI
 - https://docs.flutter.dev/development/ui/widgets/material
- (Some) Widget for UI Catalog
 - https://docs.flutter.dev/development/ui/widgets
- Flutter Widget list
 - https://docs.flutter.dev/reference/widgets
- Understanding constraints
 - https://docs.flutter.dev/development/ui/layout/constraints
- Layouts in Flutter
 - https://docs.flutter.dev/development/ui/layout