

Site: http://192.168.43.228

Generated on Wed, 11 Oct 2023 03:16:57

ZAP Version: 2.13.0

## **Summary of Alerts**

Risk Level	Number of Alerts
High	0
Medium	6
Low	5
Informational	5
False Positives:	0

## **Alerts**

Name	Risk Level	Number of Instances
Absence of Anti-CSRF Tokens	Medium	4
Application Error Disclosure	Medium	27
Content Security Policy (CSP) Header Not Set	Medium	35
Directory Browsing	Medium	27
Hidden File Found	Medium	1
Missing Anti-clickjacking Header	Medium	34
Cookie No HttpOnly Flag	Low	1
Cookie without SameSite Attribute	Low	1
Server Leaks Information via "X-Powered-By" HTTP Response Header Field(s)	Low	11
Server Leaks Version Information via "Server" HTTP Response Header Field	Low	82
X-Content-Type-Options Header Missing	Low	74
Authentication Request Identified	Informational	2
Information Disclosure - Suspicious Comments	Informational	1
Session Management Response Identified	Informational	20
User Agent Fuzzer	Informational	12
User Controllable HTML Element Attribute (Potential XSS)	Informational	3

## **Alert Detail**

No Anti-CSRF tokens were found in a HTML submission form.  A cross-site request forgery is an attack that involves forcing a victim to send an HTTP request to a target destination without their knowledge or intent in order to perform an action as the victim. The underlying cause is application functionality is that CSRF existins the trust that a user has for a web site. But CSRF existins the trust that a user has for a web site. Like XSS, CSRF attacks are not necessarily cross-site, but year on be. Cross-site request forgery is also known as CSRF, XSRF, one-click attack, session riding, confused deputy, and sea surt.  CSRF attacks are offective in a number of situations, including:  * The victim has an active session on the target site.  * The victim has an active session on the target site.  * The victim is on the same local network as the target site.  * The victim is on the same local network as the target site.  * CSRF has primarily been used to perform an action against a target site using the victim's privilegas, but recent techniques have been discovered to disclose information by gaining accoss to the response. The risk of information disclosure is dramatically increased when the target site is vulnerable to XSS, because XSS can be used as a platform for CSRF, allowing the attack to operate within the bounds of the same-origin policy.  URL  http://192.168.43.228/login.php  Method  GET  Parameter  Attack  Evidence <a cross-richar-"="" href="#citem-richar-ric&lt;/th&gt;&lt;th&gt;&lt;/th&gt;&lt;th&gt;&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;HTTP request to a target destination without their knowledge or intent in order to perform an action as the victim. The underlying cause is application functionally using predictable URL/form actions in a repeatable way. The nature of the attack is that CSFR exploits the trust that a web site has for a user. By contrast, cross-site scripting (XSS) exploits the trust that a user has for a web site. Like XSS, CSFR attacks are not necessarily cross-site, but they can be. Cross-site request forgery is also known as CSFR, XSFR, one-click attack, session riding, conflused deputy, and sea surface and in the control of th&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;No Anti-CSRF tokens were found in a HTML submission form.&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;* The victim has an active session on the target site.  * The victim is authenticated via HTTP auth on the target site.  * The victim is on the same local network as the target site.  CSRF has primarily been used to perform an action against a target site using the victim's privileges, but recent techniques have been discovered to disclose information by gaining access to the response. The risk of information disclosure is dramatically increased when the target site is vulnerable to XSS, because XSS can be used as a platform for CSRF, allowing the attack to operate within the bounds of the same-origin policy.  URL  http://192.168.43.228/login.php  Method  GET  Parameter  Attack  Evidence  IRL  http://192.168.43.228/user_new.php  Method  GET  Parameter  Attack  Evidence  &lt;a href=" method="POST" user_new.php"=""> http://192.168.43.228/login.php  Method  POST  Parameter  Attack  Evidence  <a href="cross-richar-" method="POST" user_new.php"=""> http://192.168.43.228/login.php  Method  POST  Parameter  Attack  Evidence  <a href="cross-richar-" method="POST" user_new.php"=""> http://192.168.43.228/user_new.php  Method  POST  Parameter  Attack  Evidence  <a href="cross-richar-" method="POST" user_new.php"=""> http://192.168.43.228/user_new.php  Method  POST  Parameter  Attack  Evidence  IRL  http://192.168.43.228/user_new.php  Method  POST  Parameter  Attack  Evidence  INT  Attack  Ev<td></td><td>HTTP request to a target destination without their knowledge or intent in order to perform an action as the victim. The underlying cause is application functionality using predictable URL/form actions in a repeatable way. The nature of the attack is that CSRF exploits the trust that a web site has for a user. By contrast, cross-site scripting (XSS) exploits the trust that a user has for a web site. Like XSS, CSRF attacks are not necessarily cross-site, but they can be. Cross-site request forgery is also known as CSRF, XSRF, one-click attack, session riding, confused</td></a></a></a></a>		HTTP request to a target destination without their knowledge or intent in order to perform an action as the victim. The underlying cause is application functionality using predictable URL/form actions in a repeatable way. The nature of the attack is that CSRF exploits the trust that a web site has for a user. By contrast, cross-site scripting (XSS) exploits the trust that a user has for a web site. Like XSS, CSRF attacks are not necessarily cross-site, but they can be. Cross-site request forgery is also known as CSRF, XSRF, one-click attack, session riding, confused
* The victim has an active session on the target site.  * The victim is authenticated via HTTP auth on the target site.  * The victim is on the same local network as the target site.  * CSRF has primarily been used to perform an action against a target site using the victim's privileges, but recent techniques have been discovered to disclose information by gaining access to the response. The risk of information disclosure is dramatically increased when the target site is vulnerable to XSS, because XSS can be used as a platform for CSRF, allowing the attack to operate within the bounds of the same-origin policy.  URL  http://192.168.43.228/login.php  Method  GET  Parameter  Attack  Evidence <pre></pre>	Description	CSRF attacks are effective in a number of situations, including:
*The victim is on the same local network as the target site.  CSRF has primarily been used to perform an action against a target site using the victim's privileges, but recent techniques have been discovered to disclose information by gaining access to the response. The risk of information by gaining access to the response. The risk of information disclosure is dramatically increased when the target site is vulnerable to XSS, because XSS can be used as a platform for CSRF, allowing the attack to operate within the bounds of the same-origin policy.  URL http://192.168.43.228/login.php  Method GET  Parameter  Attack  Evidence <form action="/login.php" method="POST">  URL http://192.168.43.228/user_new.php  Method GET  Parameter  Attack  Evidence <form action="/user_new.php" method="POST">  URL http://192.168.43.228/login.php  Method POST  Parameter  Attack  Evidence <form action="/user_new.php" method="POST">  URL http://192.168.43.228/login.php  Method POST  Parameter  Attack  Evidence <form action="/login.php" method="POST">  URL http://192.168.43.228/user_new.php  Method POST  Parameter  Attack  Evidence <form action="/login.php" method="POST">  URL http://192.168.43.228/user_new.php  Method POST  Parameter  Attack  Evidence <form action="/user_new.php" method="POST">  Instances  4  Phase: Architecture and Design  Use a vetted library or framework that does not allow this weakness to occur or provides constructs that make this weakness easier to avoid.  Solution For example, use anti-CSRF packages such as the OWASP CSRFGuard.</form></form></form></form></form></form>	Восоприон	* The victim has an active session on the target site.
CSRF has primarily been used to perform an action against a target site using the victim's privileges, but recent techniques have been discovered to disclose information by gaining access to the response. The risk of information disclosure is dramatically increased when the target site is vulnerable to XSS, because XSS can be used as a platform for CSRF, allowing the attack to operate within the bounds of the same-origin policy.  URL http://192.168.43.228/login.php  Method GET  Parameter  Attack  Evidence <form action="/login.php" method="POST">  URL http://192.168.43.228/user_new.php  Method GET  Parameter  Attack  Evidence <form action="/luser_new.php" method="POST">  URL http://192.168.43.228/login.php  Method POST  Parameter  Attack  Evidence <form action="/luser_new.php" method="POST">  URL http://192.168.43.228/login.php  Method POST  Parameter  Attack  Evidence <form action="/login.php" method="POST">  URL http://192.168.43.228/login.php  Method POST  Parameter  Attack  Evidence <form action="/login.php" method="POST">  URL http://192.168.43.228/user_new.php  Method POST  Parameter  Attack  Evidence <form action="/login.php" method="POST">  URL http://login.php" method="POST"&gt;  URL ht</form></form></form></form></form></form>		* The victim is authenticated via HTTP auth on the target site.
victim's privileges, but recent techniques have been discovered to disclose information by gaining access to the response. The risk of information disclosure is dramatically increased when the target site is vulnerable to XSS, because XSS can be used as a platform for CSRF, allowing the attack to operate within the bounds of the same-origin policy.  URL http://192.168.43.228/login.php  Method GET  Parameter  Attack  Evidence <form action="/login.php" method="POST">  URL http://192.168.43.228/user new.php  Method GET  Parameter  Attack  Evidence <form action="/luser_new.php" method="POST">  URL http://192.168.43.228/login.php  Method POST  Parameter  Attack  Evidence <form action="/luser_new.php" method="POST">  URL http://192.168.43.228/login.php  Method POST  Parameter  Attack  Evidence <form action="/login.php" method="POST">  URL http://192.168.43.228/user new.php  Method POST  Parameter  Attack  Evidence <form action="/login.php" method="POST">  URL http://192.168.43.228/user new.php  Method POST  Parameter  Attack  Evidence <form action="/login.php" method="POST">  URL http://192.168.43.228/user new.php  Method POST  Parameter  Attack  Evidence <form action="/login.php" method="POST">  Instances  4  Phase: Architecture and Design  Use a vetted library or framework that does not allow this weakness to occur or provides constructs that make this weakness easier to avoid.  Solution For example, use anti-CSRF packages such as the OWASP CSRFGuard.</form></form></form></form></form></form></form>		* The victim is on the same local network as the target site.
Method GET  Parameter  Attack Evidence <form action="/login.php" method="POST">  URL http://192.168.43.228/user_new.php  Method GET  Parameter  Attack Evidence <form action="/user_new.php" method="POST">  URL http://192.168.43.228/login.php  Method POST  Parameter  Attack Evidence <form action="/login.php" method="POST">  URL http://192.168.43.228/login.php  Method POST  Parameter  Attack Evidence <form action="/login.php" method="POST">  URL http://192.168.43.228/user_new.php  Method POST  Parameter  Attack Evidence <form action="/user_new.php" method="POST">  Instances  4  Phase: Architecture and Design  Use a vetted library or framework that does not allow this weakness to occur or provides constructs that make this weakness easier to avoid.  Solution For example, use anti-CSRF packages such as the OWASP CSRFGuard.</form></form></form></form></form>		victim's privileges, but recent techniques have been discovered to disclose information by gaining access to the response. The risk of information disclosure is dramatically increased when the target site is vulnerable to XSS, because XSS can be used as a platform for CSRF, allowing the attack to operate within the
Method GET  Parameter Attack Evidence <form action="/login.php" method="POST">  URL http://192.168.43.228/user_new.php  Method GET  Parameter Attack Evidence <form action="/user_new.php" method="POST">  URL http://192.168.43.228/login.php  Method POST  Parameter Attack Evidence <form action="/user_new.php" method="POST">  URL http://192.168.43.228/login.php  Method POST  Parameter Attack Evidence <form action="/login.php" method="POST">  URL http://192.168.43.228/user_new.php  Method POST  Parameter Attack Evidence <form action="/user_new.php" method="POST">  Instances  4  Phase: Architecture and Design Use a vetted library or framework that does not allow this weakness to occur or provides constructs that make this weakness easier to avoid.  Solution For example, use anti-CSRF packages such as the OWASP CSRFGuard.</form></form></form></form></form>	URL	http://192.168.43.228/login.php
Attack Evidence <form action="/login.php" method="POST">  URL http://192.168.43.228/user_new.php  Method GET  Parameter Attack Evidence <form action="/user_new.php" method="POST">  URL http://192.168.43.228/login.php  Method POST  Parameter Attack Evidence <form action="/login.php" method="POST">  URL http://192.168.43.228/login.php  Method POST  Parameter Attack Evidence <form action="/login.php" method="POST">  URL http://192.168.43.228/user_new.php  Method POST  Parameter Attack Evidence <form action="/user_new.php" method="POST">  Instances  4  Phase: Architecture and Design Use a vetted library or framework that does not allow this weakness to occur or provides constructs that make this weakness easier to avoid.  Solution For example, use anti-CSRF packages such as the OWASP CSRFGuard.</form></form></form></form></form>	Method	
Evidence <form action="/login.php" method="POST">  URL http://192.168.43.228/user_new.php  Method GET  Parameter Attack Evidence <form action="/luser_new.php" method="POST">  URL http://192.168.43.228/login.php  Method POST  Parameter Attack Evidence <form action="/login.php" method="POST">  URL http://192.168.43.228/login.php  Method POST  Parameter Attack Evidence <form action="/login.php" method="POST">  URL http://192.168.43.228/user_new.php  Method POST  Parameter Attack Evidence <form action="/user_new.php" method="POST">  Instances  4  Phase: Architecture and Design Use a vetted library or framework that does not allow this weakness to occur or provides constructs that make this weakness easier to avoid.  Solution For example, use anti-CSRF packages such as the OWASP CSRFGuard.</form></form></form></form></form>	Parameter	
Method GET  Parameter Attack Evidence <form action="/user_new.php" method="POST">  URL http://192.168.43.228/login.php  Method POST  Parameter Attack Evidence <form action="/login.php" method="POST">  URL http://192.168.43.228/login.php  Method POST  Parameter Attack Evidence <form action="/login.php" method="POST">  URL http://192.168.43.228/user_new.php  Method POST  Parameter Attack Evidence <form action="/user_new.php" method="POST">  Instances  4  Phase: Architecture and Design Use a vetted library or framework that does not allow this weakness to occur or provides constructs that make this weakness easier to avoid.  Solution For example, use anti-CSRF packages such as the OWASP CSRFGuard.</form></form></form></form>	Attack	
Method GET  Parameter  Attack  Evidence <form action="/user_new.php" method="POST">  URL http://192.168.43.228/login.php  Method POST  Parameter  Attack  Evidence <form action="/login.php" method="POST">  URL http://192.168.43.228/user_new.php  Method POST  VRL http://192.168.43.228/user_new.php  Method POST  Parameter  Attack  Evidence <form action="/user_new.php" method="POST">  Instances  4  Phase: Architecture and Design  Use a vetted library or framework that does not allow this weakness to occur or provides constructs that make this weakness easier to avoid.  Solution For example, use anti-CSRF packages such as the OWASP CSRFGuard.</form></form></form>	Evidence	<form action="/login.php" method="POST"></form>
Parameter Attack  Evidence	URL	http://192.168.43.228/user_new.php
Attack Evidence <form action="/user_new.php" method="POST">  URL http://192.168.43.228/login.php  Method POST  Parameter  Attack Evidence <form action="/login.php" method="POST">  URL http://192.168.43.228/user_new.php  Method POST  Parameter  Attack Evidence <form action="/login.php" method="POST">  URL http://192.168.43.228/user_new.php  Method POST  Parameter  Attack Evidence <form action="/user_new.php" method="POST">  Instances  4  Phase: Architecture and Design Use a vetted library or framework that does not allow this weakness to occur or provides constructs that make this weakness easier to avoid.  Solution  For example, use anti-CSRF packages such as the OWASP CSRFGuard.</form></form></form></form>	Method	GET
Evidence <form action="/user_new.php" method="POST">  URL http://192.168.43.228/login.php  Method POST  Parameter  Attack Evidence <form action="/login.php" method="POST">  URL http://192.168.43.228/user_new.php  Method POST  Parameter  Attack Evidence <form action="/user_new.php" method="POST">  Instances  4  Phase: Architecture and Design Use a vetted library or framework that does not allow this weakness to occur or provides constructs that make this weakness easier to avoid.  Solution  For example, use anti-CSRF packages such as the OWASP CSRFGuard.</form></form></form>	Parameter	
Method POST  Parameter Attack Evidence <form action="/login.php" method="POST">  URL http://192.168.43.228/user_new.php  Method POST  Parameter Attack Evidence <form action="r/login.php" method="POST">  Method POST  Parameter Attack Evidence <form action="/user_new.php" method="POST">  Instances  4  Phase: Architecture and Design Use a vetted library or framework that does not allow this weakness to occur or provides constructs that make this weakness easier to avoid.  Solution  For example, use anti-CSRF packages such as the OWASP CSRFGuard.</form></form></form>	Attack	
Method POST  Parameter  Attack  Evidence	Evidence	<form action="/user_new.php" method="POST"></form>
Parameter  Attack  Evidence <form action="/login.php" method="POST">  URL http://192.168.43.228/user_new.php  Method POST  Parameter  Attack  Evidence <form action="/user_new.php" method="POST">  Instances 4  Phase: Architecture and Design  Use a vetted library or framework that does not allow this weakness to occur or provides constructs that make this weakness easier to avoid.  Solution For example, use anti-CSRF packages such as the OWASP CSRFGuard.</form></form>	URL	http://192.168.43.228/login.php
Attack  Evidence <form action="/login.php" method="POST">  URL http://192.168.43.228/user_new.php  Method POST  Parameter  Attack  Evidence <form action="/user_new.php" method="POST">  Instances  4  Phase: Architecture and Design  Use a vetted library or framework that does not allow this weakness to occur or provides constructs that make this weakness easier to avoid.  Solution  For example, use anti-CSRF packages such as the OWASP CSRFGuard.</form></form>	Method	POST
Evidence <form action="/login.php" method="POST">  URL http://192.168.43.228/user_new.php  Method POST  Parameter Attack Evidence <form action="/user_new.php" method="POST">  Instances 4  Phase: Architecture and Design  Use a vetted library or framework that does not allow this weakness to occur or provides constructs that make this weakness easier to avoid.  Solution For example, use anti-CSRF packages such as the OWASP CSRFGuard.</form></form>	Parameter	
URL  http://192.168.43.228/user_new.php  Method  POST  Parameter  Attack  Evidence	Attack	
POST  Parameter  Attack  Evidence <form action="/user_new.php" method="POST">  Instances  4  Phase: Architecture and Design  Use a vetted library or framework that does not allow this weakness to occur or provides constructs that make this weakness easier to avoid.  Solution  For example, use anti-CSRF packages such as the OWASP CSRFGuard.</form>	Evidence	<form action="/login.php" method="POST"></form>
Parameter  Attack  Evidence <form action="/user_new.php" method="POST">  Instances  4  Phase: Architecture and Design  Use a vetted library or framework that does not allow this weakness to occur or provides constructs that make this weakness easier to avoid.  Solution  For example, use anti-CSRF packages such as the OWASP CSRFGuard.</form>	URL	http://192.168.43.228/user_new.php
Attack  Evidence <pre></pre>	Method	POST
Evidence <pre></pre>	Parameter	
Instances  4  Phase: Architecture and Design  Use a vetted library or framework that does not allow this weakness to occur or provides constructs that make this weakness easier to avoid.  Solution  For example, use anti-CSRF packages such as the OWASP CSRFGuard.	Attack	
Phase: Architecture and Design  Use a vetted library or framework that does not allow this weakness to occur or provides constructs that make this weakness easier to avoid.  Solution  For example, use anti-CSRF packages such as the OWASP CSRFGuard.	Evidence	<form action="/user_new.php" method="POST"></form>
Use a vetted library or framework that does not allow this weakness to occur or provides constructs that make this weakness easier to avoid.  Solution  For example, use anti-CSRF packages such as the OWASP CSRFGuard.	Instances	4
	Solution	Use a vetted library or framework that does not allow this weakness to occur or provides constructs that make this weakness easier to avoid.  For example, use anti-CSRF packages such as the OWASP CSRFGuard.

	Ensure that your application is free of cross-site scripting issues, because most CSRF defenses can be bypassed using attacker-controlled script.
	Phase: Architecture and Design
	Generate a unique nonce for each form, place the nonce into the form, and verify the nonce upon receipt of the form. Be sure that the nonce is not predictable (CWE-330).
	Note that this can be bypassed using XSS.
	Identify especially dangerous operations. When the user performs a dangerous operation, send a separate confirmation request to ensure that the user intended to perform that operation.
	Note that this can be bypassed using XSS.
	Use the ESAPI Session Management control.
	This control includes a component for CSRF.
	Do not use the GET method for any request that triggers a state change.
	Phase: Implementation
	Check the HTTP Referer header to see if the request originated from an expected page. This could break legitimate functionality, because users or proxies may have disabled sending the Referer for privacy reasons.
Reference	http://projects.webappsec.org/Cross-Site-Request-Forgery http://cwe.mitre.org/data/definitions/352.html
CWE Id	<u>352</u>
WASC Id	9
Plugin Id	10202

Medium	Application Error Disclosure
Description	This page contains an error/warning message that may disclose sensitive information like the location of the file that produced the unhandled exception. This information can be used to launch further attacks against the web application. The alert could be a false positive if the error message is found inside a documentation page.
URL	http://192.168.43.228/documents/
Method	GET
Parameter	
Attack	
Evidence	Parent Directory
URL	http://192.168.43.228/documents/?C=D;O=A
Method	GET
Parameter	
Attack	
Evidence	Parent Directory
URL	http://192.168.43.228/documents/?C=D;O=D
Method	GET
Parameter	
Attack	
Evidence	Parent Directory
URL	http://192.168.43.228/documents/?C=M;O=A

Method	GET
Parameter	
Attack	
Evidence	Parent Directory
URL	http://192.168.43.228/documents/?C=M;O=D
Method	GET
Parameter	
Attack	
Evidence	Parent Directory
URL	http://192.168.43.228/documents/?C=N;O=A
Method	GET
Parameter	
Attack	
Evidence	Parent Directory
URL	http://192.168.43.228/documents/?C=N;O=D
Method	GET
Parameter	
Attack	
Evidence	Parent Directory
URL	http://192.168.43.228/documents/?C=S;O=A
Method	GET
Parameter	
Attack	
Evidence	Parent Directory
URL	http://192.168.43.228/documents/?C=S;O=D
Method	GET
Parameter	
Attack	
Evidence	Parent Directory
URL	http://192.168.43.228/images/
Method	GET
Parameter	
Attack	
Evidence	Parent Directory
URL	http://192.168.43.228/images/?C=D;O=A
Method	GET
Parameter	
Attack	
Evidence	Parent Directory
URL	http://192.168.43.228/images/?C=D;O=D
Method	GET
Parameter	
. a.amotor	

A441.	
Attack	Parant Directors
Evidence	Parent Directory
URL	http://192.168.43.228/images/?C=M;O=A
Method	GET
Parameter	
Attack	
Evidence	Parent Directory
URL	http://192.168.43.228/images/?C=M;O=D
Method	GET
Parameter	
Attack	
Evidence	Parent Directory
URL	http://192.168.43.228/images/?C=N;O=A
Method	GET
Parameter	
Attack	
Evidence	Parent Directory
URL	http://192.168.43.228/images/?C=N;O=D
Method	GET
Parameter	
Attack	
Evidence	Parent Directory
URL	http://192.168.43.228/images/?C=S;O=A
Method	GET
Parameter	
Attack	
Evidence	Parent Directory
URL	http://192.168.43.228/images/?C=S;O=D
Method	GET
Parameter	
Attack	
Evidence	Parent Directory
URL	http://192.168.43.228/passwords/
Method	GET
Parameter	
Attack	
Evidence	Parent Directory
URL	http://192.168.43.228/passwords/?C=D;O=A
Method	GET
Parameter	
Attack	
Evidence	Parent Directory
	,

URL	http://192.168.43.228/passwords/?C=D;O=D
Method	GET
Parameter	
Attack	
Evidence	Parent Directory
URL	http://192.168.43.228/passwords/?C=M;O=A
Method	GET
Parameter	
Attack	
Evidence	Parent Directory
URL	http://192.168.43.228/passwords/?C=M;O=D
Method	GET
Parameter	
Attack	
Evidence	Parent Directory
URL	http://192.168.43.228/passwords/?C=N;O=A
Method	GET
Parameter	
Attack	
Evidence	Parent Directory
URL	http://192.168.43.228/passwords/?C=N;O=D
Method	GET
Parameter	GE1
Attack	
Evidence	Parent Directory
URL	http://192.168.43.228/passwords/?C=S;O=A
Method	GET
Parameter	GET
Attack	
Evidence	Parent Directory
URL	http://192.168.43.228/passwords/?C=S;O=D
Method	GET
	GET
Parameter	
Attack	Parant Directory
Evidence Instances	Parent Directory 27
instances	Review the source code of this page. Implement custom error pages. Consider
Solution	implementing a mechanism to provide a unique error reference/identifier to the client (browser) while logging the details on the server side and not exposing them to the user.
Reference	
CWE Id	200
WASC Id	13
Plugin Id	90022

Medium	Content Security Policy (CSP) Header Not Set
Description	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
URL	http://192.168.43.228/admin/
Method	GET
Parameter	
Attack	
Evidence	
URL	http://192.168.43.228/documents/
Method	GET
Parameter	
Attack	
Evidence	
URL	http://192.168.43.228/documents/?C=D;O=A
Method	GET
Parameter	
Attack	
Evidence	
URL	http://192.168.43.228/documents/?C=D;O=D
Method	GET
Parameter	
Attack	
Evidence	
URL	http://192.168.43.228/documents/?C=M;O=A
Method	GET
Parameter	
Attack	
Evidence	
URL	http://192.168.43.228/documents/?C=M;O=D
Method	GET
Parameter	
Attack	
Evidence	
URL	http://192.168.43.228/documents/?C=N;O=A
Method	GET
Parameter	
Attack	
Evidence	

URL	http://192.168.43.228/documents/?C=N;O=D
Method	GET
Parameter	
Attack	
Evidence	
URL	http://192.168.43.228/documents/?C=S;O=A
Method	GET
Parameter	
Attack	
Evidence	
URL	http://192.168.43.228/documents/?C=S;O=D
Method	GET
Parameter	
Attack	
Evidence	
URL	http://192.168.43.228/images/
Method	GET
Parameter	
Attack	
Evidence	
URL	http://192.168.43.228/images/?C=D;O=A
Method	GET
Parameter	
Attack	
Evidence	
URL	http://192.168.43.228/images/?C=D;O=D
Method	GET
Parameter	
Attack	
Evidence	
URL	http://192.168.43.228/images/?C=M;O=A
Method	GET
Parameter	
Attack	
Evidence	
URL	http://192.168.43.228/images/?C=M;O=D
Method	GET
Parameter	
Attack	
Evidence	
URL	http://192.168.43.228/images/?C=N;O=A
Method	GET

Parameter	
Attack	
Evidence	
URL	http://192.168.43.228/images/?C=N;O=D
Method	GET
Parameter	GET
Attack	
Evidence	Lu (400 400 40 000); (00 0 0 A
URL	http://192.168.43.228/images/?C=S;O=A
Method	GET
Parameter	
Attack	
Evidence	
URL	http://192.168.43.228/images/?C=S;O=D
Method	GET
Parameter	
Attack	
Evidence	
URL	http://192.168.43.228/info.php
Method	GET
Parameter	
Attack	
Evidence	
URL	http://192.168.43.228/login.php
Method	GET
Parameter	
Attack	
Evidence	
URL	http://192.168.43.228/passwords/
Method	GET
Parameter	
Attack	
Evidence	
URL	http://192.168.43.228/passwords/?C=D;O=A
Method	GET
Parameter	
Attack	
Evidence	
URL	http://192.168.43.228/passwords/?C=D;O=D
Method	GET
Parameter	
Attack	
Attaon	

Evidence	
URL	http://192.168.43.228/passwords/?C=M;O=A
Method	GET
Parameter	
Attack	
Evidence	
URL	http://192.168.43.228/passwords/?C=M;O=D
Method	GET
Parameter	
Attack	
Evidence	
URL	http://192.168.43.228/passwords/?C=N;O=A
Method	GET
Parameter	
Attack	
Evidence	
URL	http://192.168.43.228/passwords/?C=N;O=D
Method	GET
Parameter	
Attack	
Evidence	
URL	http://192.168.43.228/passwords/?C=S;O=A
Method	GET
Parameter	
Attack	
Evidence	
URL	http://192.168.43.228/passwords/?C=S;O=D
Method	GET
Parameter	
Attack	
Evidence	
URL	http://192.168.43.228/sitemap.xml
Method	GET
Parameter	
Attack	
Evidence	
URL	http://192.168.43.228/training.php
Method	GET
Parameter	
Attack	
Evidence	
URL	http://192.168.43.228/user_new.php

Method	GET
Parameter	
Attack	
Evidence	
URL	http://192.168.43.228/login.php
Method	POST
Parameter	
Attack	
Evidence	
URL	http://192.168.43.228/user_new.php
Method	POST
Parameter	
Attack	
Evidence	
Instances	35
Solution	Ensure that your web server, application server, load balancer, etc. is configured to set the Content-Security-Policy header.
Reference	https://developer.mozilla.org/en-US/docs/Web/Security/CSP/ Introducing Content Security Policy https://cheatsheetseries.owasp.org/cheatsheets/ Content Security Policy Cheat Sheet.html http://www.w3.org/TR/CSP/ http://w3c.github.io/webappsec/specs/content-security-policy/csp-specification.dev.html http://www.html5rocks.com/en/tutorials/security/content-security-policy/ http://caniuse.com/#feat=contentsecuritypolicy http://content-security-policy.com/
CWE Id	<u>693</u>
WASC Id	15
Plugin Id	10038
Madhun	Directory Browsing

Medium	Directory Browsing
Description	It is possible to view a listing of the directory contents. Directory listings may reveal hidden scripts, include files, backup source files, etc., which can be accessed to reveal sensitive information.
URL	http://192.168.43.228/documents/
Method	GET
Parameter	
Attack	
Evidence	<title>Index of /documents</title>
URL	http://192.168.43.228/documents/?C=D;O=A
Method	GET
Parameter	
Attack	
Evidence	<title>Index of /documents</title>
URL	http://192.168.43.228/documents/?C=D;O=D
Method	GET

ъ .	
Parameter	
Attack	
Evidence	<title>Index of /documents</title>
URL	http://192.168.43.228/documents/?C=M;O=A
Method	GET
Parameter	
Attack	
Evidence	<title>Index of /documents</title>
URL	http://192.168.43.228/documents/?C=M;O=D
Method	GET
Parameter	
Attack	
Evidence	<title>Index of /documents</title>
URL	http://192.168.43.228/documents/?C=N;O=A
Method	GET
Parameter	
Attack	
Evidence	<title>Index of /documents</title>
URL	http://192.168.43.228/documents/?C=N;O=D
Method	GET
Parameter	
Attack	
Evidence	<title>Index of /documents</title>
URL	http://192.168.43.228/documents/?C=S;O=A
Method	GET
Parameter	
Attack	
Evidence	<title>Index of /documents</title>
URL	http://192.168.43.228/documents/?C=S;O=D
Method	GET
Parameter	
Attack	
Evidence	<title>Index of /documents</title>
URL	http://192.168.43.228/images/
Method	GET
Parameter	
Attack	
Evidence	<title>Index of /images</title>
URL	http://192.168.43.228/images/?C=D;O=A
Method	GET
Parameter	
Attack	
Allaun	

Eddama	Alala Irahan of Company (Alala
Evidence	<title>Index of /images</title>
URL	http://192.168.43.228/images/?C=D;O=D
Method _	GET
Parameter	
Attack	
Evidence	<title>Index of /images</title>
URL	http://192.168.43.228/images/?C=M;O=A
Method	GET
Parameter	
Attack	
Evidence	<title>Index of /images</title>
URL	http://192.168.43.228/images/?C=M;O=D
Method	GET
Parameter	
Attack	
Evidence	<title>Index of /images</title>
URL	http://192.168.43.228/images/?C=N;O=A
Method	GET
Parameter	
Attack	
Evidence	<title>Index of /images</title>
URL	http://192.168.43.228/images/?C=N;O=D
Method	GET
Parameter	
Attack	
Evidence	<title>Index of /images</title>
URL	http://192.168.43.228/images/?C=S;O=A
Method	GET
Parameter	
Attack	
Evidence	<title>Index of /images</title>
URL	http://192.168.43.228/images/?C=S;O=D
Method	GET
Parameter	
Attack	
Evidence	<title>Index of /images</title>
URL	http://192.168.43.228/passwords/
Method	GET
Parameter	
Attack	
Evidence	<title>Index of /passwords</title>
URL	http://192.168.43.228/passwords/?C=D;O=A

Method	GET
Parameter	
Attack	
Evidence	<title>Index of /passwords</title>
URL	http://192.168.43.228/passwords/?C=D;O=D
Method	GET
Parameter	GE1
Attack	
Evidence	<title>Index of /passwords</title>
URL	http://192.168.43.228/passwords/?C=M;O=A
Method	GET
Parameter	ue i
Attack	
	stitles lades of languaged subtles
Evidence	<title>Index of /passwords</title>
URL	http://192.168.43.228/passwords/?C=M;O=D
Method	GET
Parameter	
Attack	
Evidence	<title>Index of /passwords</title>
URL	http://192.168.43.228/passwords/?C=N;O=A
Method	GET
Parameter	
Attack	
Evidence	<title>Index of /passwords</title>
URL	http://192.168.43.228/passwords/?C=N;O=D
Method	GET
Parameter	
Attack	
Evidence	<title>Index of /passwords</title>
URL	http://192.168.43.228/passwords/?C=S;O=A
Method	GET
Parameter	
Attack	
Evidence	<title>Index of /passwords</title>
URL	http://192.168.43.228/passwords/?C=S;O=D
Method	GET
Parameter	
Attack	
Evidence	<title>Index of /passwords</title>
Instances	27
Solution	Configure the web server to disable directory browsing.
Reference	https://cwe.mitre.org/data/definitions/548.html

CWE Id	<u>548</u>
WASC Id	16
Plugin Id	10033

Medium	Hidden File Found
Description	A sensitive file was identified as accessible or available. This may leak administrative, configuration, or credential information which can be leveraged by a malicious individual to further attack the system or conduct social engineering efforts.
URL	http://192.168.43.228/phpinfo.php
Method	GET
Parameter	
Attack	
Evidence	HTTP/1.1 200 OK
Instances	1
Solution	Consider whether or not the component is actually required in production, if it isn't then disable it. If it is then ensure access to it requires appropriate authentication and authorization, or limit exposure to internal systems or specific source IPs, etc.
Reference	https://blog.hboeck.de/archives/892-Introducing-Snallygaster-a-Tool-to-Scan-for-Secrets-on-Web-Servers.html https://www.php.net/manual/en/function.phpinfo.php
CWE Id	<u>538</u>
WASC Id	13
Plugin Id	<u>40035</u>

Medium	Missing Anti-clickjacking Header
Description	The response does not include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options to protect against 'ClickJacking' attacks.
URL	http://192.168.43.228/admin/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
URL	http://192.168.43.228/documents/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
URL	http://192.168.43.228/documents/?C=D;O=A
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
URL	http://192.168.43.228/documents/?C=D;O=D
Method	GET
Parameter	x-frame-options

Attack	
Evidence	
URL	http://192.168.43.228/documents/?C=M;O=A
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
URL	http://192.168.43.228/documents/?C=M;O=D
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
URL	http://192.168.43.228/documents/?C=N;O=A
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
URL	http://192.168.43.228/documents/?C=N;O=D
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
URL	http://192.168.43.228/documents/?C=S;O=A
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
URL	http://192.168.43.228/documents/?C=S;O=D
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
URL	http://192.168.43.228/images/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
URL	http://192.168.43.228/images/?C=D;O=A
Method	GET
Parameter	x-frame-options
Attack	
Evidence	

URL	http://192.168.43.228/images/?C=D;O=D
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
URL	http://192.168.43.228/images/?C=M;O=A
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
URL	http://192.168.43.228/images/?C=M;O=D
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
URL	http://192.168.43.228/images/?C=N;O=A
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
URL	http://192.168.43.228/images/?C=N;O=D
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
URL	http://192.168.43.228/images/?C=S;O=A
Method	GET
Parameter	x-frame-options
Attack	·
Evidence	
URL	http://192.168.43.228/images/?C=S;O=D
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
URL	http://192.168.43.228/info.php
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
URL	http://192.168.43.228/login.php
Method	GET

_	
Parameter	x-frame-options
Attack	
Evidence	
URL	http://192.168.43.228/passwords/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
URL	http://192.168.43.228/passwords/?C=D;O=A
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
URL	http://192.168.43.228/passwords/?C=D;O=D
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
URL	http://192.168.43.228/passwords/?C=M;O=A
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
URL	http://192.168.43.228/passwords/?C=M;O=D
Method	GET
Parameter	x-frame-options
Attack	· ·
Evidence	
URL	http://192.168.43.228/passwords/?C=N;O=A
Method	GET
Parameter	x-frame-options
Attack	A final options
Evidence	
URL	http://192.168.43.228/passwords/?C=N;O=D
Method	GET
Parameter	x-frame-options
Attack	λ-παιτισ-ομιίστο
Evidence	http://102.169.42.229/paccurords/20C.OA
URL	http://192.168.43.228/passwords/?C=S;O=A
Method	GET
Parameter	x-frame-options
Attack	

Evidence	
URL	http://192.168.43.228/passwords/?C=S;O=D
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
URL	http://192.168.43.228/training.php
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
URL	http://192.168.43.228/user_new.php
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
URL	http://192.168.43.228/login.php
Method	POST
Parameter	x-frame-options
Attack	
Evidence	
URL	http://192.168.43.228/user_new.php
Method	POST
Parameter	x-frame-options
Attack	
Evidence	
Instances	34
Solution	Modern Web browsers support the Content-Security-Policy and X-Frame-Options HTTP headers. Ensure one of them is set on all web pages returned by your site/app.  If you expect the page to be framed only by pages on your server (e.g. it's part of a FRAMESET) then you'll want to use SAMEORIGIN, otherwise if you never expect the page to be framed, you should use DENY. Alternatively consider implementing
D (	Content Security Policy's "frame-ancestors" directive.
Reference	https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Frame-Options
CWE Id WASC Id	1021 15
Plugin Id	10020
. lugiii lu	100=0
Low	Cookie No HttpOnly Flag

Low	Cookie No HttpOnly Flag
Description	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
URL	http://192.168.43.228/portal.php/
	GET

Method	
Parameter	PHPSESSID
Attack	
Evidence	Set-Cookie: PHPSESSID
Instances	1
Solution	Ensure that the HttpOnly flag is set for all cookies.
Reference	https://owasp.org/www-community/HttpOnly
CWE Id	<u>1004</u>
WASC Id	13
Plugin Id	<u>10010</u>

Low	Cookie without SameSite Attribute
Description	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
URL	http://192.168.43.228/portal.php/
Method	GET
Parameter	PHPSESSID
Attack	
Evidence	Set-Cookie: PHPSESSID
Instances	1
Solution	Ensure that the SameSite attribute is set to either 'lax' or ideally 'strict' for all cookies.
Reference	https://tools.ietf.org/html/draft-ietf-httpbis-cookie-same-site
CWE Id	<u>1275</u>
WASC Id	13
Plugin Id	<u>10054</u>

Low	Server Leaks Information via "X-Powered-By" HTTP Response Header Field(s)
Description	The web/application server is leaking information via one or more "X-Powered-By" HTTP response headers. Access to such information may facilitate attackers identifying other frameworks/components your web application is reliant upon and the vulnerabilities such components may be subject to.
URL	http://192.168.43.228/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/5.5.9-1ubuntu4.14
URL	http://192.168.43.228/admin/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/5.5.9-1ubuntu4.14
URL	http://192.168.43.228/info.php
Method	GET

WV D

.. . .

Parameter	
Attack	
Evidence	X-Powered-By: PHP/5.5.9-1ubuntu4.14
URL	http://192.168.43.228/login.php
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/5.5.9-1ubuntu4.14
URL	http://192.168.43.228/portal.php
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/5.5.9-1ubuntu4.14
URL	http://192.168.43.228/portal.php/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/5.5.9-1ubuntu4.14
URL	http://192.168.43.228/portal.php/login.php
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/5.5.9-1ubuntu4.14
URL	http://192.168.43.228/training.php
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/5.5.9-1ubuntu4.14
URL	http://192.168.43.228/user_new.php
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/5.5.9-1ubuntu4.14
URL	http://192.168.43.228/login.php
Method	POST
Parameter	
Attack	
Evidence	X-Powered-By: PHP/5.5.9-1ubuntu4.14
URL	http://192.168.43.228/user_new.php
Method	POST
Parameter	
Attack	

Evidence	X-Powered-By: PHP/5.5.9-1ubuntu4.14
Instances	11
Solution	Ensure that your web server, application server, load balancer, etc. is configured to suppress "X-Powered-By" headers.
Reference	http://blogs.msdn.com/b/varunm/archive/2013/04/23/remove-unwanted-http-response-headers.aspx http://www.troyhunt.com/2012/02/shhh-dont-let-your-response-headers.html
CWE Id	<u>200</u>
WASC Id	13
Plugin Id	<u>10037</u>

The web/application server is leaking version information via the "Server" HTTP response header. Access to such information may facilitate attackers identifying other vulnerabilities your web/application server is subject to.  URL http://192.168.43.228/  Method GET  Parameter  Attack Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/admin/  Method GET  Parameter  Attack Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents  Method GET  Parameter  Attack Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents  Method GET  Parameter  Attack Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents/  Method GET  Parameter  Attack Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents/  Method GET  Parameter  Attack Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents/?C=D:O=A  Method GET  Parameter  Attack Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents/?C=D:O=A  Method GET  Parameter  Attack Evidence Apache/2.4.7 (Ubuntu)	Low	Server Leaks Version Information via "Server" HTTP Response Header Field
Method GET  Parameter Attack Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/admin/  Method GET  Parameter Attack Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents  Method GET  Parameter Attack Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents  Method GET  Parameter Attack Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents/  Method GET  Parameter  Attack Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents/?C=D;O=A  Method GET  Parameter  Attack Evidence Apache/2.4.7 (Ubuntu)	-	response header. Access to such information may facilitate attackers identifying
Parameter Attack Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/admin/  Method GET  Parameter Attack Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents  Method GET  Parameter Attack Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents/  Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents/  Method GET  Parameter  Attack Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents/  Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents/?C=D;O=A  Method GET  Parameter  Attack Evidence Apache/2.4.7 (Ubuntu)	URL	http://192.168.43.228/
Attack Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/admin/  Method GET  Parameter Attack Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents  Method GET  Parameter Attack Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents/  Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents/  Method GET  Parameter Attack Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents/  Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents/?C=D;O=A  Method GET  Parameter Attack Evidence Apache/2.4.7 (Ubuntu)	Method	GET
Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/admin/  Method GET  Parameter Attack Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents  Method GET  Parameter Attack Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents/  URL http://192.168.43.228/documents/  Method GET  Parameter  Attack Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents/  Method GET  Parameter  Attack Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents/?C=D;O=A  Method GET  Parameter  Attack Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents/?C=D;O=A  Method GET  Parameter  Attack Evidence Apache/2.4.7 (Ubuntu)	Parameter	
URL http://192.168.43.228/admin/  Method GET  Parameter  Attack Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents  Method GET  Parameter  Attack Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents/  Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents/  Method GET  Parameter  Attack Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents/?C=D;O=A  Method GET  Parameter  Attack Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents/?C=D;O=A  Method GET  Parameter  Attack Evidence Apache/2.4.7 (Ubuntu)	Attack	
Method GET  Parameter  Attack Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents  Method GET  Parameter  Attack Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents/  Method GET  Parameter  Attack Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents/  Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents/?C=D;O=A  Method GET  Parameter  Attack Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents/?C=D;O=A  Method GET  Parameter  Attack Evidence Apache/2.4.7 (Ubuntu)	Evidence	Apache/2.4.7 (Ubuntu)
Parameter Attack Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents  Method GET  Parameter Attack Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents/  Method GET  Parameter  Attack Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents/  URL Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents/?C=D;O=A  Method GET  Parameter  Attack Evidence Apache/2.4.7 (Ubuntu)	URL	http://192.168.43.228/admin/
Attack Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents  Method GET  Parameter  Attack Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents/  Method GET  Parameter  Attack Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents/  URL Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents/?C=D;O=A  Method GET  Parameter  Attack Evidence Apache/2.4.7 (Ubuntu)  Attack Evidence Apache/2.4.7 (Ubuntu)	Method	GET
Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents  Method GET  Parameter  Attack Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents/  Method GET  Parameter  Attack Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents/  URL http://192.168.43.228/documents/?C=D:O=A  Method GET  Parameter  Attack Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents/?C=D:O=A  Method GET  Parameter  Attack Evidence Apache/2.4.7 (Ubuntu)	Parameter	
URL http://192.168.43.228/documents  Method GET  Parameter Attack Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents/ Method GET  Parameter Attack Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents/  Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents/?C=D;O=A  Method GET  Parameter Attack Evidence Apache/2.4.7 (Ubuntu)	Attack	
Method GET  Parameter  Attack  Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents/  Method GET  Parameter  Attack  Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents/?C=D;O=A  Method GET  Parameter  Attack  Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents/?C=D;O=A  Method GET  Parameter  Attack  Evidence Apache/2.4.7 (Ubuntu)	Evidence	Apache/2.4.7 (Ubuntu)
Parameter Attack Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents/ Method GET  Parameter Attack Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents/?C=D;O=A  Method GET  Parameter  Attack Evidence Apache/2.4.7 (Ubuntu)	URL	http://192.168.43.228/documents
Attack Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents/  Method GET  Parameter  Attack Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents/?C=D;O=A  Method GET  Parameter  Attack Evidence Apache/2.4.7 (Ubuntu)	Method	GET
Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents/  Method GET  Parameter  Attack  Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents/?C=D;O=A  Method GET  Parameter  Attack  Evidence Apache/2.4.7 (Ubuntu)	Parameter	
URL http://192.168.43.228/documents/  Method GET  Parameter  Attack  Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents/?C=D;O=A  Method GET  Parameter  Attack  Evidence Apache/2.4.7 (Ubuntu)	Attack	
Method GET  Parameter  Attack  Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents/?C=D;O=A  Method GET  Parameter  Attack  Evidence Apache/2.4.7 (Ubuntu)	Evidence	Apache/2.4.7 (Ubuntu)
Parameter Attack Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents/?C=D;O=A  Method GET  Parameter  Attack Evidence Apache/2.4.7 (Ubuntu)	URL	http://192.168.43.228/documents/
Attack Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents/?C=D;O=A  Method GET  Parameter  Attack Evidence Apache/2.4.7 (Ubuntu)	Method	GET
Evidence Apache/2.4.7 (Ubuntu)  URL http://192.168.43.228/documents/?C=D;O=A  Method GET  Parameter  Attack  Evidence Apache/2.4.7 (Ubuntu)	Parameter	
URL  http://192.168.43.228/documents/?C=D;O=A  Method  GET  Parameter  Attack  Evidence  Apache/2.4.7 (Ubuntu)	Attack	
Method GET  Parameter  Attack  Evidence Apache/2.4.7 (Ubuntu)	Evidence	Apache/2.4.7 (Ubuntu)
Parameter Attack Evidence Apache/2.4.7 (Ubuntu)	URL	http://192.168.43.228/documents/?C=D;O=A
Attack Evidence Apache/2.4.7 (Ubuntu)	Method	GET
Evidence Apache/2.4.7 (Ubuntu)	Parameter	
	Attack	
URL <a href="http://192.168.43.228/documents/?C=D;O=D">http://192.168.43.228/documents/?C=D;O=D</a>	Evidence	Apache/2.4.7 (Ubuntu)
	URL	http://192.168.43.228/documents/?C=D;O=D
Method GET	Method	GET
Parameter	Parameter	
Attack	Attack	

Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/documents/?C=M;O=A
Method	GET
Parameter	ULI
Attack	
Evidence	Anacha/0.4.7 (Liburatu)
URL	Apache/2.4.7 (Ubuntu) http://192.168.43.228/documents/?C=M;O=D
Method	GET
Parameter	GET
Attack	Anacha/0.4.7 (Liburatu)
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/documents/?C=N;O=A
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/documents/?C=N;O=D
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/documents/?C=S;O=A
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/documents/?C=S;O=D
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/documents/bWAPP_intro.pdf
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/documents/Iron Man.pdf
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/documents/Terminator Salvation.pdf

Attoole	
Attack	Annual of (0.4.7 (1.11) contains
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/icons/unknown.gif
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/images
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/images/
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/images/?C=D;O=A
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/images/?C=D;O=D
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/images/?C=M;O=A
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/images/?C=M;O=D
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/images/?C=N;O=A
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.7 (Ubuntu)

URL	http://192.168.43.228/images/?C=N;O=D
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/images/?C=S;O=A
Method	GET
Parameter	GE1
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/images/?C=S;O=D
Method	GET
Parameter	GE1
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/images/bee 1.png
Method	GET
Parameter	GE1
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/images/bg 1.jpg
Method	GET
Parameter	GE1
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/images/bg_2.jpg
Method	GET
Parameter	GET
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/images/bg_3.jpg
Method	GET
Parameter	GE1
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/images/blogger.png
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/images/captcha.png
Method	GET
IVICTIOU	GE1

D	
Parameter	
Attack	A 1 (0.47 (III ) )
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/images/cc.png
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/images/evil_bee.png
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/images/facebook.png
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/images/favicon.ico
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/images/favicon_drupal.ico
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/images/free_tickets.png
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/images/linkedin.png
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/images/mk.png
Method	GET
Parameter	
Attack	

Cuidonas	Amacha/O 4.7 / Hountu
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/images/mme.png
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/images/netsparker.gif
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/images/netsparker.png
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/images/nsa.jpg
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/images/owasp.png
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/images/sb 1.jpg
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/images/twitter.png
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/images/zap.png
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/info.php

Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/js/html5.js
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/login.php
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/passwords
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/passwords/
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/passwords/?C=D;O=A
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/passwords/?C=D;O=D
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/passwords/?C=M;O=A
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/passwords/?C=M;O=D
Method	GET
Parameter	
22 23 242	

Λ. 44 1 -	
Attack	Annales (O. 4.7. (Ulbrusta))
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/passwords/?C=N;O=A
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/passwords/?C=N;O=D
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/passwords/?C=S;O=A
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/passwords/?C=S;O=D
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/passwords/heroes.xml
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/passwords/web.config.bak
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/passwords/wp-config.bak
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/portal.php
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.7 (Ubuntu)

URL	http://192.168.43.228/portal.php/
Method	GET
Parameter	GE !
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	
	http://192.168.43.228/portal.php/login.php  GET
Method Parameter	GEI
Attack	Anna de a (0, 4, 7, (1 lle contro)
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/robots.txt
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/sitemap.xml
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/stylesheets/stylesheet.css
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/training.php
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/user_new.php
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/login.php
Method	POST
Parameter	
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.43.228/user_new.php
Method	POST

Parameter	
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
Instances	82
Solution	Ensure that your web server, application server, load balancer, etc. is configured to suppress the "Server" header or provide generic details.
Reference	http://httpd.apache.org/docs/current/mod/core.html#servertokens http://msdn.microsoft.com/en-us/library/ff648552.aspx#ht_urlscan_007 http://blogs.msdn.com/b/varunm/archive/2013/04/23/remove-unwanted-http-response-headers.aspx http://www.troyhunt.com/2012/02/shhh-dont-let-your-response-headers.html
CWE Id	<u>200</u>
WASC Id	13
Plugin Id	<u>10036</u>

The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type of the than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather happending MIME-sniffing.  URL http://192.168.43.228/admin/  Method GET  Parameter x-content-type-options  Attack Evidence  URL http://192.168.43.228/documents/  Method GET  Parameter x-content-type-options  Attack Evidence  URL http://192.168.43.228/documents/?C=D;O=A  Method GET  Parameter x-content-type-options  Attack Evidence  URL http://192.168.43.228/documents/?C=D;O=D  Method GET  Parameter x-content-type-options		
This allows older versions of Internet Explorer and Chrome to perform MIME- sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type (if one is set), rather than performing MIME-sniffing.  URL  http://192.168.43.228/admin/  Method  GET  Parameter  x-content-type-options  Attack Evidence  URL  http://192.168.43.228/documents/  Method  GET  Parameter  x-content-type-options  Attack Evidence  URL  http://192.168.43.228/documents/?C=D;O=A  Method  GET  Parameter  x-content-type-options  Method  GET  Parameter  x-content-type-options  Method  GET  Parameter  x-content-type-options  Method  GET  Parameter  x-content-type-options  Attack  Evidence  URL  http://192.168.43.228/documents/?C=D;O=A  Method  GET  Parameter  x-content-type-options  Attack  Evidence  URL  http://192.168.43.228/documents/?C=D;O=D  Method  GET  Parameter  x-content-type-options  Attack  Evidence  URL  http://192.168.43.228/documents/?C=D;O=D  Method  GET  Parameter  x-content-type-options  Attack  Evidence  URL  http://192.168.43.228/documents/?C=M;O=A  Method  GET  Parameter  x-content-type-options	Low	X-Content-Type-Options Header Missing
Method GET  Parameter x-content-type-options  Attack Evidence  URL http://192.168.43.228/documents/  Method GET  Parameter x-content-type-options  Attack Evidence  URL http://192.168.43.228/documents/?C=D;O=A  Method GET  Parameter x-content-type-options  Attack Evidence  URL http://192.168.43.228/documents/?C=D;O=D  Method GET  Parameter x-content-type-options  Attack Evidence  URL http://192.168.43.228/documents/?C=D;O=D  Method GET  Parameter x-content-type-options  Attack Evidence  URL http://192.168.43.228/documents/?C=M:O=A  Method GET  Parameter x-content-type-options	Description	This allows older versions of Internet Explorer and Chrome to perform MIME- sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content
Parameter x-content-type-options  Attack Evidence  URL http://192.168.43.228/documents/  Method GET  Parameter x-content-type-options  Attack Evidence  URL http://192.168.43.228/documents/?C=D;O=A  Method GET  Parameter x-content-type-options  Attack Evidence  URL http://192.168.43.228/documents/?C=D;O=D  Method GET  Parameter x-content-type-options  Attack Evidence  URL http://192.168.43.228/documents/?C=D;O=D  Method GET  Parameter x-content-type-options  Attack Evidence  URL http://192.168.43.228/documents/?C=M;O=A  Method GET  Parameter x-content-type-options	URL	http://192.168.43.228/admin/
Attack Evidence  URL  Method  GET  Parameter  Attack Evidence  URL  http://192.168.43.228/documents/  Evidence  URL  http://192.168.43.228/documents/?C=D;O=A  Method  GET  Parameter  Acontent-type-options  Attack Evidence  URL  http://192.168.43.228/documents/?C=D;O=D  Method  GET  Parameter  Attack Evidence  URL  http://192.168.43.228/documents/?C=D;O=D  Method  GET  Parameter  Acontent-type-options  Attack Evidence  URL  http://192.168.43.228/documents/?C=M;O=A  Method  GET  Parameter  Acontent-type-options	Method	GET
Evidence URL http://192.168.43.228/documents/ Method GET Parameter x-content-type-options  Attack Evidence URL http://192.168.43.228/documents/?C=D;O=A  Method GET Parameter x-content-type-options  Attack Evidence URL http://192.168.43.228/documents/?C=D;O=D  Method GET Parameter x-content-type-options  Method GET Parameter x-content-type-options  Attack Evidence URL http://192.168.43.228/documents/?C=D;O=D  Method GET Parameter x-content-type-options  Attack Evidence URL http://192.168.43.228/documents/?C=M;O=A  Method GET Parameter x-content-type-options	Parameter	x-content-type-options
URL http://192.168.43.228/documents/  Method GET  Parameter x-content-type-options  Attack Evidence  URL http://192.168.43.228/documents/?C=D;O=A  Method GET  Parameter x-content-type-options  Attack Evidence  URL http://192.168.43.228/documents/?C=D;O=D  Method GET  Parameter x-content-type-options  Method GET  Parameter x-content-type-options  Attack Evidence  URL http://192.168.43.228/documents/?C=D;O=D  Method GET  Parameter x-content-type-options  Attack Evidence  URL http://192.168.43.228/documents/?C=M;O=A  Method GET  Parameter x-content-type-options	Attack	
Method GET  Parameter x-content-type-options  Attack Evidence  URL http://192.168.43.228/documents/?C=D;O=A  Method GET  Parameter x-content-type-options  Attack Evidence  URL http://192.168.43.228/documents/?C=D;O=D  Method GET  Parameter x-content-type-options  Attack Evidence  URL http://192.168.43.228/documents/?C=D;O=D  Method GET  Parameter x-content-type-options  Attack Evidence  URL http://192.168.43.228/documents/?C=M;O=A  Method GET  Parameter x-content-type-options	Evidence	
Parameter x-content-type-options  Attack Evidence  URL http://192.168.43.228/documents/?C=D;O=A  Method GET  Parameter x-content-type-options  Attack Evidence  URL http://192.168.43.228/documents/?C=D;O=D  Method GET  Parameter x-content-type-options  Attack Evidence  URL http://192.168.43.228/documents/?C=M;O=A  Method GET  Parameter x-content-type-options  Attack Evidence  URL http://192.168.43.228/documents/?C=M;O=A  Method GET  Parameter x-content-type-options	URL	http://192.168.43.228/documents/
Attack Evidence  URL http://192.168.43.228/documents/?C=D;O=A  Method GET  Parameter x-content-type-options  Attack Evidence  URL http://192.168.43.228/documents/?C=D;O=D  Method GET  Parameter x-content-type-options  Attack Evidence  URL http://192.168.43.228/documents/?C=D;O=D  Method GET  Parameter x-content-type-options  Attack Evidence  URL http://192.168.43.228/documents/?C=M;O=A  Method GET  Parameter x-content-type-options	Method	GET
Evidence  URL  http://192.168.43.228/documents/?C=D;O=A  Method  GET  Parameter  Attack  Evidence  URL  http://192.168.43.228/documents/?C=D;O=D  Method  GET  Parameter  x-content-type-options  Attack  Evidence  URL  http://192.168.43.228/documents/?C=D;O=D  Method  GET  Parameter  Attack  Evidence  URL  http://192.168.43.228/documents/?C=M;O=A  Method  GET  Parameter  x-content-type-options	Parameter	x-content-type-options
Wethod GET  Parameter x-content-type-options  Attack Evidence  URL http://192.168.43.228/documents/?C=D;O=D  Method GET  Parameter x-content-type-options  Attack Evidence  URL http://192.168.43.228/documents/?C=D;O=D  Method GET  Parameter x-content-type-options  Attack Evidence  URL http://192.168.43.228/documents/?C=M;O=A  Method GET  Parameter x-content-type-options	Attack	
Method GET  Parameter x-content-type-options  Attack Evidence  URL http://192.168.43.228/documents/?C=D;O=D  Method GET  Parameter x-content-type-options  Attack Evidence  URL http://192.168.43.228/documents/?C=M;O=A  Method GET  Parameter x-content-type-options	Evidence	
Parameter x-content-type-options  Attack Evidence  URL http://192.168.43.228/documents/?C=D;O=D  Method GET  Parameter x-content-type-options  Attack Evidence  URL http://192.168.43.228/documents/?C=M;O=A  Method GET  Parameter x-content-type-options	URL	http://192.168.43.228/documents/?C=D;O=A
Attack Evidence  URL http://192.168.43.228/documents/?C=D;O=D  Method GET Parameter x-content-type-options  Attack Evidence  URL http://192.168.43.228/documents/?C=M;O=A  Method GET  Parameter x-content-type-options	Method	GET
Evidence  URL http://192.168.43.228/documents/?C=D;O=D  Method GET  Parameter x-content-type-options  Attack  Evidence  URL http://192.168.43.228/documents/?C=M;O=A  Method GET  Parameter x-content-type-options	Parameter	x-content-type-options
URL <a href="http://192.168.43.228/documents/?C=D;O=D">http://192.168.43.228/documents/?C=D;O=D</a> Method GET  Parameter x-content-type-options  Attack Evidence  URL <a href="http://192.168.43.228/documents/?C=M;O=A">http://192.168.43.228/documents/?C=M;O=A</a> Method GET  Parameter x-content-type-options	Attack	
Method GET  Parameter x-content-type-options  Attack Evidence  URL http://192.168.43.228/documents/?C=M;O=A  Method GET  Parameter x-content-type-options	Evidence	
Parameter x-content-type-options  Attack  Evidence  URL http://192.168.43.228/documents/?C=M;O=A  Method GET  Parameter x-content-type-options	URL	http://192.168.43.228/documents/?C=D;O=D
Attack Evidence  URL http://192.168.43.228/documents/?C=M;O=A  Method GET Parameter x-content-type-options	Method	GET
Evidence  URL <a href="http://192.168.43.228/documents/?C=M;O=A">http://192.168.43.228/documents/?C=M;O=A</a> Method GET  Parameter x-content-type-options	Parameter	x-content-type-options
URL <a href="http://192.168.43.228/documents/?C=M;O=A">http://192.168.43.228/documents/?C=M;O=A</a> Method GET  Parameter x-content-type-options	Attack	
Method GET Parameter x-content-type-options	Evidence	
Parameter x-content-type-options	URL	http://192.168.43.228/documents/?C=M;O=A
	Method	GET
Attack	Parameter	x-content-type-options
Allaun	Attack	

Evidence	
URL	http://192.168.43.228/documents/?C=M;O=D
Method	GET
Parameter	x-content-type-options
Attack	x-content-type-options
Evidence	
URL	http://100.169.40.209/documento/2C_Nt-O_A
	http://192.168.43.228/documents/?C=N;O=A GET
Method	
Parameter	x-content-type-options
Attack	
Evidence	Lu, (400 400 40 000/L
URL	http://192.168.43.228/documents/?C=N;O=D
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/documents/?C=S;O=A
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/documents/?C=S;O=D
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/documents/bWAPP_intro.pdf
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/documents/Iron Man.pdf
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/documents/Terminator Salvation.pdf
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/documents/The Amazing Spider-Man.pdf

Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/documents/The Cabin in the Woods.pdf
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/documents/The Dark Knight Rises.pdf
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/documents/The Incredible Hulk.pdf
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/icons/back.gif
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/icons/blank.gif
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/icons/image2.gif
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/icons/layout.gif
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/icons/unknown.gif
Method	GET
Parameter	x-content-type-options
	7

Attack	
Evidence	
URL	http://192.168.43.228/images/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/images/?C=D;O=A
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/images/?C=D;O=D
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/images/?C=M;O=A
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/images/?C=M;O=D
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/images/?C=N;O=A
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/images/?C=N;O=D
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/images/?C=S;O=A
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	

URL	http://192.168.43.228/images/?C=S;O=D
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/images/bee 1.png
Method	GET
Parameter	x-content-type-options
Attack	x content type options
Evidence	
URL	http://192.168.43.228/images/bg_1.jpg
Method	GET
Parameter	
	x-content-type-options
Attack Evidence	
	http://d.00.d.00.d0.000/impages/log. 0.ing
URL	http://192.168.43.228/images/bg 2.jpg
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/images/bg_3.jpg
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/images/blogger.png
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/images/captcha.png
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/images/cc.png
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/images/evil_bee.png
Method	GET

Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/images/facebook.png
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/images/favicon.ico
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/images/favicon_drupal.ico
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/images/free_tickets.png
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/images/linkedin.png
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/images/mk.png
Method	GET
Parameter	x-content-type-options
Attack	,
Evidence	
URL	http://192.168.43.228/images/mme.png
Method	GET
Parameter	x-content-type-options
Attack	, ,
Evidence	
URL	http://192.168.43.228/images/netsparker.gif
Method	GET
Parameter	x-content-type-options
Attack	555 () po 5p5
Allaon	

F. dd	
Evidence	http://doc.doc.do.goo/farance/
URL	http://192.168.43.228/images/netsparker.png
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/images/nsa.jpg
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/images/owasp.png
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/images/sb_1.jpg
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/images/twitter.png
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/images/zap.png
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/info.php
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/js/html5.js
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/login.php

Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/passwords/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/passwords/?C=D;O=A
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/passwords/?C=D;O=D
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/passwords/?C=M;O=A
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/passwords/?C=M;O=D
Method	GET
Parameter	x-content-type-options
Attack	7
Evidence	
URL	http://192.168.43.228/passwords/?C=N;O=A
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/passwords/?C=N;O=D
Method	GET
Parameter	x-content-type-options
Attack	A something options
Evidence	
URL	http://192.168.43.228/passwords/?C=S;O=A
Method	GET
Parameter	x-content-type-options
i didilicici	A content type options

Attack	
Attack	
Evidence	http://d.00.d.00.d0.000/pagesuserials/000.000.D
URL	http://192.168.43.228/passwords/?C=S;O=D
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/passwords/heroes.xml
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/passwords/web.config.bak
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/passwords/wp-config.bak
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/robots.txt
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/stylesheets/stylesheet.css
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/training.php
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/user_new.php
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	

URL	http://192.168.43.228/login.php
Method	POST
Parameter	x-content-type-options
Attack	
Evidence	
URL	http://192.168.43.228/user_new.php
Method	POST
Parameter	x-content-type-options
Attack	
Evidence	
Instances	74
Solution	Ensure that the application/web server sets the Content-Type header appropriately, and that it sets the X-Content-Type-Options header to 'nosniff' for all web pages.
	If possible, ensure that the end user uses a standards-compliant and modern web browser that does not perform MIME-sniffing at all, or that can be directed by the web application/web server to not perform MIME-sniffing.
Reference	http://msdn.microsoft.com/en-us/library/ie/gg622941%28v=vs.85%29.aspx https://owasp.org/www-community/Security_Headers
CWE Id	<u>693</u>
WASC Id	15
Plugin Id	10021

Informational	Authentication Request Identified
Description	The given request has been identified as an authentication request. The 'Other Info' field contains a set of key=value lines which identify any relevant fields. If the request is in a context which has an Authentication Method set to "Auto-Detect" then this rule will change the authentication to match the request identified.
URL	http://192.168.43.228/user_new.php
Method	POST
Parameter	email
Attack	
Evidence	password
URL	http://192.168.43.228/login.php
Method	POST
Parameter	login
Attack	
Evidence	password
Instances	2
Solution	This is an informational alert rather than a vulnerability and so there is nothing to fix.
Reference	https://www.zaproxy.org/docs/desktop/addons/authentication-helper/auth-req-id/
CWE Id	
WASC Id	
Plugin Id	<u>10111</u>

Informational	Information Disclosure - Suspicious Comments
Description	The response appears to contain suspicious comments which may help an attacker. Note: Matches made within script blocks or files are against the entire content not only comments.
URL	http://192.168.43.228/js/html5.js
Method	GET
Parameter	
Attack	
Evidence	select
Instances	1
Solution	Remove all comments that return information that may help an attacker and fix any underlying problems they refer to.
Reference	
CWE Id	<u>200</u>
WASC Id	13
Plugin Id	10027

	Session Management Response Identified
Informational	Session Management Response Identified
Description	The given response has been identified as containing a session management token. The 'Other Info' field contains a set of header tokens that can be used in the Header Based Session Management Method. If the request is in a context which has a Session Management Method set to "Auto-Detect" then this rule will change the session management to use the tokens identified.
URL	http://192.168.43.228/portal.php/
Method	GET
Parameter	PHPSESSID
Attack	
Evidence	2o2c7jl5ope0610pt8ogilt6s0
URL	http://192.168.43.228/portal.php/
Method	GET
Parameter	PHPSESSID
Attack	
Evidence	3scgnfk7i7sies8ku2drikf0k3
URL	http://192.168.43.228/portal.php/
Method	GET
Parameter	PHPSESSID
Attack	
Evidence	4uu029bsqab0mbheg8kpuo0pl2
URL	http://192.168.43.228/portal.php/
Method	GET
Parameter	PHPSESSID
Attack	
Evidence	50kckg0672l2lls0m0c0a5nfe3
URL	http://192.168.43.228/portal.php/

Method	GET
Parameter	PHPSESSID
Attack	
Evidence	gqgo1tjp0ck6tuo0jhp5uv00n7
URL	http://192.168.43.228/portal.php/
Method	GET
Parameter	PHPSESSID
Attack	
Evidence	n2ub12gn5tdrh6nvatecsi7fh2
URL	http://192.168.43.228/portal.php/
Method	GET
Parameter	PHPSESSID
Attack	
Evidence	ncqupjtpifvvtfpn308e08jon1
URL	http://192.168.43.228/portal.php/
Method	GET
Parameter	PHPSESSID
Attack	
Evidence	prvoto2uu3v2aurljoea5aorn6
URL	http://192.168.43.228/portal.php/
Method	GET
Parameter	PHPSESSID
Attack	
Evidence	ruktk13f2p4kfathuvep8g33s6
URL	http://192.168.43.228/portal.php/
Method	GET
Parameter	PHPSESSID
Attack	
Evidence	u9017kkv55nsqi9bi5dti2lnm7
URL	http://192.168.43.228/portal.php/
Method	GET
Parameter	PHPSESSID
Attack	
Evidence	2o2c7jl5ope0610pt8ogilt6s0
URL	http://192.168.43.228/portal.php/
Method	GET
Parameter	PHPSESSID
Attack	
Evidence	3scgnfk7i7sies8ku2drikf0k3
URL	http://192.168.43.228/portal.php/
Method	GET
Parameter	PHPSESSID

Attack	
	4uu029bsqab0mbheg8kpuo0pl2
	http://192.168.43.228/portal.php/
	GET
	PHPSESSID
Attack	
	50kckg0672l2lls0m0c0a5nfe3
	http://192.168.43.228/portal.php/
	GET
	PHPSESSID
Attack	
	gqgo1tjp0ck6tuo0jhp5uv00n7
	http://192.168.43.228/portal.php/
	GET
	PHPSESSID
Attack	
Evidence	n2ub12gn5tdrh6nvatecsi7fh2
	http://192.168.43.228/portal.php/
	GET
	PHPSESSID
Attack	
	ncqupjtpifvvtfpn308e08jon1
	http://192.168.43.228/portal.php/
	GET
Parameter	PHPSESSID
Attack	
Evidence	prvoto2uu3v2aurljoea5aorn6
	http://192.168.43.228/portal.php/
	GET
Parameter	PHPSESSID
Attack	
Evidence	ruktk13f2p4kfathuvep8g33s6
URL	http://192.168.43.228/portal.php/
Method	GET
Parameter	PHPSESSID
Attack	
Evidence	u9017kkv55nsqi9bi5dti2lnm7
Instances	20
	This is an informational alert rather than a vulnerability and so there is nothing to fix.
Reference	https://www.zaproxy.org/docs/desktop/addons/authentication-helper/session-mgmt-id
CWE Id	

WASC Id	
Plugin Id	<u>10112</u>

Informational	User Agent Fuzzer
Description	Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.
URL	http://192.168.43.228/portal.php
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	http://192.168.43.228/portal.php
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	http://192.168.43.228/portal.php
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	http://192.168.43.228/portal.php
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	http://192.168.43.228/portal.php
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	http://192.168.43.228/portal.php
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	http://192.168.43.228/portal.php
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	

URL	http://192.168.43.228/portal.php
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	http://192.168.43.228/portal.php
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	http://192.168.43.228/portal.php
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	http://192.168.43.228/portal.php
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	http://192.168.43.228/portal.php
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Instances	12
Solution	
Reference	https://owasp.org/wstg
CWE Id	
WASC Id	10104
Plugin Id	10104

Informational	User Controllable HTML Element Attribute (Potential XSS)
Description	This check looks at user-supplied input in query string parameters and POST data to identify where certain HTML attribute values might be controlled. This provides hot-spot detection for XSS (cross-site scripting) that will require further review by a security analyst to determine exploitability.
URL	http://192.168.43.228/login.php
Method	POST
Parameter	form
Attack	
Evidence	

URL	http://192.168.43.228/login.php
Method	POST
Parameter	form
Attack	
Evidence	
URL	http://192.168.43.228/user_new.php
Method	POST
Parameter	action
Attack	
Evidence	
Instances	3
Solution	Validate all input and sanitize output it before writing to any HTML attributes.
Reference	http://websecuritytool.codeplex.com/wikipage?title=Checks#user-controlled-html-attribute
CWE Id	<u>20</u>
WASC Id	20
Plugin Id	<u>10031</u>