

MCS Tutorial 6 Answer: Relations

Huan Jin

Relations

1. Consider a relation R on the set \mathbb{Z}^+ defined as

$$R = \{(x, y) \mid x + y \text{ is even}\}$$

Show whether R is reflexive, symmetric, antisymmetric and/or transitive.

2. Let R and S be the following relations:

- $R = \{(1,1), (1,2), (2,4), (3,2), (4,3)\}$
- $S = \{(1,0), (2,4), (3,1), (3,2), (4,1)\}$

What is the composite of the relations R and S , $S \circ R$?

3. Let $R = \{(1,1), (2,4), (3,4), (4,2)\}$. Find the powers R^2, R^3, R^4, \dots

Try at home:-

$$R = \{(x, y) : x + y \text{ is odd}\}$$

$$R = \{(x, y) | x + y \text{ is even}\}$$

1. Answer:

- Since $x + x$ is even for any x , then $(x, x) \in R$ and R is **reflexive**.
- Since $x + y = y + x$, R is **symmetrical**.
- Since $4 + 2$ and $2 + 4$ are even, but $4 \neq 2$, R is **not antisymmetric**.
- Suppose $(x, y) \in R$ and $(y, z) \in R$.
 - Then, either both x and y are odd, or both are even.
 - If x and y are odd, then z must be odd $\Rightarrow x + z$ is even $\Rightarrow (x, z) \in R$.
 - If x and y are even, then z must be even $\Rightarrow x + z$ is even $\Rightarrow (x, z) \in R$.
 - Hence R is **transitive**.

Answer:

For every $(a, b) \in R$, $(b, c) \in S$ forms $(a, c) \in S \circ R$.

(a, b)	(b, c)	(a, c)
(1, 1)	(1, 0)	(1, 0)
(1, 2)	(2, 4)	(1, 4)
(2, 4)	(4, 1)	(2, 1)
(3, 2)	(2, 4)	(3, 4)
(4, 3)	(3, 1)	(4, 1)
(4, 3)	(3, 2)	(4, 2)

Therefore, $S \circ R = \{(1, 0), (1, 4), (2, 1), (3, 4), (4, 1), (4, 2)\}$.

Answer:

Find $R^2 = R \circ R$.

(a, b)	(b, c)	(a, c)
(1, 1)	(1, 1)	(1, 1)
(2, 4)	(4, 2)	(2, 2)
(3, 4)	(4, 2)	(3, 2)
(4, 2)	(2, 4)	(4, 4)

Then, $R^2 = \{(1, 1), (2, 2), (3, 2), (4, 4)\}$.

Find $R^3 = R^2 \circ R$. $(a, b) \in R$ and $(b, c) \in R^2$, then $(a, c) \in R^3$.

(a, b)	(b, c)	(a, c)
(1, 1)	(1, 1)	(1, 1)
(2, 4)	(4, 4)	(2, 4)
(3, 4)	(4, 4)	(3, 4)
(4, 2)	(2, 2)	(4, 2)

Then, $R^3 = \{(1, 1), (2, 4), (3, 4), (4, 2)\}$.

Find $R^4 = R^3 \circ R$. $(a, b) \in R$ and $(b, c) \in R^3$, then $(a, c) \in R^4$.

(a, b)	(b, c)	(a, c)
(1, 1)	(1, 1)	(1, 1)
(2, 4)	(4, 2)	(2, 2)
(3, 4)	(4, 2)	(3, 2)
(4, 2)	(2, 4)	(4, 4)

Then, $R^4 = \{(1, 1), (2, 2), (3, 2), (4, 4)\}$.