

IdeasAugust 19, 2015

EG

[Home \(edit\)](#)

[Self \(edit\)](#)

Contents

1	General	1
2	Prebiotic polymerization	1
2.1	From literature	1
2.2	Home-grown	2
3	“Artificial Life”	2

1 General

- [Compartmentalization \(edit\)](#) [no file](#) Is compartmentalization necessary or not?
- [Prebiotic Soup \(edit\)](#): life originated from prebiotic soup.
- [Autocatalysis \(edit\)](#): Autocatalysis and autocatalytic sets played important role in the origin of life
- [Metabolism first approach \(edit\)](#)

2 Prebiotic polymerization

2.1 From literature

- [RNA-world idea \(edit\)](#)
- [Peptides could form prebiotically \(edit\)](#) [no file](#)
- [Amino acids could be formed prebiotically \(edit\)](#) [no file](#)
- [Nucleotides could be synthesized prebiotically \(edit\)](#)

2.2 Home-grown

- HP-world idea (edit): Catalysis based on hydrophobic interaction can give a rise to an efficient autocatalytic loop.
- Short sequences can have stable structure (edit) **no file**: HP-world (edit) hypothesis heavily relies on assumption that relatively short sequences can have stable structure and perform function. Supporting literature is here.

3 “Artificial Life”

- World Modeling
- Movement First

References