Staged Diamond Type Theory 1

Syntax 1.1

Phase 0 (e_0 pre-expansion, e post-expansion)

$$e_0 ::= x_0 \mid \lambda x_0. e_1 \mid e_0 e_0 \mid$$
\$splice $e_1 \mid$ \$let-macro $x_1 = e_1$ in e_0

$$e ::= x \mid \lambda x.\, e \mid e \; e$$

$$\tau_0, \tau ::= \tau \to \tau$$

$$v ::= \lambda x. e$$

$$\Gamma_0 ::= \cdot \mid \Gamma_0, x_0 : \tau_0$$

$$\Gamma ::= \cdot \mid \Gamma, x : \tau$$

Phase 1 (macro definitions)

$$e_1 ::= x_1 \mid \lambda x_1. e_1 \mid e_1 e_1 \mid dia(e_0)$$

| let-dia $x_0 = e_1$ in e_1

$$\tau_1 ::= \tau_1 \to \tau_1 \mid \Diamond \tau_0$$

$$v_1 ::= \lambda x_1 \cdot e_1 \mid \operatorname{dia}(e)$$

$$\Gamma_1 ::= \cdot \mid \Gamma_1, x_1 : \tau_1$$

2 Typing Rules

$$\Gamma_1; \Gamma_0 \vdash_0 e_0 : \tau_0$$

$\Gamma \vdash e : \tau$

$\Gamma_1; \Gamma_0 \vdash_1 e_1 : \tau_1$

Lambda calculus fragment

$$\frac{x_0: \tau_0 \in \Gamma_0}{\Gamma_1; \Gamma_0 \vdash_0 x_0: \tau_0}$$

$$\frac{\Gamma_1; \Gamma_0, x_0 : \tau_0^{\text{in}} \vdash_0 e_0 : \tau_0^{\text{out}}}{\Gamma_1; \Gamma_0 \vdash_0 \lambda x_0. e_0 : \tau_0^{\text{in}} \to \tau_0^{\text{out}}} \qquad \frac{\Gamma_1; \Gamma, x : \tau^{\text{in}} \vdash e : \tau^{\text{out}}}{\Gamma_1; \Gamma \vdash \lambda x. e : \tau^{\text{in}} \to \tau^{\text{out}}} \qquad \frac{\Gamma_1, x_1 : \tau_1^{\text{in}}; \Gamma_0 \vdash_0 e_1 : \tau_1^{\text{out}}}{\Gamma_1; \Gamma_0 \vdash_1 \lambda x_1. e_1 : \tau_1^{\text{in}} \to \tau_1^{\text{out}}}$$

$$\frac{\Gamma_{1}; \Gamma_{0} \vdash_{0} e_{0}^{\text{fun}} : \tau_{0}^{\text{in}} \to \tau_{0}^{\text{out}}}{\Gamma_{1}; \Gamma_{0} \vdash_{0} e_{0}^{\text{in}} : \tau_{0}^{\text{in}}} \frac{\Gamma_{1}; \Gamma_{0} \vdash_{0} e_{0}^{\text{fun}} e_{0}^{\text{in}} : \tau_{0}^{\text{out}}}{\Gamma_{0}}$$

$$\frac{x:\tau\in\Gamma}{\Gamma\vdash x:\tau}$$

$$\frac{\Gamma_1; \Gamma, x : \tau^{\text{in}} \vdash e : \tau^{\text{out}}}{\Gamma_1; \Gamma \vdash \lambda x. \, e : \tau^{\text{in}} \to \tau^{\text{out}}}$$

$$\frac{\Gamma_1; \Gamma \vdash e^{\text{fun}} : \tau^{\text{in}} \to \tau^{\text{out}}}{\Gamma_1; \Gamma \vdash e^{\text{fun}} : \tau^{\text{in}}}$$

$$\frac{\Gamma_1; \Gamma \vdash e^{\text{fun}} : \tau^{\text{out}}}{\Gamma_1; \Gamma \vdash e^{\text{fun}} : \sigma^{\text{out}}}$$

$$\frac{x_1:\tau_1\in\Gamma_1}{\Gamma_1;\Gamma_0\vdash_1 x_1:\tau_1}$$

$$\Gamma_1, x_1 : \tau_1^{\text{in}}; \Gamma_0 \vdash_0 e_1 : \tau_1^{\text{out}}$$

$$\Gamma_1; \Gamma_0 \vdash_1 \lambda x_1 \cdot e_1 : \tau_1^{\text{in}} \to \tau_1^{\text{out}}$$

$$\frac{\Gamma_1; \Gamma_0 \vdash_0 e_0^{\text{fun}} : \tau_0^{\text{in}} \rightarrow \tau_0^{\text{out}}}{\Gamma_1; \Gamma_0 \vdash_0 e_0^{\text{fun}} : \tau_0^{\text{in}}} \qquad \qquad \frac{\Gamma_1; \Gamma \vdash e^{\text{fun}} : \tau^{\text{in}} \rightarrow \tau^{\text{out}}}{\Gamma_1; \Gamma \vdash_0 e_0^{\text{fun}} : \tau_0^{\text{in}}} \qquad \qquad \frac{\Gamma_1; \Gamma \vdash_0 e^{\text{fun}} : \tau^{\text{in}} \rightarrow \tau^{\text{out}}}{\Gamma_1; \Gamma \vdash_0 e^{\text{fun}} : \tau^{\text{in}}} \qquad \qquad \frac{\Gamma_1; \Gamma_0 \vdash_1 e_1^{\text{fun}} : \tau_1^{\text{in}} \rightarrow \tau_1^{\text{out}}}{\Gamma_1; \Gamma_0 \vdash_0 e_0^{\text{fun}} e_0^{\text{in}} : \tau_0^{\text{out}}} \qquad \qquad \frac{\Gamma_1; \Gamma \vdash_0 e^{\text{fun}} : \tau^{\text{in}}}{\Gamma_1; \Gamma \vdash_0 e^{\text{fun}} e^{\text{in}} : \tau^{\text{out}}} \qquad \qquad \frac{\Gamma_1; \Gamma_0 \vdash_1 e_1^{\text{fun}} : \tau_1^{\text{in}} \rightarrow \tau_1^{\text{out}}}{\Gamma_1; \Gamma_0 \vdash_1 e_1^{\text{fun}} e_1^{\text{in}} : \tau_1^{\text{out}}}$$

Modal fragment

$$\frac{\Gamma_1; \Gamma_0 \vdash_1 e_1 : \tau_1}{\Gamma_1, x_1 : \tau_1; \Gamma_0 \vdash_0 e_0 : \tau_0} \frac{\Gamma_1; \Gamma_0 \vdash_0 \theta_0 : \tau_0}{\Gamma_1; \Gamma_0 \vdash_0 \$ \text{let-macro } x_1 = e_1 \text{ in } e_0 : \tau_0}$$

$$\frac{\Gamma_1; \Gamma_0 \vdash_1 e_1 : \Diamond \tau_0}{\Gamma_1; \Gamma_0 \vdash_0 \$\text{splice } e_1 : \tau_0}$$

$$\begin{split} &\Gamma_1; \Gamma_0 \vdash_1 e_1^{\mathbf{x}} : \lozenge \tau_0 \\ &\Gamma_1; \Gamma_0, x_0 : \tau_0 \vdash_1 e_1^{\mathrm{body}} : \tau_1 \\ &\overline{\Gamma_1; \Gamma_0 \vdash_1 \mathrm{let\text{-}dia} \ x_0 = e_1^{\mathbf{x}} \mathrm{in} \ e_1^{\mathrm{body}} : \tau_1} \end{split}$$

$$\frac{\Gamma_1; \Gamma_0 \vdash_0 e_0 : \tau_0}{\Gamma_1; \Gamma_0 \vdash_1 \operatorname{dia}(e_0) : \Diamond \tau_0}$$

3 Big-Steps Operational Semantics

Expansion $e_0 \Downarrow_{\mathrm{E}} e$

Lambda calculus fragment

$$\frac{e_0 \Downarrow_{\mathrm{E}} e}{x_0 \Downarrow_{\mathrm{E}} x} \qquad \frac{e_0 \Downarrow_{\mathrm{E}} e}{\lambda x_0. e_0 \Downarrow_{\mathrm{E}} \lambda x. e} \qquad \frac{e_0^{\mathrm{fun}} \Downarrow_{\mathrm{E}} e^{\mathrm{fun}}}{e_0^{\mathrm{fun}} e_0^{\mathrm{in}} \Downarrow_{\mathrm{E}} e^{\mathrm{fun}}} \frac{e^{\mathrm{in}}}{e^{\mathrm{fun}}} e^{\mathrm{in}}}$$

Modal fragment

$$\frac{e_1 \Downarrow_1 v_1 \qquad e_0[v_1/x_1] \Downarrow_{\operatorname{E}} e}{\$ \text{let-macro } x_1 = e_1 \text{ in } e_0 \Downarrow_0 e} \qquad \qquad \frac{e_1 \Downarrow_1 \operatorname{dia}(e)}{\$ \text{splice } e_1 \Downarrow_{\operatorname{E}} e}$$

Staged Box Type Theory

$$\Delta; \Gamma_n; \ldots; \Gamma_1 \vdash e : \tau$$

Lambda calculus fragment

$$\frac{x:\tau\in\Gamma_1}{\Delta;\Gamma_n;\ldots;\Gamma_1\vdash x:\tau}$$

$$\frac{\Delta; \Gamma_n; \dots; \Gamma_1, x : \tau^{\text{in}} \vdash e : \tau^{\text{out}}}{\Delta; \Gamma_n; \dots; \Gamma_1 \vdash \lambda x. e : \tau^{\text{in}} \to \tau^{\text{out}}} \qquad \frac{\Delta; \Gamma_n; \dots; \Gamma_1 \vdash e^{\text{in}} : \tau^{\text{in}}}{\Delta; \Gamma_n; \dots; \Gamma_1 \vdash e^{\text{fun}} e^{\text{in}} : \tau^{\text{out}}}$$

$$\frac{\Delta; \Gamma_n; \dots; \Gamma_1 \vdash e^{\text{fun}} : \tau^{\text{in}} \to \tau^{\text{out}}}{\Delta; \Gamma_n; \dots; \Gamma_1 \vdash e^{\text{in}} : \tau^{\text{in}}}$$
$$\frac{\Delta; \Gamma_n; \dots; \Gamma_1 \vdash e^{\text{fun}} e^{\text{in}} : \tau^{\text{out}}}{\Delta; \Gamma_n; \dots; \Gamma_1 \vdash e^{\text{fun}} e^{\text{in}} : \tau^{\text{out}}}$$

Modal fragment

$$\frac{x:\tau\in\Delta}{\Delta;\Gamma_n;\ldots;\Gamma_1\vdash x:\tau}$$

$$\frac{\Delta; \Gamma_n; \dots; \Gamma_1; \cdot \vdash e : \tau}{\Delta; \Gamma_n; \dots; \Gamma_1 \vdash \text{box}(e) : \Box \tau}$$

$$\frac{\Delta; \Gamma_n; \dots; \Gamma_1 \vdash e^{\mathbf{x}} : \Box \tau^{\mathbf{x}}}{\Delta; \Gamma_n; \dots; \Gamma_1 \vdash \mathrm{box}(e) : \Box \tau} \qquad \frac{\Delta; \Gamma_n; \dots; \Gamma_1 \vdash e^{\mathbf{x}} : \Box \tau^{\mathbf{x}}}{\Delta; \Gamma_n; \dots; \Gamma_1 \vdash e^{\mathrm{body}} : \tau^{\mathrm{body}}}$$

$$\frac{\Delta; \Gamma_n; \dots; \Gamma_1 \vdash e^{\mathbf{x}} : \Box \tau^{\mathbf{x}}}{\Delta; \Gamma_n; \dots; \Gamma_1 \vdash \mathrm{let\text{-}box} \ x = e^{\mathbf{x}} \mathrm{in} \ e^{\mathrm{body}} : \tau^{\mathrm{body}}}$$

4.1 Comparison

$$\frac{\Delta; \Gamma_1; \cdot \vdash e : \tau}{\Delta; \Gamma_1 \vdash box(e) : \Box \tau}$$

$$\begin{array}{ll} \Delta; \Gamma_1 \vdash e^{\mathbf{x}} : \Box \tau^{\mathbf{x}} & \Gamma_1; \Gamma_0 \vdash_1 e_1^{\mathbf{x}} : \Diamond \tau_0 \\ \Delta, x : \tau^{\mathbf{x}}; \Gamma_1 \vdash e^{\mathrm{body}} : \tau^{\mathrm{body}} & \Gamma_1; \Gamma_0, x_0 : \tau_0 \vdash_1 e_1^{\mathrm{body}} : \tau_1 \\ \Delta; \Gamma_1 \vdash \mathrm{let\text{-}box} \; x = e^{\mathbf{x}} \, \mathrm{in} \; e^{\mathrm{body}} : \tau^{\mathrm{body}} & \Gamma_1; \Gamma_0 \vdash_1 \mathrm{let\text{-}dia} \; x_0 = e_1^{\mathbf{x}} \, \mathrm{in} \; e_1^{\mathrm{body}} : \tau_1 \\ \end{array}$$

$$\Delta$$
: $\Gamma_1 \vdash \text{let-box } x = e^x \text{ in } e^{\text{body}} : \tau^{\text{body}}$

$$\frac{\Gamma_1; \Gamma_0 \vdash_0 e_0 : \tau_0}{\Gamma_1; \Gamma_0 \vdash_1 \operatorname{dia}(e_0) : \Diamond \tau_0}$$

$$\Gamma_1; \Gamma_0 \vdash_1 e_1^{\mathbf{x}} : \Diamond \tau_0$$

 $\Gamma_0, \tau_0 : \tau_0 \vdash_1 e_1^{\text{body}} : \tau_0 \vdash_$

$$T_1; \Gamma_0 \vdash_1 \text{let-dia } x_0 = e_1^{\text{x}} \text{ in } e_1^{\text{body}} : \tau_1$$