

ExpressionFileCreator Documentation

Module name: ExpressionFileCreator

Description: Creates a RES or GCT file from a set of Affymetrix CEL files

Author: Joshua Gould, gp-help@broad.mit.edu

Summary

The ExpressionFileCreator module creates an expression dataset from a set of individual Affymetrix CEL files. The conversion is done using the standard Affymetrix probe modeling algorithm MAS5, the RMA algorithm, or the dChip algorithm. The result is a matrix containing one intensity value per probe set, in the GCT or RES file format described at http://www.broad.mit.edu/genepattern/tutorial/index?gp tutorial fileformats.html.

Samples can be annotated by specifying a clm file. A clm file allows you to change the name of the samples in the expression matrix, reorder the columns, select a subset of the scans in the input zip file, and create a class label file in the cls format, also described on the web page above.

By default, sample names are taken from the CEL file names contained in the zip file. A clm file allows you to specify the sample names explicitly. Additionally, the columns in the expression matrix are reordered so that they are in the same order as the scan names appear in the clm file. For example, the input zip file contains the files scan1.cel, scan2.cel, and scan3.cel. The clm file could contain the following text:

scan3 sample3 tumor scan1 sample1 tumor scan2 sample2 normal

The column names in the expression matrix would be: sample3, sample1, sample2. Additionally, only scan names in the clm file will be used to construct the GCT or RES file; scans not present in the clm file will be ignored.

Notes:

- The results obtained from running MAS5 and dChip differ slightly from the official implementations of these algorithms.
- The columns in the matrix generated from MAS5 need to be scaled with the ScaleDataset module.
- The input file can be a zip of CEL files or a zip of gzipped CEL files.

References:

- 1. Affymetrix. Affymetrix Microarray Suite User Guide. Affymetrix, Santa Clara, CA, version 5 edition, 2001.
- 2. Rafael A. Irizarry, Bridget Hobbs, Francois Collin, Yasmin D. Beazer-Barclay, Kristen J. Antonellis, Uwe Scherf, and Terence P. Speed. Exploration, normalization, and summaries of high density oligonucleotide array probe level data. Biostatistics, 2003b. To appear.

Parameters	:
------------	---

Name Description Options



input filename A zip file containing CEL files or gzipped

CEL files

method The method to use

quantile normalization (RMA only) Whether to normalize data

using quantile normalization

background correct (RMA only) Whether to background

correct using RMA background correction

compute present absent calls (MAS5 only) Whether to compute

Present/Absent calls

clm.filename tab-delimited text file containing one scan

name, sample name, and class name

per line

output file The base name of the output file

RMA;MAS5;dChip

yes;no

yes;no

yes=yes (create res file);no=no (create

gct file)

Return Value:

1. gct or res file

2. cls file if clm.filename is supplied

Platform dependencies:

Task type: Preprocess & Utility

CPU type: any OS: any Language: R