



A CITRUS OIL SOLUTION TO ENHANCE THE EFFICACY OF MITICIDES, INSECTICIDES, FUNGICIDES, HERBICIDES, NUTRIENTS, AND PLANT GROWTH REGULATORS IN CITRUS ORCHARDS.

PRINCIPAL FUNCTIONING AGENTS

| | |
|--|---------|
| Alcohol Ethoxylate..... | 8.15% |
| Constituents Ineffective as Spray Adjuvants..... | 91.85% |
| Total..... | 100.00% |

**KEEP OUT OF REACH OF CHILDREN
WARNING / AVISO**

Si Usted no entiende la etiqueta, busque a alguien para que se la explique a Usted en detalle.
If you do not understand the label, find someone to explain it to you in detail.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

WARNING: Causes substantial but temporary eye injury. Harmful if absorbed through skin or inhaled. Do not get in eyes or on clothing. Avoid contact with skin. Wear goggles, face shield or safety glasses. Avoid breathing spray mist. Wash hands before eating, drinking, chewing gum; using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

FIRST AID: IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

For Chemical Emergency (spill, leak, fire or accident), call CHEMTREC (800) 424-9300.

MANUFACTURED BY:
ORO AGRI INC.
3816 S. Willow Ave. Ste.101
Fresno, CA. 93725
Copyright © Jan 2014
Oro Agri Inc. All Rights Reserved
v2014122

NET CONTENTS
2.5 Gallons / 9.5 Liters

ANOTHER  **ORO** PRODUCT

NOTE ON PESTICIDE EFFICACY EFFECTS

OROCIT may increase the response of translaminar, systemic and emulsifiable concentrate type insecticides, miticides, fungicides, plant growth regulators, herbicides and nutrients. Users and/or applicator should therefore evaluate this response prior to widespread usage and read the entire label before using.

DIRECTIONS FOR USE

Prior to use, read all the directions on this label and on the labels of the manufacturer's insecticides, miticides, fungicides, herbicides, PGRs and/or nutrients being used with this product. The manufacturer's labels for specific usage and restrictions has precedence over directions for use referred to on the **OROCIT** label.

PRECAUTIONS

Test for compatibility prior to mixing and application with other chemicals. Always test new tank-mix combinations before widespread use. If unsure, check with the manufacturers or contact your local State Extension Service if you have questions. To ensure thorough mixing, it is suggested that you recirculate mini tanks and bulk tanks or shake containers before using. Pre-rinse all tanks, spray lines or containers thoroughly before adding **OROCIT** as **OROCIT** contains surfactants. **OROCIT** should not be added to tanks, spray lines, or containers which may contain additional surfactant adjuvants. Coatings on inner tank and spray lines, from previous chemicals sprayed, may be dissolved by **OROCIT**, thereby releasing it into the mix about to be sprayed. If in doubt, applying as directed, add 20 ounces of **OROCIT** to 20 gallons of water circulate through system for 20 minutes, spray to waste. Increasing tank mix compounds will increase precipitoin and phyto risk. Extended high temperatures (>92° F) with some tank mixes may increase phyto risk and should be tested and observed before widespread use. THEREAFTER, mix as prescribed for regular spraying under similar conditions. Spray up to the point before runoff occurs as excessive run-off may accumulate tank mix chemicals underneath fruit. Treat a small area and observe results. If the results are satisfactory, proceed with a further application.

Use CAUTION when combining in tank mixes with EC products, Copper and/or Chlorpyrifos.

STORAGE AND DISPOSAL

STORAGE: Store in original container away from children, animals, foods, feeds and seeds. Handle in accordance with Precautionary Statements. In the event of spillage or leakage, soak up the material with absorbent clay, sand, sawdust or other absorbent material. Scrape up and dispose in accordance with Product Disposal. **PRODUCT DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **CONTAINER DISPOSAL:** Triple rinse (or equivalent) during mixing and loading. Recycling decontaminated containers is the best option of container disposal.

MIXING DIRECTIONS

1. Fill tank one-half full of water.
2. Add the required amount of other tank mix products while agitating.
3. Add remainder of the water.
4. Add the recommended amount of **OROCIT** last and continue agitation until completion of spraying.
 - Antifoam may be used to control **OROCIT** foam.

DOSAGE RATES

WITH INSECTICIDES, MITICIDES, FUNGICIDES, & NUTRIENTS

- Use 16-96 fl.oz. per acre in sufficient water at rates no greater than 0.3% v/v.
- Do not exceed 64 fl.oz. per acre during June to September high volume (>400 gpa) water sprays.

WITH PLANT GROWTH REGULATORS

- Use 10-20 fl.oz. **OROCIT** per acre in sufficient water.

WITH HERBICIDES

- Use **OROCIT** at 16-100 fl.oz. per 100 gallons water. Use the higher rates on weeds with waxy or hairy leaf surfaces that are hard to penetrate.

WARRANTY STATEMENT

CONDITIONS OF SALE-LIMITED WARRANTY AND LIMITATIONS OF LIABILITY AND REMEDIES: Read the Conditions of Sale-Warranty and Limitations of Liability and Remedies before using this product. If the terms are not acceptable, return the product, unopened, and the full purchase price will be refunded. The directions on this label are believed to be reliable and should be followed carefully. Insufficient control of pests and/or injury to the crop to which the product is applied may result from the occurrence of extraordinary or unusual weather conditions or the failure to follow the label directions or good application practices, all of which are beyond the control of Oro Agri Inc. (the "Company") or seller. In addition, failure to follow label directions may cause injury to crops, animals, man or the environment. The Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purpose referred to in the directions for use subject to the factors noted above which are beyond the control of the Company. The Company makes no other warranties or representations of any kind, express or implied, concerning the product, including no implied warranty of merchantability or fitness for any particular purpose, and no such warranty shall be implied by law. The exclusive remedy against the Company for any cause of action relating to the handling or use of this product shall be limited to, at Company's election, one of the following:

1. Refund of the purchase price paid by buyer or user for product bought, or
2. Replacement of the product used. To the extent allowed by law, the Company shall not be liable and any and all claims against the Company are waived for special, indirect, incidental, or consequential damages or expense of any nature, including, but not limited to, loss of profits or income. The Company and the seller offer this product and the buyer and user accept it, subject to the foregoing conditions of sale and limitation of warranty, liability and remedies.

OROCIT and **ORO** are registered trademarks of Oro Agri Inc.

v2014122