# ttbar Analysis Status NTUA 1/9/2020

George Bakas





# Introduction



### **Signal Selection**


Variables	Selected Cut
pT (both leading jets)	> 400 GeV
Njets	> 1
N leptons	= 0
eta  (both leading jets)	< 2.4
mJJ	> 1000 GeV
jetMassSoftDrop (only for fit)	(50,300) GeV
Top Tagger	> 0.2, 0, 0.1
B tagging (2 btagged jets)	> Medium WP
Signal Trigger	


# **Control Region Selection**


Variables	Selected Cut
pT (both leading jets)	> 400 GeV
Njets	> 1
N leptons	= 0
eta  (both leading jets)	< 2.4
mJJ	> 1000 GeV
jetMassSoftDrop (only for fit)	(50,300) GeV
Top Tagger	> 0.2, 0, 0.1
B tagging (0 btagged jets)	< Medium WP
Control Trigger	



# bTagging Scale Factor distributions in Signal Region











b tagging SF's

without b tagging SF's

### Parton Efficiency '16,'17,'18 NominalMC




### Parton Efficiency '16,'17,'18 NominalMC




b tagging SF's

without b tagging SF's

### Parton Acceptance '16,'17,'18 NominalMC





### Parton Acceptance '16,'17,'18 NominalMC




b tagging SF's

without b tagging SF's






### Parton Efficiency '16,'17,'18 NominalMC




b tagging SF's

without b tagging SF's

### Parton Acceptance '16,'17,'18 NominalMC



### Parton Acceptance '16,'17,'18 NominalMC




b tagging SF's

without b tagging SF's




#### Response Reco-Parton jetPt0 2016 NominalMC






b tagging SF's

without b tagging SF's



#### 600 1.15 19.28 500 36.96 1.8 3.09 80.79 1.90 1.6 400 142.56 1.4 214.24 13.12 1.2 300 364.40 0.8 200 504.44 19.28 0.6 19.62 577.34 0.4 100 0.2 0.4 0.6 0.8 2.2

#### Response Reco-Parton jetY0 2016 NominalMC






partonY0

b tagging SF's

without b tagging SF's



#### jetPt0 (GeV) jetPt0 (GeV) 0.14 0.45 1400 0.19 0.97 0.82 350 0.21 3.40 0.41 1200 300 0.07 0.21 3.96 4.87 0.14 0.21 0.53 10.29 1.28 250 1000 1.57 10.71 11.73 0.33 0.89 6.75 2.68 200 24.35 18.31 1.19 0.13 53.77 7.69 0.33 150 69.02 47.11 2.22 0.21 19.69 0.78 0.00 142.05 5.83 0.26 100 0.00 1.24 0.26 50 0.60 0.07 0.07


1000

1200

1400

partonPt0 (GeV)

#### Response Reco-Parton jetPt0 2017 NominalMC





600

800

0.83

18.99

1.03

5.52

0.89

0.05

2.2

partonY0

2.4

b tagging SF's

without b tagging SF's



0.14

3.24

137.60

11.85

0.07

6.97

14.57

0.07

1.2

2.16


79.53

5.23

40.59

3.27

### Response Reco-Parton jetY0 2017 NominalMC



13.80

474.07

24.76

15.75

576.59

26.12

0.00

391.28

18.68

1.8

1.6 ⊢

1.4

0.8

0.6

0.4

0.2

600

500

400

300

200

100

b tagging SF's

without b tagging SF's



1.58

4.92

7.81

2.48

0.40

0.12

0.06

-0.06

0.06

0.07

1200

1.71

0.31

0.11

1400

partonPt0 (GeV)

#### 0.05 -0.06 1.28

0.06

0.48

1.25

19.74

29.41

27.14

13.30

4.04

1.13

0.36

0.13

0.05

0.06

0.43

0.83

2.66

16.50

94.98

0.06

0.18

2.05

9.93

35.85

75.59

80.78

32.56

7.22

2.01

0.55

0.19

0.06 -0.01

800

0.07

0.06

0.05

0.52

6.34

18.09

19.09

6.50

1.50


0.65


0.46

0.19

0.06

1000







600

jetPt0 (GeV)

1400

1200


1000

0.06


b tagging SF's

without b tagging SF's

#### Response Reco-Parton jetY0 2018 NominalMC





#### Response Reco-Parton jetY0 2018 NominalMC



# Contamination Plots Medium WP (CR) 2016


### b tagging SF's






# Contamination Plots Medium WP (CR) 2017

### b tagging SF's









# Contamination Plots Medium WP (CR) 2018

### b tagging SF's





# Contamination Plots Medium WP (CR, SR) 2018



- Both SR and Control Region use the Medium btag WP.
- Intuition is to remove the ttbar and subdominant bkg contribution from the data Control Region

# Simple Mass Fit 2016

### A RooPlot of "mTop"

$OCD_{o}(m^{t})$	$= D_{o}(m^{t})$	$-T_{o}(m^{t})$	$-Sub_0(m^t)$
$Q \cup D_0(III)$	$-D_0(m)$	$I = I_0(III)$	$-3u\nu_0(m)$

#### Without tag SF:


Floating Parameter		FinalValue +/-	Error
	 kMassResol	9.2245e-01 +/-	2.72e-02
	kMassScale	9.9906e-01 +/-	2.01e-03
	kQCD_2b	6.8926e-02 +/-	5.06e-02
	nFitBkg 2b	2.5236e+02 +/-	1.44e+02
	nFitQCD_2b	2.9886e+03 +/-	1.73e+02
	nFitSiq2b	5.2694e+03 +/-	1.65e+02

Signal strength:  $r = 0.671244 \pm 0.0252439$  (old)

#### With b tag sf:

Floating Parameter	FinalValue +/-	Error
kMassResol kMassScale kQCD_2b nFitBkg_2b nFitQCD_2b nFitSig2b	9.2251e-01 +/- 9.9891e-01 +/- 6.9753e-02 +/- 2.4472e+02 +/- 2.9890e+03 +/- 5.2763e+03 +/-	2.01e-03 5.26e-02 1.47e+02 1.74e+02

<u>Signal strength:</u>  $r = 0.686668 \pm 0.0263103$  (new)



# Simple Mass Fit 2017

### A RooPlot of "mTop"

#### Without b tag SF:


Floating Parameter	FinalValue +/-	Error
kMassResol	1.0990e+00 +/-	4.05e-02
kMassScale	9.8328e-01 +/-	2.64e-03
kQCD_2b	1.6702e-02 +/-	7.79e-03
nFitBkg_2b	6.3994e+02 +/-	2.81e+02
nFitQCD_2b	2.0219e+03 +/-	3.23e+02
nFitSig2b	4.8080e+03 +/-	1.51e+02

Signal strength:  $r = 0.553099 \pm 0.0198563$  (old)

#### With b tag SF:

Floating Parameter	FinalValue +/-	Error
kMassResol kMassScale kQCD_2b nFitBkg_2b	1.0998e+00 +/- 9.8340e-01 +/- 1.6593e-02 +/- 4.9791e+02 +/-	2.66e-03 7.44e-03 2.68e+02
nFitQCD_2b	2.1662e+03 +/-	
nFitSig2b	4.8059e+03 +/-	1.50e+02

<u>Signal strength:</u>  $r = 0.644361 \pm 0.023851$  (new)



# Simple Mass Fit 2018

### A RooPlot of "mTop"

#### <u>Without b tag SF:</u>


	Floating Parameter	FinalValue +/-	Error
_	kMassResol kMassScale kQCD_2b nFitBkg_2b nFitQCD_2b	1.0171e+00 +/- 9.8961e-01 +/- 1.3178e-02 +/- 3.0164e+02 +/- 4.7747e+03 +/-	1.92e-03 3.01e-03 2.73e+02 3.04e+02
	nFitSig2b	7.7140e+03 +/-	1.006+02

Signal strength:  $r = 0.615816 \pm 0.017298$  (old)


#### With b tag SF:

Floating Parameter	FinalValue +/-	Error
kMassResol kMassScale kQCD_2b nFitBkg_2b nFitQCD_2b nFitSig2b	4.9706e+03 +/-	1.92e-03 2.82e-03 3.92e+02

<u>Signal strength:</u>  $r = 0.686214 \pm 0.019771$ 



# Signal Strength Results






# Signal Extraction 2016


### b tagging SF's

### without b tagging SF's

### Fiducial DataOverMC ratio (2016, TOP18013)



### Fiducial DataOverMC ratio (2016, TOP18013)




# Signal Extraction 2017


### b tagging SF's

### without b tagging SF's

### Fiducial DataOverMC ratio (2017, TOP18013)



### Fiducial DataOverMC ratio (2017, TOP18013)






# Signal Extraction 2018


### b tagging SF's

### without b tagging SF's

### Fiducial DataOverMC ratio (2018, TOP18013)



### Fiducial DataOverMC ratio (2018, TOP18013)





# Tag And Probe

- Top Tagger Scale Factors
  - Tag and Probe: Data and MC don't show inconsistency
  - Data is subtracted QCD and Subdominant bkgs (MC) so that the data sample is pure

```
efficiency = \frac{\# (1 \, jet \, pass \, baseline + Tight \, TopTagger \, Cut \, AND \, 1 \, jet \, pass \, SR)}{\# (1 \, jet \, pass \, baseline + Tight \, TopTagger \, Cut \, AND \, 1 \, jet \, pass \, only \, baseline)}
```

- Randomization (check random jet) to fill histogram to avoid pT bias
- mTop candidate distributions for Numerator and Denominator of efficiency
  - To scale the ttbar  $\rightarrow$  fit the mTop in each of these regions (ttbar compatible  $\sim$  with SR)
- Divide the phase space into pT regions: [400-600] GeV, [600-800] GeV, [800-Inf] GeV
  - Again no inconsistencies



# Tag And Probe Calculations 2016

### b tagging SF's

### without b tagging SF's

Efficiency--with btagging SF's eff data: 0.781 ± 0.038

eff ttbar: 0.772 ± 0.014

-----

Efficiency per Pt region

eff data pT[400-600]: 0.761 ± 0.042 eff ttbar pT[400-600]: 0.778 ± 0.016

-----

eff data pT[600-800]:  $0.851 \pm 0.100$  eff ttbar pT[600-800]:  $0.748 \pm 0.031$ 

-----

eff data pT[800-Inf]:  $0.886 \pm 0.160$  eff ttbar pT[800-Inf]:  $0.775 \pm 0.063$ 

Efficiency--without btagging SF's

eff data: 0.782 ± 0.039

eff ttbar: 0.772 ± 0.014

-----

Efficiency per Pt region

eff data pT[400-600]:  $0.762 \pm 0.043$  eff ttbar pT[400-600]:  $0.778 \pm 0.016$ 

-----


eff data pT[600-800]:  $0.854 \pm 0.103$  eff ttbar pT[600-800]:  $0.748 \pm 0.031$ 

-----

eff data pT[800-Inf]:  $0.888 \pm 0.161$ eff ttbar pT[800-Inf]:  $0.775 \pm 0.064$ 



# TagAndProbe Efficiency (2016)





## Tag And Probe Calculations 2017

### b tagging SF's

### without b tagging SF's

Efficiency-- with btagging SF's eff data: 0.857 ± 0.040

eff ttbar: 0.875 ± 0.0072

-----

Efficiency per Pt region

eff data pT[400-600]: 0.872 ± 0.047 eff ttbar pT[400-600]: 0.874 ± 0.008

-----

eff data pT[600-800]: 0.795 ± 0.088 eff ttbar pT[600-800]: 0.876 ± 0.018

-----

eff data pT[800-Inf]:  $0.797 \pm 0.186$  eff ttbar pT[800-Inf]:  $0.899 \pm 0.045$ 

Efficiency-- without btagging SF's

eff data: 0.864 ± 0.043

eff ttbar: 0.875 ± 0.007

-----

Efficiency per Pt region

eff data pT[400-600]:  $0.880 \pm 0.049$  eff ttbar pT[400-600]:  $0.874 \pm 0.008$ 

-----


eff data pT[600-800]: 0.8 ± 0.091 eff ttbar pT[600-800]: 0.876 ± 0.018

-----

eff data pT[800-Inf]: 0.796 ± 0.2 eff ttbar pT[800-Inf]: 0.898 ± 0.045



# TagAndProbe Efficiency (2017)





# Tag And Probe Calculations 2018

### b tagging SF's

### without b tagging SF's

Efficiency-- with tag SF's eff data:  $0.816 \pm 0.032$  eff ttbar:  $0.839 \pm 0.005$ 

-----

Efficiency per Pt region

eff data pT[400-600]:  $0.8176 \pm 0.038$  eff ttbar pT[400-600]:  $0.837 \pm 0.006$ 

-----

eff data pT[600-800]:  $0.809 \pm 0.063$  eff ttbar pT[600-800]:  $0.847 \pm 0.013$ 

-----

eff data pT[800-Inf]:  $0.772 \pm 0.132$  eff ttbar pT[800-Inf]:  $0.868 \pm 0.032$ 

Efficiency-- without tag sf's

eff data: 0.822 ± 0.034

eff ttbar: 0.839 ± 0.005

-----

Efficiency per Pt region

eff data pT[400-600]:  $0.824 \pm 0.039$  eff ttbar pT[400-600]:  $0.837 \pm 0.006$ 

-----


eff data pT[600-800]:  $0.819 \pm 0.066$  eff ttbar pT[600-800]:  $0.847 \pm 0.013$ 

-----

eff data pT[800-Inf]:  $0.789 \pm 0.141$ eff ttbar pT[800-Inf]:  $0.868 \pm 0.032$ 




# TagAndProbe Efficiency (2018)





## Data Vs MC Stacks for BDT output 2016


- BDT Output scores SR<sub>B</sub>
  - SR<sub>B</sub>: Baseline selection + tight Mass Cut (120,220) GeV, no TopTagger Selection
  - QCD scaled to data (k-factor)




# Data Vs MC Stacks for BDT output 2017

### b tagging SF's

### without b tagging SF's







34

# Data Vs MC Stacks for BDT output 2018

### b tagging SF's







# **BACKUP SLIDES**



b tagging SF's




b tagging SF's



b tagging SF's

without b tagging SF's





mTTbarParton (GeV)

mTTbarParton (GeV)