

Rewriting modulo traced comonoid structure

George Kaye Dan Ghica

University of Birmingham

04 July 2023 – FSCD 2023, Rome

We want to reason **equationally** with **processes**
with notions of **feedback**, **copying** and **discarding**
(e.g. **digital circuits**)

What should the **syntax** for these processes be?



How do we **reason** with this syntax?

What is the best way to **rewrite** with this syntax?

Is this syntax suitable for **automating** rewrites?

We have specialised previous work on hypergraph string diagram rewriting to settings with a traced comonoid structure.

The graphical syntax of string diagrams



(symmetric monoidal category)

Why are we here?



We want to have **feedback**.



(traced structure)

Why are we here?


We want to **fork** and **stub**.



(commutative comonoid structure)

Why are we here?

We want to **copy** and **discard**.



(Cartesian structure)

Why are we here?

We want to reason **graphically**.


Why are we here?

We want to reason **graphically**.




Why are we here?

We want to reason **graphically**.




Why are we here?

We want to reason **graphically**.




Why are we here?

We want to reason **graphically**.




Why are we here?

We want to reason **graphically**.




Why are we here?

We want to reason **graphically**.




Why are we here?

We want to reason **graphically**.



Why are we here?

We want to reason **graphically**.



(unfolding, fixpoint equation)


We want to do this reasoning **computationally**.

This is **hard** for terms, even with string diagrams.

(lots of shuffling around and bookkeeping required with the comonoid)

But computers like **graphs**...


String graphs




Dixon, Kissinger




Hypergraphs




Bonchi, Gadduchi, Kissinger, Sobocinski, Zanasi



The hyper kind of graph



The hyper kind of (interfaced) graph



Goal

string diagrams as cospan of hypergraphs


But which hypergraphs?

Which cospans correspond to **symmetric monoidal** terms?

Monogamous acyclic hypergraphs




One connection on the **left**, one on the **right**




Getting the correspondence

monogamous acyclic hypergraphs



\Leftrightarrow



symmetric monoidal term



Monogamous acyclic hypergraphs are **too restrictive**.


Which terms correspond to **arbitrary** cospans of hypergraphs?

Terms with a **special commutative Frobenius structure**





Another correspondence

isomorphism class of hypergraphs



Frobenius term modulo equations



Arbitrary hypergraphs are **not restrictive enough**.

Frobenius to traced comonoid

Traced comonoid is 'half' Frobenius...  

Any category with Frobenius is **self-dual compact closed**...

$$\begin{array}{c} \text{Cup} \\ \text{---} \end{array} := \begin{array}{c} \text{Dot} \\ \text{---} \end{array} \circ \begin{array}{c} \text{Cup} \\ \text{---} \end{array} \quad \begin{array}{c} \text{Cap} \\ \text{---} \end{array} := \begin{array}{c} \text{Cap} \\ \text{---} \end{array} \circ \begin{array}{c} \text{Dot} \\ \text{---} \end{array}$$


Trace can be built from compact closed structure...

$$\begin{array}{ccc} \begin{array}{c} \text{Cup} \\ \text{---} \end{array} & \begin{array}{c} \text{Id} \\ \text{---} \end{array} & \begin{array}{c} \text{Cap} \\ \text{---} \end{array} \\ \otimes & \circ & \otimes \\ \begin{array}{c} \text{Id} \\ \text{---} \end{array} & \boxed{f} & \begin{array}{c} \text{Id} \\ \text{---} \end{array} \end{array}$$

Partial left-monogamous hypergraphs



One connection on the **left**, many on the **right**



Special cases...

Trace of the identity




Trace of the fork




One more correspondence

partial left-monogamous
hypergraphs



traced comonoid term



We can interpret **terms** as **graphs**


Now to **reason** with them!

Applying equations \leftrightarrow Graph rewriting


Double pushout (DPO) rewriting

One rule for them


$$m - \boxed{f} - \begin{matrix} \curvearrowright n \\ \curvearrowleft n \end{matrix} = m - \begin{matrix} \curvearrowright \boxed{f} - n \\ \curvearrowleft \boxed{f} - n \end{matrix}$$



Do the double pushout




Do the double pushout




Matching

Do the double pushout



Pushout complement

Do the double pushout



Pushout!

Which pushout complements are **valid** rewrites?

Symmetric monoidal setting? **Exactly one** pushout complement valid



Which pushout complements are **valid** rewrites?

Symmetric monoidal setting? **Exactly one** pushout complement valid



Which pushout complements are **valid** rewrites?

Symmetric monoidal setting? **Exactly one** pushout complement valid



Frobenius setting? **All** pushout complements valid



Which pushout complements are **valid** rewrites?

Symmetric monoidal setting? **Exactly one** pushout complement valid




Traced comonoid setting? **Some** pushout complements valid



Frobenius setting? **All** pushout complements valid




I need some validation





This cospan is **partial left-monogamous**:

Inputs of term
Outputs of rule






Inputs of rule
Outputs of term




It's two, actually




It's two, actually





It's two, actually






It's two, actually






It's two, actually




It's two, actually




It's two, actually




It's two, actually




It's two, actually (comonoid style)




It's two, actually (comonoid style)




It's two, actually (comonoid style)




It's two, actually (comonoid style)




It's two, actually (comonoid style)




Remember me?




Unfolding again



Unfolding again



Unfolding again



Two contributions

Characterised **partial left-monogamous** cospans of hypergraphs as a suitable hypergraph interpretation of traced comonoid terms

Characterised the correct notion of **pushout complement** for traced comonoid terms