Consider a system of two electrons with the following eigenstates.

$$|0\rangle = (1, 0, 0, 0)$$
 no electrons

$$|1\rangle = (0, 1, 0, 0)$$
 one electron in state  $\phi_1$ 

$$|2\rangle = (0,0,1,0)$$
 one electron in state  $\phi_2$ 

$$\begin{aligned} |1\rangle &= (0,1,0,0) & \text{one electron in state } \phi_1 \\ |2\rangle &= (0,0,1,0) & \text{one electron in state } \phi_2 \\ |3\rangle &= (0,0,0,1) & \text{two electrons, one in state } \phi_1, \text{ one in state } \phi_2 \end{aligned}$$

Let electron states  $\phi_n$  be modeled by a one dimensional box of length L.

$$\phi_n(x) = \sqrt{\frac{2}{L}} \sin\left(\frac{n\pi x}{L}\right)$$

Let  $|\xi\rangle$  be an arbitrary normalized state vector.

$$|\xi\rangle = c_0|0\rangle + c_1|1\rangle + c_2|2\rangle + c_3|3\rangle, \qquad \langle \xi|\xi\rangle = 1$$

Let us determine an energy matrix  $\hat{E}$  such that the expected energy  $\langle E \rangle$  in state  $|\xi\rangle$  is

$$\langle E \rangle = \langle \xi | \hat{E} | \xi \rangle$$

Energy matrix  $\hat{E}$  is the sum of kinetic and potential energy matrices.

$$\hat{E} = \hat{K} + \hat{V}$$

Kinetic energy matrix  $\hat{K}$  can be computed from energy eigenvalues of the box model.

$$\hat{K} = \begin{pmatrix} 0 & 0 & 0 & 0 \\ 0 & E_1 & 0 & 0 \\ 0 & 0 & E_2 & 0 \\ 0 & 0 & 0 & E_1 + E_2 \end{pmatrix}, \qquad E_n = \frac{n^2 \pi^2 \hbar^2}{2mL^2}$$

Potential energy matrix  $\hat{V}$  has one entry due to Coulomb interaction in the two electron state.

Let  $\psi(x,y)$  be the antisymmetrized wavefunction of the two electrons.

$$\psi(x,y) = \frac{1}{\sqrt{2}} (\phi_1(x)\phi_2(y) - \phi_1(y)\phi_2(x))$$

Then

$$V = \frac{e^2}{4\pi\epsilon_0} \int_0^L \int_0^L \psi^*(x, y) \left(\frac{1}{|x - y|}\right) \psi(x, y) dx dy$$

Let us now choose  $L=10^{-9}$  meters and compute numerical values. For  $\hat{K}$  we have

$$\hat{K} = \begin{pmatrix} 0 & 0 & 0 & 0 \\ 0 & 0.38 \,\text{eV} & 0 & 0 \\ 0 & 0 & 1.50 \,\text{eV} & 0 \\ 0 & 0 & 0 & 1.88 \,\text{eV} \end{pmatrix}$$

Computing V by numerical integration we have

Hence

$$\hat{E} = \hat{K} + \hat{V} = \begin{pmatrix} 0 & 0 & 0 & 0 \\ 0 & 0.38 \,\text{eV} & 0 & 0 \\ 0 & 0 & 1.50 \,\text{eV} & 0 \\ 0 & 0 & 0 & 6.55 \,\text{eV} \end{pmatrix}$$