The hydrogen atom eigenfunction $\psi_{nlm}(r,\theta,\phi)$ is the product of a radial eigenfunction $R_{nl}(r)$ and a spherical harmonic eigenfunction $Y_{lm}(\theta,\phi)$.

$$\psi_{nlm}(r,\theta,\phi) = R_{nl}(r)Y_{lm}(\theta,\phi)$$

Quantum number n is the principal quantum number.

$$n = 1, 2, 3, \dots$$

Quantum number l is the angular momentum quantum number.

$$l = 0, 1, \dots, n - 1$$

Quantum number m is the magnetic quantum number.

$$m = -l, \ldots, 0, \ldots, l$$

The normalized radial eigenfunction $R_{nl}(r)$ is computed from the following formula.

$$R_{nl}(r) = \frac{2}{n^2} \left(\frac{(n-l-1)!}{(n+l)!} \right)^{1/2} \left(\frac{2r}{na_0} \right)^l L_{n-l-1}^{2l+1} \left(\frac{2r}{na_0} \right) \exp\left(-\frac{r}{na_0} \right) a_0^{-3/2}$$

Symbol a_0 is the Bohr radius.

$$a_0 = \frac{4\pi\varepsilon_0\hbar^2}{e^2\mu} \approx 0.529 \times 10^{-10} \,\text{meter}$$

Symbol μ is the reduced mass of the electron.

$$\mu = \frac{m_e m_p}{m_e + m_p}$$

Symbol L is a Laguerre polynomial computed from the following formula.

$$L_n^m(x) = (n+m)! \sum_{k=0}^n \frac{(-x)^k}{(n-k)!(m+k)!k!}$$

The normalized spherical harmonic eigenfunction $Y_{lm}(\theta,\phi)$ is computed from the following formula.

$$Y_{lm}(\theta,\phi) = (-1)^m \left(\frac{2l+1}{4\pi}\right)^{1/2} \left(\frac{(l-m)!}{(l+m)!}\right)^{1/2} P_l^m(\cos\theta) \exp(im\phi)$$

Symbol P is a Legendre polynomial which can be computed using Rodrigues's formula.

$$P_n^m(x) = \frac{1}{2^n n!} (1 - x^2)^{m/2} \frac{d^{n+m}}{dx^{n+m}} (x^2 - 1)^n$$

The eigenfunction $\psi_n \equiv \psi_{nlm}(r, \theta, \phi)$ solves Schrodinger's equation.

$$\hat{H}\psi_n = E_n\psi_n$$

Symbol \hat{H} is the Hamiltonian operator for the hydrogen atom.

$$\hat{H}\psi_n = -\frac{\hbar^2}{2\mu}\nabla^2\psi_n - \frac{e^2}{4\pi\varepsilon_0 r}\psi_n$$

Symbol ∇^2 is the Laplacian operator in spherical coordinates.

$$\nabla^2 \psi_n = \frac{1}{r^2} \frac{\partial}{\partial r} \left(r^2 \frac{\partial}{\partial r} \psi_n \right) + \frac{1}{r^2 \sin \theta} \frac{\partial}{\partial \theta} \left(\sin \theta \frac{\partial}{\partial \theta} \psi_n \right) + \frac{1}{r^2 \sin^2 \theta} \frac{\partial^2}{\partial \phi^2} \psi_n$$

Symbol E_n is the energy eigenvalue.

$$E_n = -\frac{\mu}{2n^2} \left(\frac{e^2}{4\pi\varepsilon_0 \hbar}\right)^2 \approx -\frac{1}{n^2} \times 13.6 \,\text{eV}$$