Surface area

Let S be a surface parameterized by x and y. That is, let S = (x, y, z) where z = f(x, y). The tangent lines at a point on S form a tiny parallelogram. The area a of the parallelogram is given by the magnitude of the cross product.

$$a = \left| \frac{\partial S}{\partial x} \times \frac{\partial S}{\partial y} \right|$$

By summing over all the parallelograms we obtain the total surface area A. Hence

$$A = \iint dA = \iint a \, dx \, dy$$

The following example computes the surface area of a unit disk parallel to the xy plane.

```
z = 2
S = (x,y,z)
a = abs(cross(d(S,x),d(S,y)))
defint(a,y,-sqrt(1 - x^2),sqrt(1 - x^2),x,-1,1)
```

The result is π , the area of a unit circle, which is what we expect. The following example computes the surface area of $z = x^2 + 2y$ over a unit square.

```
z = x^2 + 2y

S = (x,y,z)

a = abs(cross(d(S,x),d(S,y)))

defint(a,x,0,1,y,0,1)

\frac{5}{8}\log(5) + \frac{3}{2}
```

The following exercise is from *Multivariable Mathematics* by Williamson and Trotter, p. 598. Find the area of the spiral ramp defined by

$$S = \begin{bmatrix} u \cos v \\ u \sin v \\ v \end{bmatrix}, \quad 0 \le u \le 1, \quad 0 \le v \le 3\pi$$

```
x = u \cos(v)

y = u \sin(v)

z = v

S = (x,y,z)

a = circexp(abs(cross(d(S,u),d(S,v))))

defint(a,u,0,1,v,0,3pi)

\frac{3\pi}{2^{1/2}} + \frac{3}{2}\pi \log(2^{1/2} + 1)

float

10.8177
```