

 <http://www.na.edu>



 E-mail: moodle@na.edu



**NORTH AMERICAN
UNIVERSITY**
INSPIRATION INNOVATION GLOBAL COMPETENCE



Geraldo Braho ▾



Dashboard > My courses > COMP > COMP 3320.Programming Languages.2017SPR.s1 > 23 January
- 29 January > Homework 2

Started on	Thursday, 26 January 2017, 3:41 PM
State	Finished
Completed on	Thursday, 26 January 2017, 3:45 PM
Time taken	4 mins 1 sec
Marks	4.00/5.00
Grade	80.00 out of 100.00

Question 1

Correct

Mark 1.00 out of 1.00

```
If ( a > b )
```

```
  print "Yes"
```

This logic had been implemented in which programming language first?
(conditional branching)

Select one:

- ☐ a. Fortran
- ☐ b. C
- ☒ c. Speedcoding ✓
- ☐ d. APL
- ☐ e. ALGOL

The correct answer is: Speedcoding

Question 2

Incorrect

Mark 0.00 out of 1.00

What is the first AI language?

Select one:

- ☒ a. FORTRAN ✗
- ☐ b. LISP
- ☐ c. JAVA
- ☐ d. PYTHON

The correct answer is: LISP

Question 3

Correct

Mark 1.00 out of 1.00

Which programming language was designed for IBM 704 machine that takes advantage of the floating point hardware calculations instead of software calculations.

Select one:

- ☒ a. Fortran ✓
- ☐ b. Algol
- ☐ c. Java
- ☐ d. Smalltalk
- ☐ e. C

The correct answer is: Fortran

Question 4

Correct

Mark 1.00 out of 1.00

_____ first used in Fortran IV.

Select one:

- ☐ a. All
- ☒ b. Explicit data type declarations ✓
- ☐ c. Pointers
- ☐ d. Arrays

The correct answer is: Explicit data type declarations

Question 5

Correct

Mark 1.00 out of 1.00

Why source code usage was developed instead of using object/machine code?

Select one:

- ☐ a. Machine code was hard to modify
- ☒ b. All of them ✓
- ☐ c. Machine code has no indexing
- ☐ d. Machine code has poor readability

The correct answer is: All of them