50.004 Introduction to Algorithms, Fall 2018
Singapore University of Technology and Design
Gemma Roig, Ioannis Panageas, Subhajit Datta

13 Nov, 2018
Home Exercises - Week 10

Student Information

Name: _____   Student ID: _____

Due Date: 20 Nov, 2018 - 11:59PM.

Submit answers on eDimension in pdf format. Submission without student information will NOT be marked! Any questions regarding the homework can be directed to the TA through email (contact information on eDimension).

Week 10 Home Exercises

True/False

For all answers to the [T/F] question, please provide a short reason why as well.

1. To implement Dijkstra's shortest path algorithm on unweighted graphs so that it runs in linear time, the data structure to be used is stack. [T/F]

2. In an unweighted, undirected connected graph, the shortest path from a node S to every other node is computed most efficiently, in terms of time complexity by performing a DFS starting from S. [T/F]

3. The time complexity of Bellman-Ford single-source shortest path algorithm on a complete graph of n vertices is $O(n^3)$.[T/F]

4. If we make following changes to Dijkstra, then it can be used to find the longest simple path. Assume that the graph is acyclic. [T/F]

    (a) Initialise all distances as minus infinite instead of plus infinite.

    (b) Modify the relax condition in Dijkstra's algorithm to update distance of an adjacent vertex v of the currently considered vertex u only if $dist[u] + graph[u][v] > dist[v]$. In shortest path algorithm, the sign is opposite.