

CSE 4501 : Operating Systems
Islamic University of Technology (IUT)
Department of CSE
Time : 1 Hour
Date: Tuesday, 29 August 2021
Total Marks: 30

Quiz
:4

Submit your files as **StudentID_CSE 4501_Quiz 4.pdf** e.g.: **134436_CSE 4501_Quiz 4.pdf**

Considering a system with five processes P_0 through P_4 and three resources of type **A**, **B**, **C** with 10, 5 and 7 instances respectively. Suppose at time t_0 following snapshot of the system has been taken:

Processes	Allocation			Max			Available		
	A	B	C	A	B	C	A	B	C
P_0	0	1	0	7	5	3	3	3	2
P_1	2	0	0	3	2	2			
P_2	3	0	2	9	0	2			
P_3	2	1	1	2	2	2			
P_4	0	0	2	4	3	3			

Based on the above information, answer the following questions.

1. Draw the entire safe sequence detection tree for the snapshot of the system at t_0 and show step-by-step execution of the safety algorithm considering any one of the safe sequences (if multiple exists). Also show the update of related matrices in each step. 10 + 10
2. What will happen if process P_1 requests one additional instance of resource type **A** and two instances of resource type **C**? If request can be granted, then generate the new snapshot t_1 of the system. Otherwise, consider t_0 as the new snapshot at t_1 . 4
3. Based snapshot at t_1 , can the following requests be granted? Why? Why not? 3 × 2 = 6
 - a. Request (3, 3, 0) generated by P_4 .
 - b. Request (0, 3, 0) generated by P_3 .
 - c. Request (0, 0, 2) generated by P_2 .