



Release notes

Cloud Manager

NetApp
December 07, 2020

This PDF was generated from https://docs.netapp.com/us-en/occm/reference_new_occm.html on December 07, 2020. Always check docs.netapp.com for the latest.

Table of Contents

Release notes	1
Cloud Manager	1

Release notes

Cloud Manager

What's new in Cloud Manager 3.9

Cloud Manager typically introduces a new release every month to bring you new features, enhancements, and bug fixes.



Looking for a previous release?

[What's new in 3.8](#)

[What's new in 3.7](#)


Cloud Manager 3.9.1 (7 Dec 2020)

- [General enhancements](#)
- [Cloud Volumes ONTAP AMI change](#)
- [Backup to Cloud enhancements](#)
- [Cloud Compliance enhancements](#)
- [Cloud Tiering enhancements](#)
- [Cloud Sync enhancements](#)

General enhancements

- We've renamed the **Working Environments** tab to **Canvas**.

This tab starts as a blank canvas and enables you to add your working environments by deploying, allocating, and discovering storage across your hybrid cloud.



- It's now easier to navigate between Cloud Manager and Spot.

A new **Storage Operations** section in Spot enables you to navigate directly to Cloud Manager. After you're done, you can get back to Spot from the **Compute** tab in Cloud Manager.

Cloud Volumes ONTAP AMI change

Starting with the 9.8 release, the Cloud Volumes ONTAP PAYGO AMI is no longer available in the AWS Marketplace. If you use the Cloud Manager API to deploy Cloud Volumes ONTAP PAYGO, you'll need to [subscribe to the Cloud Manager subscription in the AWS Marketplace](#) before deploying a 9.8 system.

Backup to Cloud enhancements

- You now have the ability to restore individual files from a backup file.
 - If you need to restore a few files from a certain point in time, now you can just restore those files instead of having to restore the whole volume.
 - You can restore the files to a volume in the same working environment, or to a volume in a different working environment that's using the same cloud account.
 - This single file restore option relies on a new Cloud Restore instance that is deployed in your environment. [Go here for details about this new functionality.](#)
- You can configure Backup to Cloud in a Google Cloud environment now while deploying a new Cloud Volumes ONTAP system. In the past you could only configure Backup to Cloud on existing Cloud Volumes ONTAP systems.

- Now you can restore volumes that you had backed up from on-prem ONTAP systems to Cloud Volumes ONTAP systems deployed in AWS or Azure.

Cloud Compliance enhancements

- Ability to scan data directly from your on-premises ONTAP clusters

If you have discovered your on-prem clusters in Cloud Manager, now you can run Compliance scans directly on those volumes. No longer do you have to copy those volumes to a Cloud Volumes ONTAP system before you can run a Compliance scan.

- Ability to install Cloud Compliance in your on-premises location

If you plan to scan on-premises ONTAP cluster data, now you can install Cloud Compliance on-premises as well. It is still integrated in the Cloud Manager UI and it can still be used to scan other working environments, including cloud based volumes, buckets, and databases.

[See the prerequisites and installation steps here.](#)

- Ability to easily scan CIFS data protection volumes

In the past you have been able to scan NFS DP volumes. This release allows you to easily scan CIFS DP volumes directly within Cloud Compliance. [Learn how.](#)

- A new "Highlights" feature provides a predefined selection of combination filters that return results in the Investigation page

Ten highlights are available with this release. For example, the "HIPAA – Stale data over 30 days" highlight identifies files that contain Health information that is over 30 days old. [See the full list of predefined highlights.](#)

You can select Highlights from a tab in the Compliance Dashboard and as a filter in the Investigation page.

- Two new sensitive personal data types

Cloud Compliance can now find Political Opinions Reference and Civil Law Reference in files.

- A new filter for "file size" is available from the Investigation page to refine your search results for files of a certain size

Note that the list of required endpoints for Cloud Compliance deployments has been revised based on cloud provider. [Review this list for AWS, Azure, and on-prem requirements.](#)

Cloud Tiering enhancements


- You can now change the tiering policy and minimum cooling days for multiple volumes at the same time.

3 Volumes | 2 selected

Modify selected volumes

Volume Name	SVM Name	Volume Size	Used Size	Snapshot Used Size	Cold Data	Tier Status	Tiering Policy
<input type="checkbox"/> vol1	svm_AFF1	50 GB	3.54 MB	444 KB	2.47 MB 70 %	Tiered Volume	All user data
<input checked="" type="checkbox"/> vol2	svm_AFF1	200 GB	1 MB	0 B	716.8 KB 70 %	Tiered Volume	Cold snapshots
<input checked="" type="checkbox"/> vol3	svm_AFF1	200 GB	1 MB	0 B	716.8 KB 70 %	Tiered Volume	Cold snapshots

- Cloud Tiering now provides an aggregated view of data tiering from each of your on-premises clusters. This overview provides a clear picture of your environment and enables you to take proper actions. [Learn more about this page.](#)



Cloud Sync enhancements

- You can now manage data broker groups.

Grouping data brokers together can help improve the performance of sync relationships. Manage groups by adding a new data broker to a group, viewing information about data brokers, and more.

[Learn how to manage data brokers.](#)

- Cloud Sync now supports an ONTAP S3 Storage to ONTAP S3 Storage sync relationship.

[View the entire list of supported sources and targets.](#)

Cloud Manager 3.9 Update (18 Nov 2020)

Backup to Cloud is now supported on Cloud Volumes ONTAP in Google Cloud. Click [here](#) for details.

Note: Only single-node systems are currently supported.

Cloud Volumes ONTAP 9.8 (16 Nov 2020)

Cloud Volumes ONTAP 9.8 is available in AWS, Azure, and Google Cloud Platform. This release includes support for [HA pairs in GCP](#).



The GCP service account associated with the Connector [needs the latest permissions](#) to deploy an HA pair in GCP.

[Learn what else is new in Cloud Volumes ONTAP 9.8.](#)

Cloud Manager 3.9 update (8 Nov 2020)

We released an enhancement to Cloud Manager 3.9.

Cloud Compliance enhancements

- Now you can create custom personal data identifiers from your databases. This gives you the full picture about where potentially sensitive data resides in **all** your files.

A feature we call "Data Fusion" allows you to scan your files to identify whether unique identifiers from your databases are found in those files—basically making your own list of "personal data" that is identified in Cloud Compliance scans.

[Learn how to create custom personal identifiers from your databases.](#)

- Added support for scanning MySQL database schemas.

Go to [scanning database schemas](#) for the list of all supported databases and for instructions.

Cloud Manager 3.9 (3 Nov 2020)

- [Azure Private Link for Cloud Volumes ONTAP](#)
- [Active IQ cluster insights](#)
- [Cloud Tiering enhancements](#)

Azure Private Link for Cloud Volumes ONTAP

By default, Cloud Manager now enables an Azure Private Link connection between Cloud Volumes ONTAP and its associated storage accounts. A Private Link secures connections between endpoints in Azure.

- [Learn more about Azure Private Links](#)
- [Learn more about using an Azure Private Link with Cloud Volumes ONTAP](#)

Active IQ cluster insights

Active IQ cluster insights are now available within Cloud Manager. This initial release provides the following functionality:

- Shows a list of your on-prem clusters based on your NetApp Support Site (NSS) credentials.
- Identifies which of those clusters have been discovered within Cloud Manager, and those that have not been discovered.
- Enables you to view unused Cloud Volumes ONTAP licenses.
- Identifies if any of your discovered ONTAP clusters need to have their shelf or disk firmware updated.

Go to [Monitoring ONTAP clusters](#) for details. This information is provided to Cloud Manager from the [Active IQ Digital Advisor](#).

Cloud Tiering enhancements

- When you set up data tiering from your volumes, Cloud Tiering now identifies the Snapshot used size for each volume. This information can help you decide which type of data to tier to the cloud.

Volume Name	SVM Name	Volume Size	Used Size	Snapshot used size	Cold Data (Estimated)	Tier Status	TieringPolicy
Volume 1	SVMNameB...	462 TB	100 TB	50 TB	70 TB 70%	Available for Tiering	Cold User Data

- Cloud Tiering now enables inactive data reporting on HDD aggregates, if the cluster is running ONTAP 9.6 or later.

This enhancement makes it easier for Cloud Tiering to show you the potential savings from tiering cold data.

- Cloud Tiering now prompts you to change thick-provisioned volumes to thin-provisioned volumes, if that's required to enable data tiering on the volumes in an aggregate.

Cloud Manager transition to SaaS

We've introduced a software-as-a-service experience for Cloud Manager. This new experience makes it easier for you to use Cloud Manager and enables us to provide additional features to manage your hybrid cloud infrastructure.

The previous Cloud Manager experience

Cloud Manager software was previously comprised of a user interface and a management layer that sent requests to cloud providers. To get started, you would deploy Cloud Manager in your cloud network or on-premises network and then access the user interface that runs on that instance.

That experience has changed.

The new SaaS experience

The Cloud Manager interface is now accessible through a SaaS-based user interface that you log in to from NetApp Cloud Central. You no longer need to access a user interface from software that runs in your network.


In most cases, you need to deploy a *Connector* in your cloud or on-premises network. The Connector is software that's needed to manage Cloud Volumes ONTAP and other cloud data services. (The Connector is actually the same as the existing Cloud Manager software that you have installed.)

Benefits


This SaaS-based approach provides several benefits:

- It enables us to offer additional management capabilities for Azure NetApp Files and Cloud Volumes Service without needing to deploy software in your environment.
- You can easily switch between your Cloud Central accounts.

If a user is associated with multiple Cloud Central accounts, they can change to a different account at any time from the User Settings menu. They can then see the Connectors and working environments that are associated with that account.



- You can easily switch between Connectors (what you know today as the Cloud Manager software) that are installed in different networks or different cloud providers.




The local user interface

While you should perform almost all tasks from the SaaS user interface, a local user interface is still available on the Connector. This interface is needed for a few tasks that need to be performed from the Connector itself:

- Setting a proxy server
- Installing a patch
- Downloading AutoSupport messages

You can access the local user interface directly from the SaaS user interface:



Instance, VM, and machine type changes

To ensure that adequate resources are available for new and upcoming features in Cloud Manager, we've changed the minimum required instance, VM, and machine type as follows:

- AWS: t3.xlarge
- Azure: DS3 v2
- GCP: n1-standard-4

When you upgrade the machine type, you'll get access to features like a new Kubernetes experience, Global File Cache, Monitoring, and more.

These default sizes are the minimum supported [based on CPU and RAM requirements](#).

Cloud Manager will prompt you with instructions to change the machine type of the Connector.

Known issues

Known issues identify problems that might prevent you from using this release of the product successfully.

There are no known issues in this release of Cloud Manager.

You can find known issues for Cloud Volumes ONTAP in the [Cloud Volumes ONTAP Release Notes](#) and for ONTAP software in general in the [ONTAP Release Notes](#).

Known limitations

Known limitations identify platforms, devices, or functions that are not supported by this release of the product, or that do not interoperate correctly with it. Review these limitations carefully.

Connectors should remain running

A Connector should remain running at all times. It's important for the continued health and operation of the services that you enable.

For example, a Connector is a key component in the health and operation of Cloud Volumes ONTAP PAYGO systems. If a Connector is powered down, Cloud Volumes ONTAP PAYGO systems will shut down after losing communication with a Connector for longer than 14 days.

SaaS platform is disabled for Government regions

If you deploy a Connector in an AWS GovCloud region, an Azure Gov region, or an Azure DoD region, access to Cloud Manager is available only through a Connector's host IP address. Access to the SaaS platform is disabled for the entire account.

This means that only privileged users who can access the end-user internal VPC/VNet can use Cloud Manager's UI or API.

It also means that the following services aren't available from Cloud Manager:

- Cloud Compliance
- Kubernetes
- Cloud Tiering
- Global File Cache
- Monitoring (Cloud Insights)

The SaaS platform is required to use these services.

Shared Linux hosts are not supported

The Connector isn't supported on a host that is shared with other applications. The host must be a dedicated host.

Cloud Manager does not support FlexGroup volumes

While Cloud Volumes ONTAP supports FlexGroup volumes, Cloud Manager does not. If you create a FlexGroup volume from System Manager or from the CLI, then you should set Cloud Manager's Capacity Management mode to Manual. Automatic mode might not work properly with FlexGroup volumes.

Copyright Information

Copyright © 2020 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.