


ho assegnato i tre indirizzi ip come da esercizio





```
TX packets:123 errors:0 dropped:0 overruns:0 carrier:0
collisions:0 txqueuelen:0
RX bytes:27459 (26.8 KB) TX bytes:27459 (26.8 KB)

msfadmin@metasploitable:~$ ifconfig
eth0      Link encap:Ethernet  HWaddr 08:00:27:aa:c2:b0
          inet addr:192.168.50.101  Bcast:192.168.50.255  Mask:255.255.255.0
          inet6 addr: fe80::a00:27ff:feaa:c2b0/64 Scope:Link
          UP BROADCAST RUNNING MULTICAST  MTU:1500  Metric:1
          RX packets:26 errors:0 dropped:0 overruns:0 frame:0
          TX packets:80 errors:0 dropped:0 overruns:0 carrier:0
          collisions:0 txqueuelen:1000
          RX bytes:3975 (3.8 KB) TX bytes:6334 (6.1 KB)
          Base address:0xd020 Memory:f0200000-f0220000

lo        Link encap:Local Loopback
          inet addr:127.0.0.1  Mask:255.0.0.0
          inet6 addr: ::1/128 Scope:Host
          UP LOOPBACK RUNNING  MTU:16436  Metric:1
          RX packets:132 errors:0 dropped:0 overruns:0 frame:0
          TX packets:132 errors:0 dropped:0 overruns:0 carrier:0
          collisions:0 txqueuelen:0
          RX bytes:31639 (30.8 KB) TX bytes:31639 (30.8 KB)

msfadmin@metasploitable:~$
```





ed infine ho fatto il test del ping che allego di seguito

```
kali@kali: ~  
File Actions Edit View Help  
TX packets 127  bytes 11462 (11.1 KiB)  
TX errors 0  dropped 0 overruns 0  carrier 0  collisions 0  
  
lo: flags=73<UP,LOOPBACK,RUNNING>  mtu 65536  
  inet 127.0.0.1  netmask 255.0.0.0  
  inet6 ::1  prefixlen 128  scopeid 0<host>  
  loop txqueuelen 1000  (Local Loopback)  
RX packets 39  bytes 4160 (4.0 KiB)  
RX errors 0  dropped 0  overruns 0  frame 0  
TX packets 39  bytes 4160 (4.0 KiB)  
TX errors 0  dropped 0 overruns 0  carrier 0  collisions 0  
  
(kali@kali)-[~]  
$ ping 192.168.50.101  
PING 192.168.50.101 (192.168.50.101) 56(84) bytes of data.  
64 bytes from 192.168.50.101: icmp_seq=1 ttl=64 time=1.28 ms  
64 bytes from 192.168.50.101: icmp_seq=2 ttl=64 time=1.40 ms  
64 bytes from 192.168.50.101: icmp_seq=3 ttl=64 time=0.529 ms  
64 bytes from 192.168.50.101: icmp_seq=4 ttl=64 time=0.775 ms  
64 bytes from 192.168.50.101: icmp_seq=5 ttl=64 time=1.63 ms  
64 bytes from 192.168.50.101: icmp_seq=6 ttl=64 time=2.87 ms  
64 bytes from 192.168.50.101: icmp_seq=7 ttl=64 time=1.72 ms  
64 bytes from 192.168.50.101: icmp_seq=8 ttl=64 time=1.46 ms  
64 bytes from 192.168.50.101: icmp_seq=9 ttl=64 time=1.08 ms  
64 bytes from 192.168.50.101: icmp_seq=10 ttl=64 time=1.14 ms  
█
```



Trash



File System



Home

```
kali@kali: ~  
File Actions Edit View Help  
(kali@kali)~  
$ ping 192.168.50.102  
PING 192.168.50.102 (192.168.50.102) 56(84) bytes of data.  
64 bytes from 192.168.50.102: icmp_seq=1 ttl=128 time=1.32 ms  
64 bytes from 192.168.50.102: icmp_seq=2 ttl=128 time=0.494 ms  
64 bytes from 192.168.50.102: icmp_seq=3 ttl=128 time=1.22 ms  
█
```