






















BLUE MASIRAH[®] (Plablu 1525)
YIELD


Blue Masirah® production calendar

	Jan.	Feb.	Mar.	Apr.	May.	Jun.	Jul.	Aug.	Sep.	Oct.	Nov.	Dec.
Mediterranean countries												
Mexico												
Southern Africa												
Peru												
China												


| YIELD



Average production
first year:
20,000 Kg/ha




Average production
second year:
24,000 Kg/ha



Average production
third year:
30,000 Kg/ha



Brix:
17°



Shelf life:
>4 weeks




Caliber:
L - 20 mm



Bloom:
High

ADDITIONAL INFORMATION



Orders must be placed 12 months in advance of the planting date to ensure delivery of planting material.



Blue Masirah® can be planted all year round avoiding periods of extreme temperatures.



The average recommended planting density is 4,000 - 5,500 plants/ha.





PLANASA.COM

"The data and results contained in this document are for information purposes only and are NOT CONTRACTUAL. These data have been obtained under specific and controlled conditions. Plants belong to the domain of the living and are affected, in their productive process, by a plurality of factors such as climatic and geographical conditions, field management or soil characteristics. Therefore, Planasa DOES NOT GUARANTEE that the results of your operation will be obtained, even if the indications contained herein have been followed. We recommend that you make an appointment with a Planasa technical advisor to visit a nearby farm and evaluate the planting of the variety".