# Python From Scratch

## Python Data Types & Python Numbers & Python Casting

## Lesson 3 Content

## Python Data Types

- Built-in Data Types
- Getting the Data Type
- Setting the Data Type
- Setting the Specific Data Type
- Test Yourself With Exercises

## **Python Numbers**

- Numeric types in Python
  - > int
  - > float
  - > Complex
- Type Conversion
- Random Number
- Test Yourself with Exercises

## **Python Casting**

- Specify a Variable Type
- Constructor functions
  - > int()
  - float()
  - > str()

## **Python Data Types**

## **Built-in Data Types**

In programming, data type is an important concept.

Variables can store data of different types, and different types can do different things.

#### Python has the following data types built-in by default, in these categories:

| Text Type:      | str                 | Set Types:    | set, frozenset               |
|-----------------|---------------------|---------------|------------------------------|
| Numeric Types:  | int, float, complex | Boolean Type: | bool                         |
| Sequence Types: | list, tuple, range  | Binary Types: | bytes, bytearray, memoryview |
| Mapping Type:   | dict                | None Type:    | NoneType                     |

## **Getting the Data Type**

You can get the data type of any object by using the type() function:

### **Example**

Print the data type of the variable x:

```
x = 5
print(type(x))
```

## **Setting the Data Type**

In Python, the data type is set when you assign a value to a variable:

| Example                           | Data Type Example |  | Data Type  |
|-----------------------------------|-------------------|--|------------|
| x = "Hello World"                 | str               | x = {"apple", "banana", "cherry"}            | set        |
| x = 20                            | int               | x = frozenset({"apple", "banana", "cherry"}) | frozenset  |
| x = 20.5                          | float             | x = True                                     | bool       |
| x = 1j                            | complex           | x = b"Hello"                                 | bytes      |
| x = ["apple", "banana", "cherry"] | list              | x = bytearray(5)                             | bytearray  |
| x = ("apple", "banana", "cherry") | tuple             | x = memoryview(bytes(5))                     | memoryview |
| x = range(6)                      | range             | x = None                                     | NoneType   |
| x = {"name" : "John", "age" : 36} | dict              |  |            |

## **Setting the Specific Data Type**

If you want to specify the data type, you can use the following constructor functions:

| Example                                 | Data Type | Example                                      | Data Type  |
|---|-----------|--|------------|
| x = str("Hello World")                  | str       | x = dict(name="John", age=36)                | dict       |
| x = int(20)                             | int       | x = set(("apple", "banana", "cherry"))       | set        |
| x = float(20.5)                         | float     | x = frozenset(("apple", "banana", "cherry")) | frozenset  |
| x = complex(1j)                         | complex   | x = bool(5)                                  | bool       |
| x = list(("apple", "banana", "cherry")) | list      | x = bytes(5)                                 | bytes      |
| x = tuple(("apple", "banana",           | tuple     | x = bytearray(5)                             | bytearray  |
| "cherry"))                              |           |  |            |
| x = range(6)                            | range     | x = memoryview(bytes(5))                     | memoryview |

## **Python Numbers**

## **Python Numbers**

There are three numeric types in Python:

• int
• float
• complex

• Variables of numeric types are created when you assign a value to them:

## **Example**

```
x = 1 # int

y = 2.8 # float

z = 1j # complex
```

• To verify the type of any object in Python, use the type() function:

## Example

```
print(type(x))
print(type(y))
print(type(z))
```

#### Int

Int, or integer, is a whole number, positive or negative, without decimals, of unlimited length.

## **Example**

## **Integers:**

```
x = 1
y
= 35656222554887711
z = -3255522
print(type(x))
print(type(y))
print(type(z))
```

#### **Float**

Float, or "floating point number" is a number, positive or negative, containing one or more decimals. can also be scientific numbers with an "e" to indicate the power of 10.

## **Example**

#### **Floats:**

```
x = 1.10
y = 1.0
z = -35.59
print(type(x))
print(type(y))
print(type(z))
```

## **Complex**

Complex numbers are written with a "j" as the imaginary part:

## **Example**

## **Complex:**

```
x = 3+5j
y = 5j
z = -5j
print(type(x))
print(type(y))
print(type(z))
```

## **Type Conversion**

You can convert from one type to another with the int(), float(), and complex() methods:

## **Example**

#### **Convert from one type to another:**

```
x = 1  # int
y = 2.8  # float
z = 1j  # complex

a = float(x)  #convert from int to float:
b = int(y)  #convert from float to int:
c = complex(x) #convert from int to complex:

print(a)
print(b)
print(b)
print(type(a))
print(type(b))
print(type(b))
```

**Note:** You cannot convert complex numbers into another number type.

#### **Random Number**

Python does not have a random() function to make a random number, but Python has a built-in module called random that can be used to make random numbers:

## **Example**

Import the random module, and display a random number between 1 and 9:

```
import random
print(random.randrange(1, 10))
```

In our Random Module Reference you will learn more about the Random module.

## **Python Casting**

## Specify a Variable Type

There may be times when you want to specify a type on to a variable. This can be done with casting. Python is an object-orientated language, and as such it uses classes to define data types, including its primitive types.

#### Casting in python is therefore done using constructor functions:

- int() constructs an integer number from an integer literal, a float literal (by removing all decimals), or a string literal (providing the string represents a whole number)
- float() constructs a float number from an integer literal, a float literal or a string literal (providing the string represents a float or an integer)
- str() constructs a string from a wide variety of data types, including strings, integer literals and float literals

## **Examples**

## **Integers:**

```
x = int(1) # x will be 1

y = int(2.8) # y will be 2

z = int("3") # z will be 3
```

### **Floats:**

```
x = float(1)  # x will be 1.0
y = float(2.8)  # y will be 2.8
z = float("3")  # z will be 3.0
w = float("4.2")  # w will be 4.2
```

## **Strings:**

```
x = str("s1") # x will be 's1'

y = str(2) # y will be '2'

z = str(3.0) # z will be '3.0'
```

#### **Test Yourself With Exercises**

## **Data Type Exercise:**

The following code example would print the data type of x, what data type would that be?

```
x = 5
print(type(x))
```

#### **Number Exercise:**

Insert the correct syntax to convert x into a floating point number.

$$x = 5$$

$$x = (x)$$