



The Official GitHub Training Manual

Table of Contents

Getting Started

Introduction	1.1
Goals	1.2
Prerequisites	1.3
The Modern Software Organization	1.4
Join our Class Repository	1.5
Core Concepts of Version Control	1.6

GitHub Flow

GitHub Flow	2.1
Creating an Issue	2.2
Creating a Branch	2.3
Making Changes	2.4
Opening a Pull Request	2.5
Collaborating on Pull Requests	2.6
Collaboration Questions	2.7
Merging Pull Requests	2.8

Pipeline

What is a Pipeline?	3.1
Create a Fork	3.2
Administrative Settings	3.3

Setup CI & CD

What are CI and CD?	4.1
Configure CI	4.2
Configure CD	4.3
Check Webhooks	4.4

End to End Test

GitHub Flow in the Fork	5.1
Interacting with Integrations	5.2

Connecting the Dots

Reviewing the pipeline	6.1
Technical Possibilities	6.2

Real World Work

Workflows	7.1
Team Activity	7.2

Appendix

More Resources	8.1
----------------	-----

Welcome to GitHub

Today you will embark on an exciting new adventure: learning how to use Git and GitHub.

As we move through today's materials, please keep in mind: this class is for you! Be sure to follow along, try the activities, and ask lots of questions!

License

The prose, course text, slide layouts, class outlines, diagrams, HTML, CSS, and Markdown code in the set of educational materials located in this repository are licensed as [CC BY 4.0](#). The Octocat, GitHub logo and other already-copyrighted and already-reserved trademarks and images are not covered by this license.

For more information, visit: <http://creativecommons.org/licenses/by/4.0/>

Goals for this course

During our time together, we are going to discuss common workflows on GitHub with hands on walkthroughs of industry software development pipelines from start to finish. GitHub is the platform which connects all of the important tools in your software development lifecycle. We will:

- Discuss and dissect different workflows
- Explore software development past version control
- Hands on activities and Workflows
- Create a full pipeline, and design future pipelines
- Create, discuss, and problem solve with different workflow challenges
- Practice mapping workflows

By the end of this course, you'll see that GitHub goes far beyond version control.

Prerequisites

This one-day class leads participants through common situations with GitHub, graphical clients, and file versioning. Participants will learn how to use version control without touching the command line and discover solutions in working with a variety workflows, tools, and user perspectives.

Be sure to follow the prerequisite(s) below before coming to the workshop to get started.

-  **GitHub.com Account.** If you don't already have an account with GitHub, sign up and create a new account at <https://github.com/join> before the workshop.
-  **Heroku Account.** If you don't already have an account with Heroku, sign up and create a new account at <https://signup.heroku.com/login> before the workshop.
-  **CircleCI Account.** If you don't already have an account with CircleCI, sign up and create a new account at <https://circleci.com/> before the workshop.
-  **Internet Access.**
-  Your favorite browser, but it has to be one of the following: [Chrome](#), [Firefox](#), [Safari](#), [Microsoft Edge](#) or [Internet Explorer 11](#).
-  Download and install [GitHub Desktop](#).
-  Log in to both **GitHub** and **Heroku** just before the workshop begins.

The Modern Software Organization

Software has become a critical component of every business. Software is embedded in the product, responsible for tasks like running the machines that make the product, managing logistics, or actually *being* the product. Reliability and shortened release cycles are a competitive advantage in a quickly changing technological environment.

Successful development teams have had to change their paradigms for how they work over time. The complexity of software is increasing, and teams are more reliant on one another to solve problems and evaluate potential solutions. Evolving organizational structures and international geography are making it more difficult to get the right people in the room. And, Open Source is changing how we think about IP.

Whether you're aware of it or not, source code management impacts your business. How you protect your source code matters. Does it facilitate collaborative workflows, or does it make it harder for developers to work? You have an opportunity and an responsibility to provide assurances of code quality and speed up release cycles, all of which is tightly related to your source code.

The GitHub Ecosystem

Rather than force you into a "one size fits all" ecosystem, GitHub strives to be a place of reliability and discovery, bringing all of your favorite tools together alongside exciting new prospects. For more information on integrations, check out <https://github.com/integrations>. Find even more tools at <https://github.com/works-with>.

GitHub Marketplace

Tools to build on and improve your workflow



GitLocalize

Localized and up-to-date, all the time.
Never get lost in translation again.



StyleCI

Continuous integration with a difference



Sentry

Real-time, cross-platform crash reporting and error logging



Rollbar

Real-time, full-stack error monitoring and alerting for developers

Search Marketplace

Name or description

Categories

- Code quality
- Code review
- Continuous integration
- Dependency management
- Localization
- Monitoring
- Project management

Recently added

The latest apps that help you and your team build software better, together.



StyleCI
The PHP Coding Style Continuous Integration Service



WakaTime
Personal metrics generated from your programming



Coveralls
Ensure that new code is fully covered, and see coverage trends emerge. Works with any CI service.



Gemnasium
Gemnasium keeps your applications



Better Code Hub
Your Definition of Done for Code Quality



Code Climate
Technical debt and test coverage reporting without ever leaving GitHub



GitLocalize
Localize your project, with all updates

Join our Class Repository

For the next exercises, navigate to the class repository. To be added as a **collaborator**, please find issue #1 and leave a comment.

In the meantime, while you're navigating...

What's your name?

What team do you work on?

What types of software systems are you managing (e.g. embedded software, business systems, developer operations, SaaS, etc)?

How do you use GitHub now?


How do you want to improve on that by the time this course is over?

Git and GitHub

We will start by introducing you to Git, GitHub, and the collaboration features you will use to get things done. Even if you have used GitHub in the past, this information will provide a better understanding of how to implement Git and GitHub within your organization or team to build better software together.

What is GitHub?

GitHub is a collaboration platform built on top of a distributed version control system called Git.



In addition to being a place to host and share your Git projects, GitHub provides a number of features to help you and your team collaborate more effectively. These features include:

- Issues
- Pull Requests
- Projects
- Organizations and Teams

GitHub



What is Git?

Git is:

- a distributed version control system or DVCS.
- free and open source.
- designed to handle everything from small to very large projects with speed and efficiency.
- easy to learn and has a tiny footprint with lightning fast performance.

Git features cheap local branching, convenient staging areas, and multiple workflows.

As we begin to discuss Git (and what makes it special) it would be helpful if you could forget everything you know about other version control systems (VCSs) for just a moment. Git stores and thinks about information very differently than other VCSs.

We will learn more about how Git stores your code as we go through this class, but the first thing you will need to understand is how Git works with your content.

Snapshots, not Deltas

One of the first ideas you will need understand is that Git does not store your information as series of changes. Instead Git takes a snapshot of your repository at a given point in time. This snapshot is called a commit.

Optimized for Local Operations

Git is optimized for local operation. When you clone a copy of a repository to your local machine, you receive a copy of the entire repository and its history. This means you can work on the plane, on the train, or anywhere else your adventures find you!

Branches are Lightweight and Cheap

Branches are an essential concept in Git.

When you create a new branch in Git, you are actually just creating a pointer that corresponds to the most recent snapshot in a line of work. Git keeps the snapshots for each branch separate until you explicitly tell it to merge those snapshots into the main line of work.


Git is Explicit

Which brings us to our final point for now; Git is very explicit. It does not do anything until you tell it to. No auto-saves or auto-syncing with the remote, Git waits for you to tell it when to take a snapshot and when to send that snapshot to the remote.

Exploring a GitHub Repository

A repository is the most basic element of GitHub. It is easiest to imagine as a project's folder. However, unlike an ordinary folder on your laptop, a GitHub repository offers simple yet powerful tools for collaborating with others.

A repository contains all of the project files (including documentation), and stores each file's revision history. Whether you are just curious or you are a major contributor, knowing your way around a repository is essential!



User Accounts vs. Organization Accounts

There are two account types in GitHub, user accounts and organization accounts. While there are many differences in these account types, one of the more notable differences is how you handle permissions.

User Accounts

When you signed up for GitHub, you were automatically given a user account. Permissions for a user account are simple, you add people as collaborators to specific repositories to give them full read-write access to the project.

Organization Accounts

Organization accounts provide more granular control over repository permissions. In an organization account you create teams of people and then give those teams access to specific repositories. Permissions can be assigned at the team level (e.g, read, write, or admin).

Repository Navigation

Code

The code view is where you will find the files included in the repository. These files may contain the project code, documentation, and other important files. We also call this view the root of the project. Any changes to these files will be tracked via Git version control.

Issues

Issues are used to track bugs and feature requests. Issues can be assigned to specific team members and are designed to encourage discussion and collaboration.

Pull Requests

A Pull Request represents a change, such as adding, modifying, or deleting files, which the author would like to make to the repository. Pull Requests help you write better software by facilitating code review and showing the status of any automated tests.

Projects

Projects allow you to visualize your work with Kanban style boards. Projects can be created at the repository or organization level.

Wiki

Wikis in GitHub can be used to communicate project details, display user documentation, or almost anything your heart desires. And of course, GitHub helps you keep track of the edits to your Wiki!

Pulse & Graphs

Pulse is your project's dash board. It contains information on the work that has been completed and the work in progress. Graphs provide a more granular view into the repository activity, including who has contributed, when the work is being done, and who has forked the repository.

README.md

The README.md is a special file that we recommend all repositories contain. GitHub looks for this file and helpfully displays it below the repository. The README should explain the project and point readers to helpful information within the project.

CONTRIBUTING.md

The CONTRIBUTING.md is another special file that is used to describe the process for collaborating on the repository. The link to the CONTRIBUTING.md file is shown when a user attempts to create a new issue or pull request.

ISSUE_TEMPLATE.md and PULL_REQUEST_TEMPLATE

The ISSUE_TEMPLATE.md and the PULL_REQUEST_TEMPLATE.md are used to generate templated starter text for your project issues and pull requests. Any time someone opens an issue or pull request, the content in the template will be pre-populated in the body of the issue or pull request.

Using GitHub Issues

In GitHub, you will use issues to record and discuss ideas, enhancements, tasks, and bugs. Issues make collaboration easier by:

- Replacing email for project discussions, ensuring everyone on the team has the complete story, both now and in the future.
- Allowing you to cross-link to related issues and pull requests.
- Creating a single, comprehensive record of how and why you made certain decisions.
- Allowing you to easily pull the right people into a conversation with @ mentions and team mentions.

Using Markdown

GitHub uses a syntax called **Markdown** to help you add basic text formatting to Issues, Pull Requests, and files with the `.md` extension.

Commonly Used Markdown Syntax

Header

The `#` indicates a Header. `#` = Header 1, `##` = Header 2, etc.

* List item

A single `*` or `-` followed by a space will create a bulleted list.

Bold item

Two asterix `**` on either side of a string will make that text bold.

- [] Checklist

A `-` followed by a space and `[]` will create a handy checklist in your issue or pull request.

@mention

When you @mention someone in an issue, they will receive a notification - even if they are not currently subscribed to the issue or watching the repository.

#975

A `#` followed by the number of an issue or pull request (without a space) in the same repository will create a cross-link.

:smiley:

Tone is easily lost in written communication. To help, GitHub allows you to drop emoji into your comments. Simply surround the emoji id with `:`.

Introduction to GitHub Pages

GitHub Pages enable you to host free, static web pages directly from your GitHub repositories. Several of the projects we use in class will use GitHub Pages as the


deployment strategy. We will barely scratch the surface in this class, but there are a few things you need to know:

- You can create two types of websites, a user/organization site or a project site. We will be working with project websites.
- For a project site, GitHub will only serve the content on a specific branch. Depending on the settings for your repository, GitHub can serve your site from a `master` or `gh-pages` branch, or a `/docs` folder on the `master` branch.
- The rendered sites for our projects will appear at `githubschool.github.io/repo-name`.

Understanding the GitHub flow

In this section, we discuss the collaborative workflow enabled by GitHub.

The Essential GitHub Workflow



The GitHub flow is a lightweight workflow that allows you to experiment with new ideas safely, without fear of compromising a project.

Branching is a key concept you will need to understand. Everything in GitHub lives on a branch. By default, the "blessed" or "canonical" version of your project lives on a branch called `master`. This branch can actually be named anything, as we will see in a few minutes.

When you are ready to experiment with a new feature or fix an issue, you create a new branch of the project. The branch will look exactly like `master` at first, but any changes you make will only be reflected in your branch. Such a new branch is often called a "feature" branch.

As you make changes to the files within the project, you will commit your changes to the feature branch.

When you are ready to start a discussion about your changes, you will open a pull request. A pull request doesn't need to be a perfect work of art - it is meant to be a starting point that will be further refined and polished through the efforts of the project team.

When the changes contained in the pull request are approved, the feature branch is

merged onto the master branch. In the next section, you will learn how to put this GitHub workflow into practice.

Exploring


Here are some interesting things you can check out later:

- guides.github.com/introduction/flow/ An interactive review of the GitHub Workflow.


Create an Issue

Let's create a tracking Issue to record our first item of work, which will be to create a file with your name.

1. In the repository's **Issues** tab, click **New issue**.




2. Enter a **Title** indicating you will create a file with your name on it.



. Example:

Create a new file - John

3. In the **Body** of the Issue, let's add a *Description* similar to the following



4. Click **Submit new issue**.

New issue · universeworkshop · GitHub

GitHub, Inc. [US] | https://github.com/universeworkshops/github-for-managers/issues/new

This repository Search Pull requests Issues Marketplace Explore

universeworkshops / github-for-managers

Code Issues 2 Pull requests 0 Projects 1 Wiki Insights

Watch 2 Star 0 Fork 0

Before you open an issue please review the [support](#) and [contributing](#) guidelines for this repository.

Create a new file - James

Write Preview AA B i ¶ ¶ @

I need to create a new file with my name.

Attach files by dragging & dropping, [selecting them](#), or pasting from the clipboard.

Styling with Markdown is supported

Submit new issue

The screenshot shows the GitHub 'New Issue' interface for the repository 'universeworkshops / github-for-managers'. The main input field for the issue title has a red box around it. The text area where the user types the issue description also has a red box around it. A red arrow points to the green 'Submit new issue' button at the bottom right of the form. The rest of the interface, including the header, sidebar, and footer, is shown without red boxes.

Activity: Creating A Branch with GitHub

Earlier you created an issue about the file you would like to edit. Let's create the branch you will use to edit your file.

Follow these steps to create a new branch in the class repository:

You will need to have collaborator access on the class repository before you can create a branch on GitHub.

1. Navigate to *Code* tab of the class repository.
2. Click the *branch dropdown*.
3. Enter the branch name '`github-username-hometown`'.
4. Press **Enter**.

When you create a new branch on GitHub, you are automatically switched to your branch. Now, any changes you make to the files in the repository will be applied to this new branch.

A word of caution. When you return to the repository or click the top level repository link, notice that GitHub automatically assumes you want to see the items on the default branch. If you want to continue working on a feature branch, you will need to reselect it using the branch dropdown.

Create a File

1. In the repository's **Code** tab, navigate to the `hometown` folder.
2. While in the `hometown` folder, click **Create new file**.
3. On the **Create new file** screen, be sure to provide a new filename.
4. In the **Edit new file** box, type some info about your hometown, for example:

```
The best restaurant in Olathe, KS is Joe's Kansas City BBQ.
```

5. Scroll down to the **Propose new file** section and provide a commit message.


Example:

```
Adding my file
```


6. Click **Propose new file**.

Open a Pull Request

1. The next screen will show the creation of the Pull Request, with some info about the specifics of your proposed change. Click **Create pull request**. A **Pull Request** will be opened for this proposed change.




2. You may be presented with a body of text where you can add and remove as you see necessary. This is where you tell the repository owner a bit more about your change. If asked, click **Create pull request**.



There are many important traceability and tracking aspects with Issues and Pull Requests, including:

- Linking to Issues
- Code Review
- Assignment
- Label(s)
- Milestone
- Project Visualization



Collaborating on Pull Requests

Exploring a Pull Request

Now that we have created a Pull Request, let's explore a few of the features that make Pull Requests the center of collaboration:

Conversation view

Similar to the discussion thread on an Issue, a Pull Request contains a discussion about the changes being made to the repository. This discussion is found in the Conversation tab and also includes a record of all of the commits made on the branch as well as assignments, labels and reviews that have been applied to the pull request.

Commits view

The commits view contains more detailed information about who has made changes to the files. Clicking each commit ID will allow you to see the changes applied in that specific commit.

Files changed view

The Files changed view allows you to see cumulative effect of all the changes made on the branch. We call this the `diff`. Our diff isn't very interesting yet, but as we make changes your diff will become very colorful.

Code Review in Pull Requests

To provide feedback on proposed changes, GitHub offers three levels of commenting:

General Conversation

You can provide general comments on the Pull Request within the *Conversation* tab.

Line Comments

In the files changed view, you can hover over a line to see a blue + icon. Clicking this icon will allow you to enter a comment on a specific line. These line level comments are a great way to give additional context on recommended changes. They will also be displayed in the conversation view.

Review

When you are making line comments, you can also choose to *Start a Review*. When you create a review, you can group many line comments together with a general message: Comments, Approve, or Request Changes. Reviews have special power in GitHub when used in conjunction with protected branches.

Activity: Code Review

One of the best ways to ensure code quality is to make peer reviews a part of every Pull Request. Let's review your partner's code now:

1. Click the *Pull Request* tab.
2. Use the *Author* drop down to locate your partner's pull request.
3. Click the *Files Changed* tab.
4. Hover over a single line in the file to see the blue +. Click the + to add a line comment.
5. Comment on the line and click *Start review*.
6. Repeat these steps to add 2-3 comments on the file.
7. Click *Review* in the top right corner.
8. Choose whether to *Approve* or *Request changes*
9. Enter a general comment for the review.
10. Click *Submit review*
11. Click the *Conversation* view to check out your completed review.

Key Collaboration Questions


- Is software essential to your business? Why?
- As software has proliferated every area of the business, how has that changed the way you must work as a development team?
- Given the importance of software to your success, how does source code management impact your business?

Merging Pull Requests

Now that you have made the requested changes, your pull request should be ready to merge.

Merge Explained

When you merge your branch, you are taking the content and history from your feature branch and adding it to the content and history of the `gh-pages` branch.



Many project teams have established rules about who should merge a pull request.

- Some say it should be the person who created the pull request since they will be the ones to deal with any issues resulting from the merge.
- Others say it should be a single person within the project team to ensure consistency.
- Still others say it can be anyone other than the person who created the pull request to ensure at least one review has taken place.

This is a discussion you should have with the other members of your team.

Merging Your Pull Request

Let's take a look at how you can merge the pull request.

1. Navigate to your Pull Request (HINT: Use the Author or Assignee drop downs to find your Pull Request quickly)
2. Click *Conversation*
3. Scroll to the bottom of the Pull Request and click the *Merge pull request* button

4. Click *Confirm merge*
5. Click *Delete branch*
6. Click *Issues* and confirm your original issue has been closed

GitHub offers three different merge strategies for Pull Requests:

- **Create a merge commit:** This is the traditional option that will perform a standard recursive merge. A new commit will be added that shows the point when the two branches were merged together.
- **Squash and merge:** This option will take all of the commits on your branch and compress them into a single commit. The commit messages will be preserved in the extended commit message for the commit, but the individual commits will be lost.
- **Rebase and merge:** This option will take all of the commits and replay them as if they just happened. This allows GitHub to perform a fast forward merge (and avoids the addition of the merge commit).

Software Development Pipeline

GitHub concepts are well documented features, but it is important to understand how developers do their work. Even new users to GitHub can set up a CI/CD development pipeline with little effort.

A pipeline is a concept of how your tools fit together, so the development process is seamless. The goals are to:

- Provide quick feedback to developers
- Automate as much as possible
- Deploy with higher quality code

These three smaller goals all fit together to accomplish a much larger and more abstract goal: to develop faster and better.

What tools do you use?


What tools are already in use in your organization? What tools have been used in the past, or may be used in the future? GitHub provides a centralized "Hub" where all of these tools can be connected so developers can see all of the important puzzle pieces connected where they're working.

Fork the Class Repository

To practice creating a pipeline, let's set up our own personal workspace. To create our workspace we will **fork** the [github-for-managers](#) repository. A **fork** is effectively a copy of a project you can use to freely experiment without affecting the original project.

Although some organizations are still using the fork method to ensure security about what gets merged into the master branch, many organizations are beginning to use "protected branches" to minimize risk while merging pull requests.

1. Navigate to the workshop repository at
<https://github.com/universeworkshops/github-for-managers>.
2. In the top-right-hand corner, click **Fork**.



If asked, fork to your personal GitHub account.

3. You will then be taken to your forked repository where you can experiment. Notice the `forked from...` message in the top-left, and notice you can now see a **Settings** tab because you are the admin here.

Screenshot of a GitHub repository page for "JamesStudent / github-for-managers".

The repository was forked from [universeworkshops/github-for-managers](https://github.com/universeworkshops/github-for-managers).

Key statistics shown:

- 38 commits
- 3 branches
- 0 releases
- 3 contributors

The latest commit was made 3 hours ago by user **colossus9** with the message "Added spacing for readability".

The commit history includes the following entries:

File	Message	Time Ago
.github	Added spacing for readability	3 hours ago
app	Removing unneeded whitespace	4 days ago
bin	Let's try a new approach	9 months ago
config	Add books, scaffolding generator	9 months ago
db	Change update type	9 months ago
lib	initial commit	9 months ago
log	initial commit	9 months ago
public	initial commit	9 months ago
spec	Revert "Validate "Year" field"	6 months ago

Administration Settings

Every repository contains [administrative settings](#) for you to manage your project effectively, including (but not limited to) visibility, collaboration, and quality checking. Check out each of the settings to learn how you can fine tune your environment.

1. Let's protect the `master` branch. Click the repository's **Settings** tab, then **Branches**. Under **Protected branches** click the dropdown and select `master`.

The screenshot shows the GitHub repository settings for 'JamesStudent / github-for-managers'. The 'Branches' tab is selected. In the 'Protected branches' section, a red box highlights the 'Choose a branch...' dropdown, which is open to show a list of branches. A large red arrow points from the text above to this dropdown. The 'master' branch is highlighted with a red box. The GitHub interface includes standard navigation bars like 'Pull requests', 'Issues', 'Marketplace', and 'Explore' at the top, and footer links like 'Contact GitHub', 'API', 'Training', 'Shop', 'Blog', and 'About' at the bottom.

2. In the **Branch protection for `master`** page, check all available settings.

Protected branch - master

GitHub, Inc. [US] | https://github.com/JamesStudent/github-for-managers/settings/branches/master

This repository Search Pull requests Issues Marketplace Explore + ⚙️ ⌂

JamesStudent / github-for-managers forked from universeworkshops/github-for-managers

Watch 0 Star 0 Fork 1

Code Pull requests 0 Projects 0 Wiki Settings Insights

Branch protection for master

Protect this branch
Disables force-pushes to this branch and prevents it from being deleted.

Require pull request reviews before merging
When enabled, all commits must be made to a non-protected branch and submitted via a pull request with at least one approved review and no changes requested before it can be merged into master.

Dismiss stale pull request approvals when new commits are pushed
New reviewable commits pushed to a branch will dismiss pull request review approvals.

Require review from Code Owners
Require an approved review in pull requests including files with a designated code owner.

Require status checks to pass before merging
Choose which status checks must pass before branches can be merged into master. When enabled, commits must first be pushed to another branch, then merged or pushed directly to master after status checks have passed.

Require branches to be up to date before merging
This ensures the branch has been tested with the latest code on master.

Sorry, we couldn't find any status checks in the last week for this repository.
[Learn more about status checks on GitHub.](#)

Include administrators
Enforce all configured restrictions for administrators.

Save changes

What is CI/CD?


Continuous Integration and Continuous Deployment tools take manual tasks and do them automatically.

Why run tests? Why use CI?

- Test code automatically
- Add structure to development process
- Test driven development (TDD) isn't just the addition of random tests, but rather about building tests as software requirements
- Builds are done on separate servers by the CI services
- Other benefits include consistent configurations, battery of tests, reduces "works on my machine"


How does CI/CD work with GitHub?

- When used with GitHub, tests can be run automatically on branches and pull requests every time there is a new commit, and return a status through GitHub's API
- Tests are run in consistent environment based on your software's production environment
- Protected Branches can serve as a gate, keeping pull requests without passing tests from being merged



What is the difference between CI and CD?

- **CI:** Continuous integration
 - Continuous Integration is the practice of automatically kicking off tests with each push, rather than ad-hoc testing.
- **CD:** Continuous deployment
 - Code pushed to deployment automatically based on custom circumstances
 - Continuous Deployment is the practice of continuously deploying to production servers. In conjunction with CI, companies can move to a CD model by giving developers the freedom to deploy several times a day upon successful builds. Merging in and of itself isn't considered CD, unless it's tied to some deployment strategy (ex: Heroku automatically deploy anything that gets merged into master).
 - How do you deploy before merge? This can help us perform a better code review, and we can see our actual application deployment before merging to master .
- Though the concepts are different, CI and CD are frequently discussed and implemented together.
 - Typically CI and CD are implemented at the same time because many of the tasks are already defined. For example, a project may already have the tests written, and the steps for deployment. Once a CI/CD tool is introduced, it's simple to have them be done together.




Other Things to Think About


- Protected branches
 - On GitHub, you may want to set up protected branches when you set up CI/CD.
 - Protected branches block code from being merged in to the master branch on the remote before it passes a set of configurable requirements, like passing CI/CD tests and builds, or having approved reviews.
- Automatic deploys
 - With CI/CD, you can also set up deploys to happen automatically when code passes the tests on the master branch.
 - Much like many integrations work with GitHub, many deployment options work with CI/CD services.
 - One example is Heroku. You could configure a project on Heroku with a CI/CD service, and whenever a build passes on the master branch, deployment to Heroku would be streamlined and taken care of automatically.

Configure CI


1. Open a new tab, go to <https://circleci.com> and click **Log In**.



2. Click **Sign in with GitHub**.




3. Click **Authorize circleci**.




- After authorization, you can access the CircleCI app at <https://circleci.com/dashboard>.


- Note:** If you are already a member of multiple GitHub orgs, you need to select your username in the dropdown at the top of the page.



5. On the left side, click **Projects** and then click **Add Project**.



6. Next to **github-for-managers**, click **Setup project**.



7. Make the selections for setting up the project.

- o For **Operating System**, select **Linux**

- For **Platform**, select **2.0**
- For **Language**, select **Ruby**
- Click **Start building**

8. After up to four minutes, your CircleCI tests should pass 🎉🎉🎉

The screenshot shows the CircleCI web interface with the following details:

- Project:** colossus9
- Build ID:** 7
- Status:** RUNNING (highlighted with a red box)
- Started:** 00:44 ago
- Estimated:** 01:35
- Previous:** 6
- Parallelism:** 1x out of 4x
- Queued:** 01:08 waiting + 00:00 in queue
- Triggered by:** James Garcia (updated project settings)
- Commits:** (1) James Garcia GitHub -o b01ecb0 Merge pull request #2 from colossus9/codeowners-update
- Queue (01:09):** Queue via SSH
- Configuration:** Configuration
- INFRASTRUCTURE:**
 - Start container
 - Enable SSH

Configure CD

Configuring Heroku and GitHub

First, let's connect [Heroku to GitHub](#).

1. Open a new tab, go to the Heroku dashboard at <https://dashboard.heroku.com> and Log In.

Open a new tab to heroku.com

HEROKU Products Elements Pricing Documentation Support More

MOVE FAST

Unleash your inner startup

Choose Heroku for the same reasons disruptive startups do: it's the best platform for building with modern architectures, innovating quickly, and scaling precisely to meet demand.

SIGN UP FOR FREE

Explore Heroku Customers

dreamforce Visit Heroku at Dreamforce NOVEMBER 6-9, 2017 SAN FRANCISCO, CA LEARN MORE

James

Secure | <https://id.heroku.com/login>

Log in to your account

colossus9@github.com

.....

Log In

New to Heroku? [Sign Up](#)

[Log in via SSO](#) [Forgot your password?](#)

- If you haven't yet, register for a new Heroku account. You will be sent a confirmation email.



Thanks for signing up with Heroku! You must follow this link to activate your account:

<https://id.heroku.com/account/accept/>

Have fun, and don't hesitate to contact us with your feedback.

The Heroku Team


<https://heroku.com>

Heroku is the cloud platform for rapid deployment and scaling of web applications. Get up and running in minutes, then deploy instantly via Git.

To learn more about Heroku and all its features, check out the Dev Center:

<https://devcenter.heroku.com/articles/quickstart>


2. Click **New > Create new app**.




3. For the **App name**, enter `my-awesome-book-app-GITHUB_USERNAME`. Heroku app names must be unique so append `-GITHUB_USERNAME` to the name.

The screenshot shows the 'Create New App' interface. It includes fields for 'App name' (containing 'my-awesome-book-app'), 'Choose a region' (set to 'United States'), and a section for adding the app to a pipeline. This pipeline section includes a 'Create new pipeline' button, a 'Name the pipeline' field (containing 'my-awesome-book-app'), and a 'Choose a stage to add this app to' dropdown (set to 'staging'). A red arrow points to the 'Create app' button at the bottom of the form.

4. Click **Add to pipeline**, then select **Create new pipeline**. Leave the defaults and click **Create app**.




5. In the Heroku Deploy tab, for the **Deployment method** select GitHub and Connect to GitHub.




6. Log in if prompted, but it should take your already logged-in session, where you can

click **Authorize heroku**.




7. After authenticating Heroku to GitHub, type `github-for-managers` in the text box and click **Search**. Our repository should be displayed, then click **Connect**.




Configuring Heroku Review Apps

Now, let's enable [Heroku Review Apps](#). When a Pull Request is opened, each new commit can trigger automatic test deployments in an isolated environment, called Review Apps in Heroku.


1. Go to the Heroku dashboard at <https://dashboard.heroku.com>. Select **my-awesome-book-app-GITHUB_USERNAME**.




2. Click Enable Review Apps




3. In the box that pops onto your screen, select both options.
4. Select Create new review apps for new pull requests automatically.



5. Select Destroy stale review apps automatically.



6. Click **Enable**.



Webhooks on GitHub

Check out the new Webhook created in your GitHub repository. [Webhooks are a powerful tool for streamlining your development pipeline](#), and allow you to build or set up GitHub Apps which subscribe to certain events on GitHub.com. GitHub Apps and integrations use Webhooks, but individual developers and teams can also use Webhooks to customize their workflow.

1. Go to the repository's **Settings** tab, then select **Webhooks** to see that it was automatically created when you authorized it.

The screenshot shows the GitHub repository settings page for 'colossus9 / github-for-managers'. The 'Webhooks' tab is selected, highlighted with a red box. On the right, there is a list of webhooks, with the first one, 'https://circleci.com/hooks/github (commit_comment, creat...)', also highlighted with a red box. The 'Edit' and 'Delete' buttons next to the webhook are visible. The top navigation bar shows the repository name and a 'Settings' tab, which is also highlighted with a red box. The bottom of the page includes standard GitHub footer links like Report bug, Contact GitHub, API, Training, Shop, Blog, and About.

End-to-End Test

Now we have CI/CD setup for our app. Let's try it out!

1. Navigate back to your GitHub repository **fork** and select the **Code** tab.

The screenshot shows a GitHub fork repository for 'colossus9/github-for-managers'. The 'Code' tab is highlighted with a red box. A large red arrow points to the commit for the 'app' folder, which has a red box around it. The commit details are as follows:

Commit	Message	Time Ago
colossus9 Merge pull request #2 from colossus9/codeowners-update	Latest commit b01ecb0 15 hours ago	
.github	Adding new group members to the list	15 hours ago
app	Removing unneeded whitespace	3 days ago
bin	Let's try a new approach	9 months ago
config	Add books, scaffolding generator	9 months ago
db	Change update type	9 months ago
lib	initial commit	9 months ago
log	initial commit	9 months ago
public	initial commit	9 months ago
spec	Revert "Validate "Year" field"	6 months ago

2. Go to the file `app/models/book.rb` and click the pencil icon to edit it.

The screenshot shows a GitHub repository page for 'github-for-managers'. The 'Code' tab is selected, highlighted with a red box. A large red arrow points to the 'app' folder in the commit history, which is also highlighted with a red box. The commit history lists several changes made to the 'app' directory.

Commit	Message	Date
.github	Adding new group members to the list	15 hours ago
app	Removing unneeded whitespace	3 days ago
bin	Let's try a new approach	9 months ago
config	Add books, scaffolding generator	9 months ago
db	Change update type	9 months ago
lib	initial commit	9 months ago
log	initial commit	9 months ago
public	initial commit	9 months ago
spec	Revert "Validate "Year" field"	6 months ago

The screenshot shows a GitHub repository page for 'github-for-managers/app/models'. The 'Code' tab is selected, highlighted with a red box. A large red arrow points to the 'book.rb' file in the commit history, which is also highlighted with a red box. The commit history lists several changes made to the 'models' directory.

Commit	Message	Date
..	initial commit	9 months ago
concerns	initial commit	9 months ago
application_record.rb	initial commit	9 months ago
book.rb	Removing unneeded whitespace	3 days ago

3. On Line 3, uncomment the line by deleting the `#` character at the beginning.


A screenshot of a web browser displaying a GitHub repository page. The URL is https://github.com/colossus9/github-for-managers/blob/master/app/models/book.rb. The page shows the file content with 15 lines (13 sloc) and 306 Bytes. At the top right of the code preview area, there is a red circle around the edit icon (pencil symbol). The code itself is:

```
1 class Book < ApplicationRecord
2   validates :title, presence: true
3   #validates :year_published, numericality: { only_integer: true }
4
5   def old?
6     return false unless year_published
7     if
8       Date.current.year - year_published.to_i > 25
9       return true
10    else
11      return false
12    end
13  end
14 end
```

A screenshot of a web browser displaying the GitHub file edit interface for book.rb. The URL is https://github.com/colossus9/github-for-managers/edit/master/app/models/book.rb. The code editor shows the same content as the previous screenshot, but the line 'validates :year_published, numericality: { only_integer: true }' is highlighted with a red box. The edit icon at the top right of the code preview area is also circled in red.

4. Scroll down to the **Commit changes** section. Add a commit message, using the following as an example:


```
```
Adding new test for the app
```
```




A screenshot of a GitHub commit dialog titled "Commit changes". The message "Adding new test for the app" is highlighted with a red box. Below it is a text input field for an optional extended description. A note states: "You can't commit to master because it is a protected branch." It offers two options: "Create a new branch" (selected) or "Create a pull request". The "Create a new branch" button has a red box around it. A large red arrow points to the "Commit changes" button at the bottom left, which is also highlighted with a red box. The GitHub interface includes a user profile picture, navigation links like Terms, Privacy, and Help, and footer links like Report bug, Contact GitHub, API, Training, and Shop.

5. In the **Create a new branch...** option, enter a new branch name, using the following as an example:

```
```
add-test
```
```



6. Click **Commit changes**. A [Pull Request](#) will automatically be opened for this proposed change.



7. Add the `enhancement` label and click **Create pull request**.

The screenshot shows a GitHub interface for a private repository named 'github-for-managers'. The repository was forked from 'universeworkshops/github-for-managers'. The page displays a comparison between 'master' and a new branch 'add-test'. The 'Issues' tab is selected. A message at the top says 'base: master ... compare: add-test ✓ Able to merge. These branches can be automatically merged.' Below this, there's a text editor with a 'Write' tab containing a description of the change and a 'Preview' tab. The preview shows a Markdown-formatted description of the enhancement. On the right side, there are sections for 'Reviewers' (no reviews), 'Assignees' (no one assigned), 'Labels' (with 'enhancement' highlighted in blue and a red box around it), 'Projects' (none yet), and 'Milestone' (no milestone). A large red arrow points to the green 'Create pull request' button at the bottom right of the editor.

8. The Pull Request will now show the creation of a conversation about the change as well as the integrated dev tools you can follow throughout the requested change.
 - Code Owner enforcement with automatic Code Review
 - Conversation
 - Initial and subsequent commits to this branch
 - Automatic build/test with link
 - Automatic staging deployment with link

The screenshot shows a GitHub pull request page for a repository named "github-for-managers". The pull request is titled "Adding new test for the app #3" and is in the "Open" state. It has 1 commit, 1 file changed, and 1 reviewer assigned.

Start of conversation

Initial commit

Code review request

Automatic deployment

Automatic test

Add teammates to request reviews

Create projects and milestones to keep track of work

View deploy result

View build result

The page includes sections for "Description of Change", "Test results", and "Who should know about the change?". It also shows deployment logs for "my-awesome-book-app-pr-3" and CI status from CircleCI. Red annotations highlight the "Reviewers" section, the deployment logs, and the CI status bar, with arrows pointing to the "View deploy result" and "View build result" labels.

Interacting with GitHub Apps

Browse the links in the Pull Request to see additional detail about your change and the checks it triggers.

The screenshot shows a GitHub Pull Request page for a repository named 'colossus9/github-for-managers'. The pull request is titled 'Adding new test for the app #3' and is in a 'Pre-release' state. The page includes sections for 'Description of Change', 'Test results', and 'Who should know about the change?'. It also lists commits, reviews, and deployment logs. Red annotations highlight specific features:

- Start of conversation**: Points to the first commit message.
- Initial commit**: Points to the commit message 'Adding new test for the app'.
- Code review request**: Points to the 'Reviewers' section where '@githubteacher' is listed.
- Automatic deployment**: Points to the deployment log entry 'colossus9 deployed to my-awesome-book-app-pr-3 3 minutes ago'.
- Automatic test**: Points to the status bar at the bottom of the deployment log.
- Add teammates to request reviews**: A red box highlights the 'Reviewers' section.
- Create projects and milestones to keep track of work**: A red box highlights the 'Projects' and 'Milestone' sections.
- View deployment**: A red arrow points to the 'View deployment' link in the deployment log.
- View build result**: A red arrow points to the 'Details' link in the deployment log.
- View deploy result**: A red arrow points to the 'View deployment' link in the deployment log.

One of the deployment links in the thread will link to an actual deployment of the MyAwesomeBookApp application.

The screenshot shows a browser window with a URL bar containing 'Secure | https://my-awesome-book-app-pr-3.herokuapp.com'. Below the URL bar is a table titled 'Books' with columns for Title, Author, Description, Website, Year published, Created at, and Updated at. The table shows 0 found entries. A red box highlights the URL in the address bar.

Another link to show you the status of the CircleCI build/testing.

Continuous Integration and DevOps

Secure | https://circleci.com/gh/colossus9/github-for-managers/8?utm_campaign=vcs-integration-link&utm_medium=r...

Updates Support

colossus9

Builds » colossus9 » github-for-managers » add-test » 8

SUCCESS

Finished: 13 min ago (01:30) Parallelism: 1x out of 1x Queued: 00:00 waiting + 00:00 in queue

Triggered by: James Garcia (pushed da3b844) PR: #3

COMMS (1)
James Garcia GitHub da3b844 Adding new test for the app

Test Summary Queue (00:00) Debug via SSH Artifacts Configuration Build Timing

Set Up Test Summary

Show containers: All (1) Successful (1) Failed (0)

0 (01:28) Add Containers +

INFRASTRUCTURE

Starting the build 00:06

Start container config 00:13

Enable SSH

CHECKOUT

?

Reviewing the Pipeline

Let's take some time to discuss what we've covered so far.

Software development pipeline

We discussed the GitHub flow, and worked together on a project from start to finish. This means the project went from planning stages, through creating code, into having tests run (and pass), and finally deploying to a live site.

Avoiding context switching

Developers drive progress, and switching between many tools takes away valuable time and focus from the real work. Integrating all parts of the pipeline into one platform allows developers to avoid switching context and keep their focus centered.

Automation when possible


Many of the pieces of the pipeline are automated - as many as possible. Though this requires up-front work to set up the automation, it saves an abundance of time and minimizes mistakes that could easily be made if done manually.

More Possibilities

So far, we've gone through one pre-defined workflow. Hopefully at this point you're seeing how this general concept can be applied to your own teams and projects to automate more to reduce repetitive tasks and human error.

Let's explore some additional features and examples of how you can fully take advantage of a software development pipeline with GitHub.

The GitHub API




The screenshot shows the GitHub GraphQL API Explorer. At the top, there's a navigation bar with 'GitHub Developer' and links for 'API Docs', 'Blog', 'Early Access', 'Versions', and a search bar. Below the header, the title 'GitHub GraphQL API' is displayed, along with a message: 'Heads up! GitHub's GraphQL Explorer makes use of your real, live, production data.' On the left, the 'GraphiQL' interface is shown with a code editor containing a GraphQL query for an organization's repositories. The query includes fields for organization, repositories (with edges and nodes), and pull requests. On the right, the results pane shows the JSON response for the organization 'freeCodeCamp'. The response includes the organization's details, its repositories (with edges and nodes), and its pull requests, each with an ID, title, state, and author information.

GraphQL is a powerful way to interact with GitHub. If you find that you want something to integrate a certain way, but the tool doesn't exist, you can create custom tooling using GitHub's API and webhooks. Find more [documentation here](#).

Pulse/Graphs

We covered these briefly earlier, but let's talk a bit more about Pulse and Graphs.



When you want to know more about what's going on in any given repository, the "Insights" tab is the right place to look. Here you can see all sorts of valuable information about the code and the developers working on it.

Pulse is your project's dash board. It contains information on the work that has been completed and the work in progress. Graphs provide a more granular view into the repository activity, including who has contributed, when the work is being done, and who has forked the repository.

Customize your pipeline

With integrations, configurable GitHub settings, and direct access to Git and GitHub data via the API, the possibilities of how your toolchain could look are endless.

Designing and Guiding Workflows

Developers should know how to use Git and GitHub on a day to day basis. However, before any team gets started, it's critical to have a defined workflow. Later, we'll shape our own workflows as practice.

Scenarios

Before we map out our own new ideas or problems with workflows, let's take a look at some existing workflow challenges. Consider the following scenarios and how you might create a workflow and choose tools to set the team up for success.

Project 1: Tests and Releases

We have our code set up and we want to have the tests automated. The tests are already existent in the file that is native, so a Circle file wouldn't be necessary. We want all tests to be passed before any branch is merged. We don't have anything to deploy at this point in time, but we do want to have a recommended strategy for creating releases and how we will use release branches. We need to communicate these strategies to the team.

Project 2: Repository planning organization

The majority of our work happens in issues and markdown documents. We want to get more organized with our issues with labels, crosslinks, project boards... whatever it takes. Things get passed by the wayside now. It's unclear to others how to get things done, so we also need help organizing templates and the information on the README so other teams know what's going on. We should also have some kind of recommended review process to encourage newer or less technical members from committing directly on master.

Project 3: Migrated from CVCS

We just came from Subversion, and we did a clean cutover. That's all well and good, but our branching techniques haven't really changed much. We need some guidance on

general workflow best practices. We have Circle ready to be connected but we aren't using it properly on pull requests.

Project 4: Simple deployment pipeline

All of the code is there, but it's a pain to manually deploy. We want anything that goes to `master` to automatically be deployed to development.

Project 5: More complex deployment pipeline

We want automatic deploys to production from master, but more importantly, we want a deployment pipeline. We want review apps to be spun up automatically from each pull request, so we can immediately get review from everyone. Then, once it's merged into the `development` branch, we want it to automatically go to the development server, and when it's in `master`, to go to production.

Real World Team Work

Now, we're going to divide into small teams of 2-3 people. Each team will be create a workflow scenario, then shape a possible pipeline to help the team while fitting into the team's given restrictions.

Each team might want to use some of the scenarios from the previous section, but please feel encouraged to shape a story that maps most closely to how you work on a daily basis.

Team Activity Part 1: Create a scenario

1. Write out the problem in an issue in the class repository. This can include general statements, specific technical limitations or needs, imagined user testimonies, and whatever else you think will paint a detailed picture. Be as specific as possible, noting existing technologies, team size, and end goals.
2. Discuss (and document within the issue) the following questions as they pertain to your chosen example. These should start from a "what we DID have" perspective.
 - Do you have examples of the types of repositories you have?
 - What tooling is used outside of version control?
 - What is the regulation or auditing process like?
 - How many repositories and developers are currently involved?
 - How many developers are on each team?
 - How closely do development teams work with other teams, like infrastructure, dev-ops, QA, etc?

Team Activity Part 2: Brainstorm solutions

1. Reflect on the process, and prepare to advise. Based on the first part of the activity, brainstorm possible solutions that could address the concerns of the group. Some questions that might help with concrete decisions include:
 - How many organization accounts should you have? How many do you have?
 - How do you decide when to create a new repository?
 - What GitHub features would you want to heavily utilize?
 - What administrative settings could be arranged to be helpful?

- How is this change a part of a bigger picture in process and platform improvement?
 - How will culture be affected by software changes?
2. What GitHub settings will make sense for this group? Consider if they have the ability to change multiple tools, or if they only have the ability to make small changes at a time. Some potential GitHub tools to consider are
 - GitHub Pages
 - Git Flow vs GitHub Flow
 - Choosing tools in the development pipeline
 - Project Boards & Milestones
 - Templates
 - Avoiding context changing
 - Using Pulse and Graphs
 - Protected branches
 - Avoiding duplicated code and work
 3. Keep in mind which tooling would make the most sense for the given scenario. Document the broad picture for a workflow for a team, including their needs for project management, continuous integration, and deployment.

Team Activity Part 3: Map it all out

Use markdown in pull requests as well as drawing on whiteboards or large paper to map out the workflow solution your team has created. Create this resource in a way that it could be used to reference by other team leads and developers, and shared within the company to answer questions. It's OK if it's not a full and perfect solution, but acknowledging what questions aren't answered within the context of the larger workflow is generally a good idea. Include branching diagrams and deployment/release strategies.

We will share these completed scenarios from start to finish as a group.

More Resources

- [Developers](#) are key to innovation and growth
- Why do we use [Source Code Management \(SCM\)](#)?
- [Git + GitHub](#) 
 - [Lightweight Issue Tracking](#)
 - [Social Coding](#)
 - [Webhooks](#)
 - [Teams](#) and ACLs
 - Web-based [file rendering](#)
 - [GitHub Pages](#)
 - [Contributions](#)
 - [Pull Requests](#)
 - [GitHub Flow](#)
 - [Project Boards](#)
 - [Templates](#)
- [Integrations](#) and the [GitHub Marketplace](#) 