

# Edvertisements: Adding Microlearning to Social News Feeds and Websites

1st Author Name  
Affiliation  
City, Country  
e-mail address

2nd Author Name  
Affiliation  
City, Country  
e-mail address

3rd Author Name  
Affiliation  
City, Country  
e-mail address



Figure 1. Our extension can show interactive microlearning tasks (Edvertisements) in users' Facebook news feeds.

## ABSTRACT

Many long-term goals, such as learning a language, require people to spend a small amount of time each day to achieve them. At the same time, people regularly surf the web and read social news feeds in their spare time. We have built a browser extension that teaches vocabulary in the context of Facebook feeds and arbitrary websites, by showing users interactive quizzes they can answer without leaving the website. On Facebook, the quizzes are shown as part of the news feed, while on other sites, the quizzes are shown where advertisements would normally appear. In our user study, we looked at the effectiveness of inserting microlearning tasks into social news feeds. We compared vocabulary learning rates when interactive quizzes were inserted directly into feeds, versus inserting links that lead them to quizzes. Our results suggest that users engage with and learn from our inserted quizzes, and engagement is higher when they can be done directly inside their feeds.

## Author Keywords

microlearning; social feeds; facebook; language learning

## ACM Classification Keywords

H.5.m. Information Interfaces and Presentation (e.g. HCI): Miscellaneous

Paste the appropriate copyright statement here. ACM now supports three different copyright statements:

- ACM copyright: ACM holds the copyright on the work. This is the historical approach.
- License: The author(s) retain copyright, but ACM receives an exclusive publication license.
- Open Access: The author(s) wish to pay for the work to be open access. The additional fee must be paid to ACM.

This text field is large enough to hold the appropriate release statement assuming it is single spaced.

Every submission will be assigned their own unique DOI string to be included here.



Figure 2. Our extension can replace advertisements with interactive microlearning tasks (Edvertisements) on arbitrary websites.

## INTRODUCTION

People spend large amounts of time surfing the web and reading social news feeds on sites like Facebook. American adults spend an average of 27 hours per month browsing the web [13]. 71% of American adults with an internet connection use Facebook. Of these, 63% visit Facebook at least once a day, and 40% visit it multiple times per day [4]. Among American college students, 90% use Facebook [7], spending an average of 30 minutes per day on it [15]. Social news feeds are widely used - over half of college students who use Facebook report reading their Facebook news feeds 5-7 days per week [15].

In this paper, we present Edvertisements, interactive microlearning tasks which we show to users as they browse the web and read their Facebook feeds. We implemented a Chrome extension which shows Edvertisements in two ways:

- On Facebook, Edvertisements are inserted into the feed, alongside regular feed items.
- On other sites, Edvertisements are shown in locations where advertisements would normally appear.

Our research questions are:

- Do users engage and learn from Edvertisements that we insert into their Facebook feeds?
- Do users engage and learn more with Edvertisements if they can do the microlearning tasks without leaving their Facebook feeds (compared to external links)?

In our user study, we looked at engagement and vocabulary acquisition when Edvertisements were inserted into users' Facebook feeds. We also compared the effects on engagement and vocabulary acquisition of being able to do the microlearning tasks in place, as opposed to having to click a link to go to an external website. We found that there was high engagement with Edvertisements, users had improved post-test results after a week, and that engagement was higher when the Edvertisements could be done without leaving the feed.

## RELATED WORK

### Microlearning

Microlearning is a strategy of using short periods of time throughout the day to study. It has been used for applications such as foreign vocabulary learning via mobile apps [1] [6]. A potential drawback of needing a separate app for microlearning is that it requires the user to develop a habit of interrupting their routine to open an app to study.

Some systems have attempted to solve this problem by embedding microlearning into other contexts. There are games where users complete learning tasks while playing [2], video players which teach vocabulary while watching foreign-language videos [11], screensavers that show facts while the screen is idle [9], and chat clients that show vocabulary while the user is chatting [3].

Compared to the learning contexts used by existing work, we believe that recreational web surfing and Facebook feeds are especially good opportunities for microlearning, because:

- Unlike playing educational games or watching foreign-language videos, visiting Facebook is part of the daily routine of nearly half of American adults with an internet connection [4]
- Web surfing and reading Facebook news feeds are recreational activities, so the inserted microlearning tasks will not interrupt users' work.
- Users are already used to a variety of rich content appearing in their Facebook feeds, such as videos, games, recommendations, and advertisements.

### News Feeds as a Persuasive Technology

Many apps attempt to use Facebook feeds as a persuasive technology. For example, apps like Duolingo can broadcast users' study progress on the platform, inviting the user's friends to participate in the activity. However, there are many caveats with such applications auto-posting messages on users' feeds. Messages auto-posted by applications receive less attention from the user's friends, compared to messages posted by actual users. Viewers may perceive these posts negatively, ignoring them [8].

## Web Advertising and Ad-Blocking

Although advertisements are an important revenue source for websites, in consumer surveys 77% report that they hardly ever click on ads, and 69% express interest in skipping or blocking ads [16]. Ad blockers, which are browser extensions that prevent web ads from being displayed, are used by 5% of all internet users [14]. Ad-blocking is especially common among Chrome and Firefox users – 30% of Chrome users, and 35% of Firefox users, have installed an ad-blocker [14].

In surveys, users of ad-blockers cite “distracting animations and sounds”, and “offensive/inappropriate ad content” as their top reasons for blocking ads [16]. Although ad-blocking software can be configured to selectively whitelist/blacklist ads for certain websites, most ad-blocker users just retain the default behavior of blocking ads on all websites [16], which may perhaps be due to usability issues in configuring ad-blockers [12]. By preventing ads from being shown, ad-blockers pose a threat to the advertising industry, as well as websites which rely on advertising revenue [16].

## EDVERTISEMENTS SYSTEM

Our system is a Chrome extension that inserts microlearning tasks – in our case, vocabulary quizzes – into users' Facebook feeds, and as they are browsing the web. Although we originally implemented the browser extension for Chrome, we have also ported it to Firefox, and our technique can be implemented on any browser that supports extensions (Chrome, Firefox, Edge, Safari, etc). Our system has a variety of microlearning tasks for learning vocabulary in multiple languages, but in this paper we will focus on learning Japanese vocabulary.

### Inserting Edvertisements into Facebook Feeds

Our extension can insert Edvertisements into users' Facebook feeds, as rectangular interactive quizzes mimicking the look of a regular feed item, as shown in Figure 1. We chose to insert 1 microlearning task for every 10 normal feed items, to mimic the approximate frequency we observed sponsored content appearing in the feed.

### Replacing Web Advertisements with Edvertisements

People spend considerable time on sites other than Facebook, so we also wished to have a general mechanism for presenting microlearning tasks as users browse the web. We do so by detecting web advertisements on pages, and replacing them with microlearning tasks.

We detect the presence of web advertisements the same way ad blockers do – by checking the URL the element is loaded from, and comparing it against EasyList, which is a public list of known URL patterns for advertisements maintained by Adblock Plus. If the element is detected as an advertisement, we then replace it with a quiz of the same size.

Web advertisements follow standardized sizes, called the IAB (Interactive Advertising Bureau) Standard Ad Units. We have implemented microlearning tasks to fit 2 of the common sizes – 300x250 and 200x90 – which correspond to regular-sized and small ads. If a microlearning task in the appropriate size is not available, we pick a smaller one and scale and stack it



Figure 3. One type of quiz presents a noun in Japanese (*jikan*), and asks the user to select its meaning (time).




Figure 4. Another type of quiz presents a noun in English (umbrella), and asks the user to select the correct translation into Japanese (*kasa*). The user has incorrectly selected *fukuro*, so the user is shown its meaning (bag), and tries again.

to fit the available space. For example we can fill a banner ad (728x90) with 3 small Advertisements, as shown in Figure 2.

### Quiz Types

One type of quiz presents a noun in English, and asks the user to select the corresponding Japanese word, as shown in Figure 4. To ensure that users learn word associations in both ways, we also have a second type of quiz, where the user is shown a word in Japanese and selects the corresponding word in English, as shown in Figure 3.

We opted to use this multiple-choice quiz format, because it tests the user's knowledge with a minimal amount of interaction – the user simply clicks on a word to answer. Once the user answers a quiz correctly, a new quiz testing a different word is shown. Thus, users can use an advertisement to continue study vocabulary for as long as they wish to.

### Quiz Generation

Our words and definitions were taken from the Nouns section of Wiktionary's 1000 Basic Japanese Words list. We excluded loanwords that users would easily recognize (*pinku*=pink), and words that are homographs when romanized (*hana*=flower or nose). We focus on nouns, because they are the most common type of word [1].




Figure 5. The control condition in our user study inserted a link into users' Facebook feeds that led them to a site where they could do vocabulary quizzes

### Spaced Repetition

Spaced repetition algorithms schedule items for review to ensure long-term retention [10]. We modified the Memreflex algorithm [5] to show the word due for review that has been seen least recently in the feed, as opposed to always showing the most overdue word as Memreflex does. This ensures that users will continue to see different words as they are scrolling through their feeds, even if they are not always answering the in-feed questions.

### USER STUDY

We conducted a preliminary user study to see how much users would engage with Advertisements, and compare the effectiveness of inserting interactive quizzes that can be done without leaving the page, versus inserting static links as is done by today's web advertisements and sponsored Facebook posts.

In our study, we only inserted microlearning tasks into Facebook feeds and did not replace ads with quizzes, as Facebook feeds were an environment we could better control the frequency with which quizzes appeared, their size and appearance, and many interested users were already using ad-blockers, which would have conflicted with the ad-replacement functionality.

### Participants

We recruited 12 users who had not previously studied Japanese but were interested in learning some basic vocabulary. 5 were female, 7 male. They were voluntary participants recruited from online forums and Facebook groups related to Japanese culture. All of our participants self-reported that they were regular users of Facebook.

### Materials

We used 50 basic Japanese words from Wiktionary's Basic Japanese Words list as the study material. We presented vocabulary words in romanized form instead of Japanese script, as our users could not read Japanese script.

### Conditions

Users were assigned to one of two conditions:

- Users in the *in-feed quiz* condition had quizzes inserted directly in their feeds, as shown in Figure 1.



Figure 6. Vocabulary test scores for the in-feed quiz and link conditions, with standard error bars

| Logged event type   | in-feed quiz | link  | Significant difference?       |
|---|--------------|-------|-------------------------------|
| Number of answers   | 116.3        | 17.4  | Yes ( $t=2.42$ , $p=0.032$ )  |
| Number of study sessions  | 21.29        | 1.57  | Yes ( $t=2.68$ , $p=0.020$ )  |
| Number of days on which at least one quiz was answered                        | 4.43         | 0.86  | Yes ( $t=4.33$ , $p=0.001$ )  |
| Fraction of days Facebook was visited on which at least one quiz was answered | 0.81         | 0.18  | Yes ( $t=4.87$ , $p=0.0004$ ) |
| Number of days Facebook was visited   | 5.71         | 6.14  | No ( $t=-0.43$ , $p=0.677$ )  |
| Number of feed insertions   | 132.1        | 89.6  | No ( $t=0.80$ , $p=0.442$ )   |
| Ratio of answers to insertions  | 2.32         | 1.03  | No ( $t=0.82$ , $p=0.428$ )   |
| Ratio of study sessions to insertions   | 0.25         | 0.098 | No ( $t=1.27$ , $p=0.227$ )   |

Figure 7. Average number of events logged per user for the in-feed quiz and link conditions.

- Users in the *link* condition had links inserted into their feed which led them to a site where they could do the quizzes, as shown in Figure 5.

Apart from the different items (quizzes/links) inserted into the feed, the questions and quiz interfaces were identical in the two conditions. In both conditions, the items were inserted at a rate of 1 quiz/link per 10 feed items.

### Procedure

The study was conducted entirely online. First, users took a pre-test on the words we were intending to teach them, where they tried matching the 50 Japanese words to their 50 English definitions. Then they installed our Chrome extension and used it to study the 50 words for a week. After a week, we asked users to do the post-test, which had the same format as the pre-test.

## RESULTS

### Vocabulary Quiz Results

Average vocabulary pre-test and post-test scores are shown in Figure 6. On average, users in the in-feed condition learned 13.2 new words, compared to 2.5 new words learned in the link condition. However, this difference was not statistically significant ( $t=1.51$ ,  $p=0.16$ ).

### Engagement With Advertisements

The number of times users practiced answering quizzes is shown in Figure 7. We also kept track of “study sessions”, which we defined as the number of times the user clicked on the link to visit the external website (in the link condition), or first answered a quiz that was inserted into their feed (in the in-feed condition).

We found that there was high engagement with in-feed Advertisements – on average, users answered 116 quizzes across

21 study sessions and answered a question 4.4 days of the 5.7 days they visited Facebook. Users in the in-feed quiz condition answered significantly more quizzes than the link condition, did more study sessions, and studied on more days across the week.

### Qualitative Feedback

Some users mentioned that they would prefer words to be explicitly introduced first before they start appearing in quizzes. In addition, as shown by our “ratio of study sessions to insertions”, even in the in-feed condition, users only interact with 1/4 of quizzes that they see. Hence, we need to ensure that seeing items reinforces memory, even if users do not interact with them. To address this issue, we later added new types of items to introduce new words and review old ones.

## CONCLUSION AND FUTURE WORK

Advertisements are interactive microlearning tasks that we can show to users as they are surfing the web. We have built a browser extension that shows Advertisements by inserting them into Facebook feeds, and by replacing web advertisements with them.

In our user study, we inserted Advertisements teaching vocabulary into users’ Facebook feeds. We found that users engaged with and learned from Advertisements, and that engagement rates were higher when the quizzes could be done without leaving their feeds.

Our current implementation inserts Advertisements into Facebook feeds, and replaces web advertisements with them. There are other online recreational contexts where we might show users Advertisements – for example, between youtube videos, chapters of a e-book, or in their email.

Although we have focused on microlearning vocabulary, Advertisements might also be a vehicle for reminding people to do other small, beneficial tasks as they are idly surfing the web – for example, encouraging people to brush their teeth, do a small exercise, or complete an item on their to-do list.

Another direction for future work includes making the Advertisements contextually relevant to the page they are being inserted into. For example, if it is your Chinese friend’s birthday, your Facebook feed might show an Advertisement teaching you how to wish him happy birthday in Chinese. Or if you are reading an anti-vaccination webpage, an Advertisement might teach you scientific facts about vaccines.

Like the problem posed by ad-blockers today, an issue with replacing web advertisements with Advertisements is that websites will be unable to monetize their content. Monetization is another area of future work. One potential approach would be sponsored Advertisements – for example, a local gym might sponsor an Advertisement which teaches you a workout routine, hoping it’ll encourage you to visit their gym more.

### ADVERTISEMENT DEMO AND SOURCE CODE

Researchers interested in using or building on Advertisements can visit <https://edvertisements.github.io/>

## REFERENCES

1. Jennifer S Beaudin, Stephen S Intille, Emmanuel Munguia Tapia, Randy Rockinson, and Margaret E Morris. 2007. Context-sensitive microlearning of foreign language vocabulary on a mobile device. In *Ambient Intelligence*. Springer, 55–72.
2. Carrie J Cai. 2013. Adapting arcade games for learning. In *CHI'13 Extended Abstracts on Human Factors in Computing Systems*. ACM, 2665–2670.
3. Carrie J Cai, Philip J Guo, James R Glass, and Robert C Miller. 2015. Wait-Learning: Leveraging wait time for second language education. In *Proceedings of the 33rd Annual ACM Conference on Human Factors in Computing Systems*. ACM, 3701–3710.
4. Maeve Duggan and Aaron Smith. 2013. Social media update 2013. *Pew Internet and American Life Project* (2013).
5. Darren Edge, Stephen Fitchett, Michael Whitney, and James Landay. 2012. MemReflex: adaptive flashcards for mobile microlearning. In *Proceedings of the 14th international conference on Human-computer interaction with mobile devices and services*. ACM, 431–440.
6. Darren Edge, Elly Searle, Kevin Chiu, Jing Zhao, and James A Landay. 2011. MicroMandarin: mobile language learning in context. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*. ACM, 3169–3178.
7. Nicole B Ellison, Charles Steinfield, and Cliff Lampe. 2007. The benefits of Facebook friends: Social capital and college students use of online social network sites. *Journal of Computer-Mediated Communication* 12, 4 (2007), 1143–1168.
8. Daniel A Epstein, Bradley H Jacobson, Elizabeth Bales, David W McDonald, and Sean A Munson. 2014. From nobody cares to way to go!: A Design Framework for Social Sharing in Personal Informatics. (2014).
9. Gerhard Gassler, Theo Hug, and Christian Glahn. 2004. Integrated Micro Learning—An outline of the basic method and first results. *Interactive Computer Aided Learning* 4 (2004).
10. Jeffrey D Karpicke and Althea Bauernschmidt. 2011. Spaced retrieval: absolute spacing enhances learning regardless of relative spacing. *Journal of Experimental Psychology: Learning, Memory, and Cognition* 37, 5 (2011), 1250.
11. Geza Kovacs and Robert C Miller. 2014. Smart subtitles for vocabulary learning. In *Proceedings of the 32nd annual ACM conference on Human factors in computing systems*. ACM, 853–862.
12. Pedro Leon, Blase Ur, Richard Shay, Yang Wang, Rebecca Balebako, and Lorrie Cranor. 2012. Why Johnny can't opt out: a usability evaluation of tools to limit online behavioral advertising. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*. ACM, 589–598.
13. Nielsen. 2014. The U.S. Digital Consumer Report. *The Nielsen Company* (2014).
14. Pagefair and Adobe. 2014. Adblocking goes mainstream. *PageFair and Adobe 2014 report* (2014).
15. Tiffany A Pempek, Yevdokiya A Yermolayeva, and Sandra L Calvert. 2009. College students' social networking experiences on Facebook. *Journal of Applied Developmental Psychology* 30, 3 (2009), 227–238.
16. Nevena Vratonjic, Mohammad Hossein Manshaei, Jens Grossklags, and Jean-Pierre Hubaux. 2013. Ad-blocking games: Monetizing online content under the threat of ad avoidance. In *The Economics of Information Security and Privacy*. Springer, 49–73.