

Working with Oracle Support

ORACLE

Copyright © 2013, Oracle and/or its affiliates. All rights reserved.

Glauber Soares (glauber.soares@live.com) has a non-transferable license to use this Student Guide.

Objectives

After completing this lesson, you should be able to:

- Work with My Oracle Support
- Search My Oracle Support
- Log service requests (SRs)
- Manage patches
 - Apply a patch
 - Stage a patch
- Use the Enterprise Manager Cloud Control Support Workbench

ORACLE

Copyright © 2013, Oracle and/or its affiliates. All rights reserved.

Working with Oracle Support

- Oracle Support Services (OSS) provides 24×7 solution support.
- Support is delivered in the following ways:
 - My Oracle Support website
 - Telephone
 - Oracle Direct Connect (ODC) remote diagnostic tool
- The Customer Support Identifier (CSI) number is used to track the software and support that are licensed to each customer.

The Oracle logo, consisting of the word "ORACLE" in a bold, sans-serif font, is positioned on the right side of a solid red horizontal bar.

Copyright © 2013, Oracle and/or its affiliates. All rights reserved.


Oracle Support Services (OSS) provides 24×7 solution support to all Oracle customers throughout the world. OSS has support centers around the globe to provide this coverage whenever it is required, 365 days a year.

Support is delivered to Oracle customers through the My Oracle Support Web site, on the telephone, and by using the Oracle Direct Connect (ODC) remote diagnostic tool.

After purchasing Oracle software, customers are provided with a Customer Support Identifier (CSI) number. This number is used to track the software and support licensed to each customer. The CSI number provides access to all the available patches, documentation, and troubleshooting information on My Oracle Support. The CSI number enables customers to log a service request (SR) with OSS.

Note: Service requests were formerly called technical assistance requests (TARs).

Using My Oracle Support



ORACLE

Copyright © 2013, Oracle and/or its affiliates. All rights reserved.

To register for My Oracle Support, go to <http://myoraclesupport.oracle.com/> and click the "New User? Register here" link. At the prompt, enter your CSI number and answer a few basic questions. After registering, you are ready to use My Oracle Support. Note that each CSI number has an administrator designated by the customer who controls new-user access to My Oracle Support. Customers must designate this individual, and then new users must work with this individual to create new accounts and grant appropriate My Oracle Support access.

My Oracle Support has a variety of tools and methods available for researching problems. Searching for answers on My Oracle Support through the standard and advanced search engines is relatively straightforward. A common problem is that too many results are returned. The following are some simple steps that can improve the quality and relevance of search results:

- Use full and exact error text when performing your search. For example, ORA-1400 : mandatory (NOT NULL) column returns more relevant answers than ORA-1400.
- When researching errors in Oracle E-Business Suite, enter the name of the code as part of the search criteria. For example, APXINWKB ORA-1400: mandatory (NOT NULL) column returns fewer and better results than if you supply only the error message.

You can use the Knowledge tab to access the Knowledge Browser if you prefer a drilldown method of searching for information rather than searching by keyword. The Knowledge Browser provides easy-to-use access to OSS's most frequently used technical content.

The Knowledge Browser is organized to provide up-to-date information at your fingertips:

- Recent announcements and information in the *Featured News and Articles* section
- Information by product category
- Case studies
- Tools and training
- Online documentation
- Electronic technical reference manuals (eTRMs)
- Oracle Integration Repository
- Customer Knowledge Exchange

My Oracle Support Forums (Forums) enables you to interact with other Oracle customers to share ideas and discuss Oracle products. You can use My Oracle Support Forums to find out how other customers perform complex tasks or meet various business requirements with Oracle products. You should not use Forums as a substitute for logging an SR.

Customers can use the patch engine to search for patches by using a variety of methods. The following are the most common patch searches:

- **Patch Number:** If you know the patch number, you can enter it.
- **Latest Consolidated Patch:** You can use this when upgrading to determine the latest patches for the products you are using.
- **Includes File:** When a problem is encountered in a specific piece of code, a patch is often available to fix the issue. For this reason, support representatives often recommend that customers apply a patch to update code to the most current version available for the release. You can find and apply the latest versions of Oracle software by identifying the name and version of the code and then using the patch search utility to find out whether a more current version of the code is available.

Note: For detailed information about performing these searches, refer to My Oracle Support Technical Note 166650.1 ("Working Effectively with Global Customer Support").

You can use the BUGs link to search the BUG database when researching issues. A variety of methods are available for searching the BUG database.

Researching an Issue

To research an issue on My Oracle Support, perform the following steps:

1. Perform a keyword search.
2. Review the documentation.
3. Use the self-service toolkits.
4. Use the automated diagnostic tests and business flows.
5. Search for applicable patches.
6. Log a service request (SR).

The Oracle logo, consisting of the word "ORACLE" in a bold, sans-serif font, is positioned on the right side of a red horizontal bar.

Copyright © 2013, Oracle and/or its affiliates. All rights reserved.

My Oracle Support provides several resources that can be used to research an issue. The following steps outline basic troubleshooting techniques that use My Oracle Support resources:

1. **Keyword search:** Most issues can be resolved quickly and easily by using the keyword search utility on My Oracle Support. Effective searches can provide much information about a specific problem and its solutions.
2. **Documentation:** If keyword searching fails to yield a solution, you should review the documentation to ensure that setup problems are not the root cause. Setup issues account for more than one-third of all service requests; it is always good to review setups early in the troubleshooting process. Documentation consists of user guides and implementation manuals published in PDF format as well as product README files and installation notes published in HTML. Both of these document types are available on My Oracle Support and can be accessed through the self-service toolkits for each product.

3. **Self-service toolkits:** Self-service toolkits (SSTKs) provide a wealth of information about each product. In most cases, they contain FAQs, patch listings, and other helpful information that can assist you in researching and troubleshooting the issues that you are facing. Because SSTKs contain the most frequently used content about each product, you should reference them periodically to identify known issues before they cause problems within your environment.
4. **Diagnostics and flows:** Many recent innovations in Oracle Support Services have been in the area of automated diagnostic tests and business flows. Tests and flows have been created for you to check the setup of your system or gather information about a problem. In the case of diagnostic tests, this can be done by running a Java or SQL script. The output of these tests can help you in resolving issues and can also help Oracle Support Services identify the cause of your problem if it becomes necessary to log a service request.
5. **Patches and BUGs:** There are times when BUGs are found in Oracle products, and patches are required to correct the problem. When troubleshooting a problem, you should review your system to see whether patches are available to provide you with a more recent release of the product. With the patch search tool, you can search for patches that contain specific files. Searching for the latest code and patching your environment to the most recent version improves the troubleshooting process by eliminating existing BUGs that could be possible candidates for the problem. You should also leverage the BUG search engine to see whether a BUG has been logged for your issue but not yet fixed.
6. **Logging a service request (SR):** When all self-service options fail, it may become necessary to engage a support representative to assist in resolving your issue.

Logging Service Requests

- Log an SR by clicking the Service Request tab on the My Oracle Support home page.
- My Oracle Support performs searches based on the CSI number and SR profile.
- Provide the following information when logging an SR:
 - Explanation of the issue, including error messages
 - Steps taken to troubleshoot the issue
 - Software version
 - Steps required to reproduce the problem
 - Business impact of the issue

The Oracle logo, consisting of the word "ORACLE" in a bold, sans-serif font, is positioned on the right side of a solid red horizontal bar.

Copyright © 2013, Oracle and/or its affiliates. All rights reserved.

You may research an issue on My Oracle Support, but may be unable to locate a solution. In this case, you should log a service request (SR) through My Oracle Support. You can log an SR by clicking the Service Request tab on the My Oracle Support home page.

The first step in creating an SR is the selection of a CSI number and SR profile. After the required profile information has been submitted, My Oracle Support gathers some specifics about the problem, including the problem type, error message, brief summary of the issue, and language preference. My Oracle Support performs a search by using this information and attempts to find a solution.

The search conducted during this phase may provide different results than the searches you have performed earlier. Both searches retrieve notes and BUGs from the same database; however, the search engines and weighting are slightly different. Because the search results can differ, it is important that the search results are reviewed during the SR creation process, even if previous searches have been conducted by using the My Oracle Support search engine.

If the search results fail to resolve the issue, the SR creation process continues with a series of questions and requests for information. After the questions are answered, the SR is submitted electronically and routed to a support representative who analyzes the issue further. Any files, screenshots, or other additional information must be uploaded immediately after the SR is logged by using the upload utility provided in the SR section of My Oracle Support.

You must ensure that the following items are clearly documented in the SR. By providing the following information, you can equip the support representative effectively to prioritize and work on the issue:

- Clear explanation of the problem, including exact error messages
- Explanation of the steps taken to troubleshoot the problem and the findings
- Exact versions of the software
- Steps required to reproduce the problem
- Business impact of this issue, including milestones, dates, and costs

Each SR is assigned a unique identifier called an *SR number*. When you log an SR, My Oracle Support provides you with the SR number (or your support representative advises you about the SR number if you log the SR by telephone). The support representative subsequently receives the SR in his or her queue through an automated allocation process that Oracle Support Services uses to distribute all phone- and web-sourced service requests. This automated process ensures that all SRs are assigned to the support representative who is best able to work on the specific issue that is being reported.

Note: For more information, refer to My Oracle Support Technical Note 166650.1 (“Working Effectively with Global Customer Support”).

Accessing My Oracle Support Community

The screenshot displays the 'MY ORACLE SUPPORT COMMUNITY' interface. At the top, there's a navigation bar with links: Main Home, Discussions, Documents, Private Messages (0), Contacts, Tags, Profile, Subscriptions Off, a search bar, and a 'Go' button. Below this, a banner area contains 'What do you want to do?' with options like 'Create a Community Post' and 'Upload/Write a Reference Document'. The main content area is titled 'Database Administration News & Announcements' and includes a section for 'Database Administration Webcasts' with 'Upcoming Webcasts' (no live webcasts currently scheduled) and 'Archived Webcasts' (a list of past sessions). The left sidebar shows 'My Communities' with a search bar and a list of communities, and 'Top Participants' with a list of active users. The right sidebar shows 'Popular Discussions' and 'Popular Documents'.

Copyright © 2013, Oracle and/or its affiliates. All rights reserved.


My Oracle Support Community is a multi-channel interactive community for sharing information, posting questions and answers, and providing suggestions about Oracle products, services, and related technologies.

If you have access to My Oracle Support you are automatically a member. There is no additional registration required.

Managing Patches

Kinds of patches

- Interim patches
 - For specific issues
 - No regression testing
- Security Patch Updates (SPUs)
 - Critical security issues
 - Regression testing
 - Does not advance version number
- Patch Set Updates (PSUs)
- Patch releases



ORACLE

Copyright © 2013, Oracle and/or its affiliates. All rights reserved.

You can apply different kinds of patches at different times for different reasons.

- Interim patches (also known as *one-off* or *one-of patches*) are created to solve a specific problem. They do not go through a full regression test. Interim patches are typically installed with the `opatch` utility. The Enterprise Manager Patching Wizard can help automate the patching process by downloading, applying, and staging the patches. This wizard uses the `opatch` utility in the background.
- Security Patch Updates (SPU) patches—formally, Critical Patch Update (CPU) patches—are cumulative, which means fixes from previous Oracle security alerts and critical patch updates are included.
- Patch Set Update (PSU) patches include Security Patch Updates (SPU) and dependent non-security patches. PSU patches are cumulative. It is not required to have previous security patches applied before applying PSU patches. However, you must be on the stated patch set level. PSU patches are for a specific patch release level (such as 10.2.0.3). PSU patches are installed with the `opatch` utility or through EM Patching Wizard. PSU patches are issued quarterly. PSU patches and interim patches can also be removed from your system with `opatch rollback -id <patch id>`.
Oracle does extensive testing of Patch Set Updates with its own applications, as well as running regression tests for the PSUs themselves. To verify that a patch has been applied, query the inventory with `opatch -lsinventory` and see if the patch is listed.

Applying a Patch Release

- Patch releases are fully tested product fixes that:
 - Affect only the software residing in your Oracle home on installation
 - Contain individual bug fixes
 - Carry version numbers
- To apply a patch:
 1. Determine your Oracle software environment.
 2. Set your My Oracle Support login credentials.
 3. Stage the patch release.

The Oracle logo, consisting of the word "ORACLE" in a white, sans-serif font, is positioned on the right side of a solid red horizontal bar.

Copyright © 2013, Oracle and/or its affiliates. All rights reserved.

Software management involves keeping your Oracle software up-to-date with the latest product fixes. Periodically, Oracle issues patch releases (product fixes) for its software. Patch releases are fully tested product fixes. Application of a patch release affects only the software residing in your Oracle home, with no upgrade or change to the database.

Patches are individual bug fixes. Patch sets are a collection of bug fixes up to the time of the patch set release. All patch and patch set releases carry version numbers. For example, 11.1.0.3 is an available patch set for Oracle Database 11g Release 11.1.0.2. Every patch or patch set also has a patch number to identify it. Every patch release has an associated README file that describes its bug fixes. The README also has instructions for manually applying the patch.

Enterprise Manager enables you to find the latest patch release on the My Oracle Support website and download it to your Oracle home.

Enterprise Manager Cloud Control: My Oracle Support Integration

- Enterprise Manager Cloud Control automatically alerts users to new critical patches.
- The Enterprise Manager Cloud Control patch wizard can be used to select an interim patch.
- You can review the patch's README file from within Enterprise Manager Cloud Control.
- You can download the selected patches from My Oracle Support into the Enterprise Manager Cloud Control patch cache.


The Oracle logo, consisting of the word "ORACLE" in a bold, sans-serif font, is positioned on the right side of a solid red horizontal bar.

Copyright © 2013, Oracle and/or its affiliates. All rights reserved.

Oracle Enterprise Manager Cloud Control significantly facilitates software patching with its built-in My Oracle Support integration. Enterprise Manager Cloud Control automatically alerts users to new critical patches and flags all systems that require a specific patch. You can invoke the Enterprise Manager Cloud Control patch wizard to determine what interim patches are available for installation. Alternatively, you can use the patch wizard to select an interim patch and determine whether any of your systems require that patch. You can review the patch details and README patch notes directly from within Enterprise Manager Cloud Control.

You can use the patch wizard to download interim patches from My Oracle Support into the Enterprise Manager Cloud Control patch cache, eliminating the need for repeated downloads. You can stage appropriate patches on the destination system or systems for manual application at a later time. To further automate the patching process, you can also provide a customizable patch application script that is executed on the destination system at a user-defined time by the resident Enterprise Manager Cloud Control agents. As patches are applied to a system, the corresponding Oracle Universal Installer (OUI) inventory is automatically updated to keep track of the systems' correct patch level.

Using the Patch Advisor



ORACLE

Copyright © 2013, Oracle and/or its affiliates. All rights reserved.

In Enterprise Manager Cloud Control, you can access the Patches & Updates page by expanding Enterprise and selecting Patches & Updates in the Provisioning and Patching menu. Note that this menu is at the Enterprise, not database target level.


In the Patch Search section, you can search for patches by patch number and name, you can search for all patches for a specific product, and you can invoke the Patch Advisor. The Patch Advisor enables you to search for recommended patches for specified products and combinations of products.

Refer to the Enterprise Manager Cloud Control documentation and online help for additional information. You may also want to attend the *Using Oracle Enterprise Manager Cloud Control 12c* course for detailed information about using Enterprise Manager Cloud Control.

Online Patching: Overview

For a bug fix or diagnostic patch on a running Oracle instance, online patching provides the ability to do the following:

- Install
- Enable
- Disable

**ORACLE**

Copyright © 2013, Oracle and/or its affiliates. All rights reserved.

Online patching provides the ability to install, enable, and disable a bug fix or diagnostic patch on a live, running Oracle instance. Using online patching is the recommended solution for avoiding down time when applying online patches. Oracle provides the capability to perform online patching with any Oracle database using the opatch command-line utility. Online patches can be provided when the changed code is small in scope and complexity (for example, with diagnostic patches or small bug fixes).

Installing an Online Patch

- Applying an online patch does not require instance shutdown, relinking of the Oracle binary, or instance restart.
- OPatch can be used to install or uninstall an online patch.
- OPatch detects conflicts between two online patches, as well as between an online patch and a conventional patch.
- To determine if a patch is an online patch:

```
opatch query -is_online_patch <patch location>  
OR  
opatch query <patch location> -all
```



Copyright © 2013, Oracle and/or its affiliates. All rights reserved.

Unlike traditional patching mechanisms, applying an online patch does not require instance shutdown or restart.

Similar to traditional patching, you can use OPatch to install an online patch.

You can determine whether a patch is an online patch by using the following commands:

```
opatch query -is_online_patch <patch location> OR  
opatch query <patch location> -all
```

Note: The patched code is shipped as a dynamic/shared library, which is then mapped to memory by each Oracle process.

Benefits of Online Patching

- No down time and no interruption of business
- Extremely fast installation and uninstallation times
- Integration with OPatch:
 - Conflict detection
 - Listed in patch inventory
 - Works in RAC environment
- Persistence across instance shutdown and startup

ORACLE

Copyright © 2013, Oracle and/or its affiliates. All rights reserved.

You do not have to shut down your database instance while you apply the online patch. Unlike conventional patching, online patching enables fast installation and uninstallation. Because online patching uses OPatch, you get all the benefits that you already have with conventional patching that uses OPatch. It does not matter how long or how many times you shut down your database—an online patch always persists across instance shutdown and startup.

Conventional Patching and Online Patching

Conventional Patches	Online Patches
Require down time to apply or remove	Do not require down time to apply or remove
Are installed and uninstalled via OPatch	Are installed and uninstalled via OPatch
Persist across instance startup and shutdown	Persist across instance startup and shutdown
Take several minutes to install or uninstall	Take only a few seconds to install or uninstall

ORACLE

Copyright © 2013, Oracle and/or its affiliates. All rights reserved.

Conventional patching basically requires a shutdown of your database instance.

Online patching does not require any down time. Applications can keep running while you install an online patch. Similarly, online patches that have been installed can be uninstalled with no down time.

Online Patching Considerations

- Some extra memory is consumed.
 - Exact amount depends on the size of the patch and number of concurrently running Oracle processes
 - Minimum amount of memory: Approximately one OS page per running Oracle process
- There may be a small delay (a few seconds) before every Oracle process installs or uninstalls an online patch.
- Not all bug fixes and diagnostic patches are available as an online patch.
- Use online patches in situations when down time is not feasible.
- When down time is possible, you should install all relevant bug fixes as conventional patches.

The Oracle logo, consisting of the word "ORACLE" in a white, sans-serif font, is positioned on the right side of a solid red horizontal bar.

Copyright © 2013, Oracle and/or its affiliates. All rights reserved.

One operating system (OS) page is typically 4 KB on Linux x86 and 8 KB on Solaris SPARC64. With an average of approximately one thousand Oracle processes running at the same time, this represents around 4 MB of extra memory for a small online patch.

A vast majority of diagnostic patches are available as online patches. For bug fixes, it really depends on their nature. Not every bug fix or diagnostic patch is available as an online patch. But the long-term goal of the online-patching facility is to provide online-patching capabilities for Critical Patch Updates.

Note: You must uninstall the online patch before applying the conventional patch.

Quiz

Which of the following statements are true about online patches?


- a. Can be installed using OPatch
- b. Require down time to apply
- c. Persist across instance startup and shutdown
- d. Do not require down time to remove

ORACLE

Copyright © 2013, Oracle and/or its affiliates. All rights reserved.

Answer: a, c, d

Using the Support Workbench



ORACLE

Copyright © 2013, Oracle and/or its affiliates. All rights reserved.

Using the Enterprise Manager Cloud Control Support Workbench, you can investigate, report, and (in some cases) resolve a problem by performing the following general steps:

1. On the Database Home page in Enterprise Manager, review critical error alerts. View the details by selecting an alert.
2. Examine the problem details and view a list of all incidents that were recorded for the problem. Display findings from any health checks that were automatically run.
3. (Optional) Run additional health checks and invoke the SQL Test Case Builder, which gathers all required data related to a SQL problem and packages the information in a way that enables the problem to be reproduced at Oracle Support.
4. Create a service request with My Oracle Support and (optionally) record the service request number with the problem information.
5. Invoke the Incident Packaging Service, which packages all gathered diagnostic data for a problem and (optionally) uploads the data to Oracle Support. You can edit the data to remove sensitive information before uploading.
6. You can maintain an activity log for the service request in the Support Workbench. Run Oracle advisors to help repair SQL failures or corrupted data.
7. Set the status for one, some, or all incidents for the problem to be closed.

Accessing the Support Workbench

ORACLE Enterprise Manager Cloud Control 12c

Setup Help SYSMAN Log Out

Enterprise Targets Favorites History Search Target Name

orcl Oracle Database Performance Availability Schema Administration

Database Instance: orcl > Support Workbench

Support Workbench

Page Refreshed November 29, 2012 10:10:01 AM UTC Refresh

Problems (2) Checker Findings (0) Packages (0)

New Problems in Last 24 Hours 0 All Active Problems 1 All Problems 2
New Incidents in Last 24 Hours 2 All Active Incidents 2 All Incidents 12

View Last 24 Hours Filter by problem key Go Advanced Search

View Package

Select All | Select None | Show All Details | Hide All Details

Select	Details	ID	Description	Number Of Incidents	Last Incident	Last Comment	Active	Packaged	SR#
<input type="checkbox"/>	Hide	2	ORA 4036	11	November 28, 2012 1:10:54 PM UTC		Yes	No	

Incidents (11)

19538	ORA-4036	November 28, 2012 1:10:54 PM UTC
19537	ORA-4036	November 28, 2012 1:10:48 PM UTC
19522	ORA-4036	November 26, 2012 10:12:40 AM UTC
19521	ORA-4036	November 26, 2012 10:12:40 AM UTC
16992	ORA-4036	November 21, 2012 12:52:35 PM UTC

There are more incidents ...

Performance and Critical Error Timeline

Related Links

Advisor Central Alert Log Contents Create User-Reported Problem
Incident Packaging Configuration

ORACLE

Copyright © 2013, Oracle and/or its affiliates. All rights reserved.

You can access the Support Workbench page directly by expanding the Oracle Database menu, and then selecting Support Workbench in the Diagnostics submenu.

Note: The tasks described in this section are all performed in Enterprise Manager Cloud Control. You can also accomplish all of these tasks with the ADRCL command-line utility. See the *Oracle Database Utilities* guide for more information about the ADRCL utility.

Viewing Problem Details

Database Instance: orcl > Support Workbench > Problem Details: ORA 4036
Problem Details: ORA 4036

Page Refreshed November 29, 2012 1:30:18 PM UTC [Refresh](#)

Summary

SR# -- [Edit](#)

Bug# -- [Edit](#)

Problem Id 2

Number of Incidents 11

First Incident November 8, 2012 10:11:54 AM UTC

Active No

Packaged No

Last Dumped Incident

Timestamp November 28, 2012 1:10:54 PM UTC

Incident Source System Generated

User Impact

Checkers Run 0

Checker Findings 0

Investigate and Resolve

[Quick Package](#)

Assess Damage

[Run Checkers](#)

[Database Instance Health](#)

Diagnose

[Alert Log](#)

[Related Problems Across Topology](#)

[Diagnostics for Last Dumped Incident](#)

[Search Knowledge Base](#)

Collect and Send Diagnostic Data

[Package the Problem](#)

Track and Close

[Manage problem resolution](#)

Incidents [Activity Log](#)

Data Dumped ☐ Yes [Go](#)

[View](#)

[Show All Details](#) | [Hide All Details](#)

Select	Details	ID	Description	Data Dumped	Active	Status	Timestamp
<input type="radio"/>	Show	19538	ORA-4036	Yes	No	Ready	November 28, 2012 1:10:54 PM UTC

Click to access the Incident Details page.

ORACLE

Copyright © 2013, Oracle and/or its affiliates. All rights reserved.

On the Problems subpage on the Support Workbench page, click the ID of the problem that you want to investigate. This takes you to the corresponding Problem Details page.

On this page, you can see all incidents that are related to your problem. You can associate your problem with a My Oracle Support service request and bug number. In the “Investigate and Resolve” section of the page, you see a Self Service subpage that has direct links to the operations that you can perform for this problem. In the same section, the Oracle Support subpage has direct links to My Oracle Support.

The Activity Log subpage shows you the system-generated operations that have occurred on your problem so far. This subpage enables you to add your own comments while investigating the problem.

On the Incidents subpage, you can click a related incident ID to access the corresponding Incident Details page.



Viewing Incident Details

Incident Details: 19538 Page Refreshed November 29, 2012 1:41:06 PM UTC [Refresh](#)

Summary

Problem Key	ORA 4036	Data Dumped	Yes
Problem Id	2	ECID	Unknown
Status	Ready	Error	ORA 4036
Active	No	Correlation Keys	SID = 282.255, Procid = 41.32
Timestamp	November 28, 2012 1:10:54 PM UTC		ECID = 004nsqrDbD6DWbl_4tYBUi0002Ib000K8R.662, PQ = (0, 1354108248)
User Impact			Client Procid = oracle@EDRSR11P1 (TNS V1-V3).17543_139781106417216
Source	System Generated	Purge Date	December 28, 2012 1:10:54 PM UTC (Purging Enabled)
			Disable Purging

Dump Files [Checker Findings](#) [Additional Diagnostics](#)

File Name	Size (MB)	Timestamp	Path	View Contents
orcl_ora_17543_119538.trc	6.25	November 28, 2012 1:10:59 PM UTC	/u01/app/oracle/diag/rdbms/orcl/orcl/incident/incdir_19538	
orcl_ora_17543.trc	0.03	November 28, 2012 1:11:01 PM UTC	/u01/app/oracle/diag/rdbms/orcl/orcl/trace	


ORACLE

Copyright © 2013, Oracle and/or its affiliates. All rights reserved.

When you access the Incident Details page, the Dump Files subpage lists all corresponding dump files. You can then click the eyeglass icon for a particular dump file to visualize the file content with its various sections.

On the Incident Details page, click Checker Findings to view the Checker Findings subpage. This page displays findings from any health checks that were automatically run when the critical error was detected. You will usually have the opportunity to select one or more findings and invoke an advisor to fix the issue.

Packaging and Uploading Diagnostic Data to Oracle Support




Copyright © 2013, Oracle and/or its affiliates. All rights reserved.

The Support Workbench provides two methods for creating and uploading an incident package: the Quick Packaging method and the Advanced Packaging method. The example in the slide shows how to use Quick Packaging.

Quick Packaging is a more automated method with minimum steps. You select a single problem, provide an incident package name and description, and then schedule the incident package upload, either immediately or at a specified date and time. The Support Workbench automatically places diagnostic data related to the problem into the incident package, finalizes the incident package, creates the ZIP file, and then uploads the file. With this method, you do not have the opportunity to add, edit, or remove incident package files or add other diagnostic data such as SQL test cases.

If you have not registered with My Oracle Support, a link will appear so that you can register. You must register with My Oracle Support to send the package to Oracle Support.

Tracking the Service Request and Implementing Repairs



Copyright © 2013, Oracle and/or its affiliates. All rights reserved.

After uploading diagnostic information to Oracle Support, you can perform various activities to track the service request and implement repairs. Among these activities are the following:

- Add an Oracle bug number to the problem information. On the Problem Details page, click the Edit button that is adjacent to the Bug# label. This is for your reference only.
- Add comments to the problem activity log:
 1. Access the Problem Details page for the problem.
 2. Click Activity Log to display the Activity Log subpage.
 3. In the Comment field, enter a comment and then click Add Comment. Your comment is recorded in the activity log.
- Respond to a request by Oracle Support to provide additional diagnostics. Your Oracle Support representative can provide instructions for gathering and uploading additional diagnostics.

Summary

In this lesson, you should have learned how to:

- Use the Support Workbench
- Work with Oracle Support
- Search My Oracle Support
- Log service requests
- Manage patches
 - Apply a patch release
 - Stage a patch release

ORACLE

Copyright © 2013, Oracle and/or its affiliates. All rights reserved.

Glauber Soares (glaubersantos@live.com) has a non-transferable license to use this Student Guide.