ECMA Technical Report TR/70 2nd Edition - June 1999

ECMA

Standardizing Information Communication and Systems

Product-related environmental attributes



ECMA Technical Report TR/70 2nd Edition - June 1999

ECMA

Standardizing Information Communication Systems and

Product-related environmental attributes



Brief History

The increased interest of public and institutional customers in environmental information stimulated the setting up of an ECMA Technical Committee working on the definition of product-related environmental attributes. ECMA TC38 was established formally by the ECMA General Assembly in December 1995. It includes experts from information technology, telecommunications and consumer electronics companies and organisations.

This Technical Report presents a catalogue of parameters related to the environment that are recommended for inclusion in product data declarations and specifications.

This second edition takes into consideration the comments received from users and users organisations. The data relevant to end of life management have been moved to a separate Technical Report.

Annex A presents a summary of attributes to be declared and examples of such declarations for a range of products.



Table of Contents

1	Scope	1
2	References	1
2.1	ECMA	1
2.2	ISO	1
2.3	IEC	1
2.4	CEN/CENELEC	1
2.5	European Union (EU)	2
2.6	International agreements	2
2.7	Sweden	2
2.8	United States Environmental Protection Agency (US EPA)	2
3	Definitions	2
3.1	Acoustical noise	2
3.2	Chemical emissions	2
3.3	Environment	2
3.4	Extendibility	2
3.5	Hazardous material	2
3.6	Modes of operation	2
3.6.1	Operational mode	2
3.6.2	Inactive modes	2
3.6.3	OFF mode	2
3.7	Noise emissions	2
3.8	Power consumption	2
3.9	Supplier	2
3.10	Upgradability	3
3.11	User	3
4	Acronyms	3
5	Information to customers and users	3
5.1	Product information/description	3
5.2	Extension of product lifetime	3
5.3	Power consumption	3
5.4	Radio frequency emissions	4
5.5	ELF/VLF emissions from VDUs	4
5.6	Acoustical noise	4
5.7	Chemical emissions	4
5.8	Materials	4
5.9	Disassembly	5
5.10	Batteries	5
5.11	Product packaging	5
5.12	Other take-back information	5

5.13 Documentation	5
Annex A Declaration of product environmental attributes	7
Camcorder	9
Copier	11
Hi-fi systems	13
Mobile phone	15
Monitor (CRT type)	17
Monitor (LCD type)	19
Notebook	21
Personal computer	23
Personal digital assistant	25
Printer	27
Server	29
Single use camera (SUC)	31
TV sets (CRT)	33
Video Cassette Recorder (VCR)	35
Annex B Bibliography	37

1 Scope

This Technical Report identifies and describes environmental attributes and associated measurement methods related to the use of information and communication technology and consumer electronic products, according to known standards, guidelines and currently accepted practices.

The environmental attributes include:

- power consumption;
- emissions;
- data on materials;
- packaging data.

Although the attributes are listed without differentiation between product categories, it should be recognized that not all attributes necessarily apply to each product category.

The documented sample declarations in annex A may serve as guidance for the proper application of this Technical Report.

2 References

This clause lists the documents that are directly referred to in the body of this Technical Report.

At the time of publication, the edition indicated was valid. All standards are subjected to revision, and parties to agreements based on this Technical Report are encouraged to investigate the possibility of applying the most recent edition of the standards listed below.

Standard ECMA-74 (1997) Measurement of Airborne Noise Emitted by Information Technology and

Telecommunications Equipment (ISO 7779)

Other documents of interest are listed in annex B.

2.1 ECMA

2.2

2.3

Standard ECMA-109 (1996)	Declared Noise Emission Values of Information Technology and Telecommunications
,	Equipment (ISO 9296)
ISO	
ISO 3741:1988	Acoustics - Determination of sound power levels of noise sources using sound pressure - Precision methods for broad-band sources in reverberation rooms (mainly continuous)
ISO 3742:1988	Determination of sound power levels of noise sources - Precision methods for discrete-frequency and narrow-band sources in reverberation rooms (mainly discontinuous)
ISO 3744:1994	Acoustics - Determination of sound power levels of noise sources using sound pressure - Engineering method in an essentially free field over a reflecting plane
ISO 3745:1977	Acoustics - Determination of sound power levels of noise sources - Precision methods for anechoic and semi-anechoic rooms
ISO 7779:1988	Measurement of airborne noise emitted by computer and business equipment
ISO 9296:1988	Declared noise emission values of computer and business equipment
ISO 11469:1993	Plastics - Generic identification and marking of plastic products
ISO 11690:1996	Acoustics - Recommended practice for the design of low-noise workplaces containing machinery
ISO 14001:1996	Environmental management systems - Specifications with guidance for use
IEC	

Methods of measurement on receivers for television broadcast transmissions. Part 1:

General considerations. Measurements at radio and video frequencies

2.4 CEN/CENELEC

IEC 107-1:1997

EN 45014 General criteria for suppliers declaration of conformance

2.5 European Union (EU)

89/336/EEC EMC Directive

91/157/EEC Directive on batteries and accumulators

93/86/EEC Marking of batteries 94/62/EEC Packaging Directive

98/101/EC Amendment to the battery Directive

2.6 International agreements

The 1987 Montreal Protocol on Substances that deplete the Ozone Layer (September 1997 version)

2.7 Sweden

MPR II 1990:8/10 Testing emissions and other properties of VDUs

2.8 United States Environmental Protection Agency (US EPA)

Energy Star MOU Memoranda of Understanding for energy efficient products

3 Definitions

For the purposes of this Technical Report the following definitions apply.

3.1 Acoustical noise

Unwanted sound in the human audible frequency range.

3.2 Chemical emissions

Release of gases, vapours and particulates from point or diffuse sources.

3.3 Environment

Surroundings in which an organisation operates, including air, water, land, natural resources, flora, fauna, humans and their interrelation. (ISO 14001)

3.4 Extendibility

The capability of adding new features to the product.

3.5 Hazardous material

Hazardous materials are those materials (e.g. corrosive, explosive, reactive, radioactive, carcinogenic, mutagenic, teratogenic or ecotoxic) that are regulated by various country regulations.

3.6 Modes of operation

3.6.1 Operational mode

A state in which the device performs its normal duties.

3.6.2 Inactive modes

These modes, identified as sleep, idle, deep sleep, identify modes in which the equipment is connected to an electrical supply and is ready to resume operational mode, with or without warming-up time. The definition of modes of operation is to be found in the system documentation.

3.6.3 OFF mode

The mode with the lowest power consumption when the device is connected to an electrical supply.

3.7 Noise emissions

Airborne sound radiated into the environment from a defined source (machine or equipment). (ISO 11690)

3.8 Power consumption

The number of watts (rms) drawn from the power source in a particular mode of operation.

3.9 Supplier

The party that supplies the product, process or service. It may be a supplier, distributor, importer, assembler, service organisation, etc. (EN 45014)

3.10 Upgradability

The capability of increasing the capacity of existing features in the product.

3.11 User

Any person who can be affected by the product.

4 Acronyms

CFC	chlorofluorocarbon	PCB	polychlorinated biphenyl
CRT	cathode ray tube	PCT	polychlorinated terphenyl
ELF	extra low frequency	SITO	Swedish IT organisation
EMC	electromagnetic compatibility	VCR	video cassette recorder
EPS	expanded polystyrene	VDU	visual display unit
HCFC	hydrogenated chlorofluorocarbon	VLF	very low frequency
LCD	liquid crystal display	VOC	volatile organic compound

5 Information to customers and users

The following information should be included in a suppliers declaration, as far as this is relevant to the specific product categories. A set of examples is given in annex A, but this does not limit the scope of this Technical Report.

5.1 Product information/description

The following should be provided where applicable. This list should include, but not be limited to:

- type of product;
- brand name;
- model number;
- supplier;
- weight and dimensional characteristics (e.g. metric units).

An appropriate environmental policy, management system or programme may be declared.

5.2 Extension of product lifetime

The design considerations of the basic unit, which allow the product features and product capability/profile to be enhanced, should be listed.

The following should be declared:

- upgradability/extendibility;
- availability of spare parts for the product after end of production in years;
- availability of service for the product after end of production in years.

The service warranty/policy offered by the supplier should be listed.

If spare part and service availability is restricted, restrictions should be listed.

5.3 Power consumption

All relevant products and equipment should list the power consumption in watts for all modes appropriate to the product type.

Some examples are:

Computers	Copiers	Monitors	Printers	TV sets/Audio
Sleep	Standby	Sleep mode	Low power mode	Standby passive
Off	Off	Deep sleep	Off mode	Off mode
		Off		

Measurement should be performed using the procedure specified by the EPA Energy Star programme for the appropriate product. Publication IEC 107-1 should be used for TV sets.

If a product allows multiple levels of energy saving modes, these should be listed in the product declaration.

Products following any other guidelines can list this information with the appropriate measurement in the appropriate section(s) of the product declaration (annex A). The measurement protocols associated with these guidelines should be followed.

5.4 Radio frequency emissions

The declaration should include a statement of compliance with radio frequency emission requirements, listing the applicable legislation and standards or by referring to, for example:

- Declaration of Conformity (e.g. supplier's declaration relating to the CE marking);
- And/or any other requirement.

5.5 ELF/VLF emissions from VDUs

A declaration should be made, as appropriate, to electromagnetic near-field emissions which emanate from a visual display unit (VDU) which is defined as a "device for the presentation of information by the controlled excitation of a screen, regardless of the display technology or power source". This definition does not include displays used solely as machine status indicators or displays incapable of displaying more than four lines of text.

Public perception and increased requests from customers related to electromagnetic field emissions which emanate from monitors led to the Swedish guideline MPR II - 1990:8 for Band I and II ranges in both electric and magnetic fields, as well as electrostatic fields.

NOTE

This clause applies only to computer monitors and notebooks.

5.6 Acoustical noise

Noise emission information for relevant products should be provided as **declared sound power levels LwAd** and **sound pressure levels LpAm** for the operational and idle modes, the modes should be specified. For the sound pressure level, the measurement distance should be declared.

Measurements should be made according to standards ISO 3741, ISO 3742, ISO 3744 or ISO 3745 and the result declared according to ECMA-109 (ISO 9296:1988).

If a specific standard for the product is available, this standard should be used, e.g. for IT and telecommunication equipment, ECMA-74 (ISO 7779:1988).

5.7 Chemical emissions

Due to the lack of an international standard for measurement of chemical emissions (e.g. ozone, VOC, dust), it is recommended that the emission values are reported in terms of concentration (e.g. mg/m^3) and/or emission rate (e.g. mg/hour) in full operation of the product. The measurement protocol shall be listed on the declaration.

NOTE

Recognising the need for such a standard, ECMA TC38 has set up a Task Group to draft such a standard.

5.8 Materials

A declaration should be made for at least the following substances (covered by legislation and/or voluntary initiatives) that they are not present in concentrations exceeding the natural background levels:

- asbestos;
- cadmium (in plastic materials, CRTs, packaging and inks);
- mercury;
- ozone depleting substances, according to those categories that are already banned in the Montreal protocol.;
- chloroparaffins with chain length 10-13 C atoms, chlorination greater than 50% contained in mechanical plastic parts heavier than 25 g;
- lead contained in mechanical plastic parts heavier than 25 g;
- PCB or PCT;
- polybrominated biphenyls and their ethers (CAS 32534-81-9, 32536-52-0, 1163-19-5, 13654-09-6) contained in mechanical plastic parts heavier than 25 g.

NOTE

Companies may however quote to a mechanical plastic part weight above 50 g instead of above 25 g.

The presence of any of the above listed substances which exceed natural background levels should be declared.

Determination of the material composition should be conducted in accordance with accepted industry practices.

5.9 Disassembly

The declaration should list any design feature that has been included in the product to facilitate disassembly and/or recycling by professionals.

For example:

- statement that mechanical plastic parts heavier than 25 g are marked according to ISO 11469;
- inclusion of snap-fit assembly;
- number and type of joints and fixings for major components.

5.10 Batteries

The following items should be declared for all batteries or accumulators contained in the product:

- the type of battery or accumulator (e.g. nickel-cadmium) used;
- its weight;
- batteries used in the product are in conformance with the EU Directives 91/157/EEC ('hazardous substances'), 98/101/EC (amendment) and EU Directive 93/86/EEC ('marking requirements') and any other applicable national or regional regulations;
- information concerning the handling of the batteries in the product including proper installation, removal and disposal is given in the product documentation.

5.11 Product packaging

The following should be declared:

- type and weight of packaging materials (e.g. wood, paper/cardboard, plastic, etc.);
- marking of packaging materials (e.g. according to ISO 11469 or DIN 6120);
- any supplier initiated take-back schemes for used packaging;
- packaging should be in conformance with national guidelines, regulations and/or standards such as those implementing the EU Directive 94/62/EEC.

Various country and EU initiatives could include disposal, reuse and/or recycling instructions, types of materials permitted/banned, etc. Local ordinances may also apply.

5.12 Other take-back information

Statements on availability of take-back schemes for products and consumables should be given.

5.13 Documentation

The range of post-consumer recycled content should be declared. The paper bleaching method should be specified.

Annex A

Declaration of product environmental attributes

This annex contains a set of templates for eco-declarations, intended as examples to help in the application of this Technical Report. The scope of this TR is not limited to these examples.

Alternative media (electronic files, electronic transfer, other) and identification technologies (bar-codes, identification units, other) may be used for automated transfer and exchange of the data in these declarations.

Table A.1 - Overview of attributes to be declared for selected product categories

Declaration item and clause	Cam- corder	Copier/ Printer	Hi-fi System	Mobile phone	Monitor	Note- book	PC	P.D.A	Server	S.U.C	TV (CRT)	VCR
Product information/description - 5.1	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Voluntary environmental programme	V	V	V	V	V	V	V	V	V	V	V	V
Extension of product lifetime - 5.2												
Service availability	Y	Y	Y	Y	Y	Y	Y	Y	Y	N/A	Y	Y
 Upgradability 	N/A	V	V	V	N/A	Y	Y	Y	Y	N/A	*V	N/A
 Extendibility 	V	V	V	V	N/A	Y	Y	Y	Y	N/A	*V	N/A
Power consumption - 5.3												
 Data for applicable modes 	Y	Y	Y	Y	Y	Y	Y	Y	V	N/A	Y	Y
Radio frequency emissions - 5.4	V	V	V	V	V	V	V	V	V	N/A	V	V
ELF/VLF emissions from VDUs - 5.5	N/A	N/A	N/A	N/A	V (*)	V	N/A	N/A	N/A	N/A	N/A	N/A
Acoustical noise - 5.6	V	Y	V	N/A	**N/A	Y	Y	N/A	Y	N/A	N/A	V
Chemical emissions*** - 5.7	***	V	***	***	***	***	***	***	***	***	***	***
Materials - 5.8	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Disassembly - 5.9	V	Y	V	V	Y	Y	Y	Y	Y	Y	V	V
Batteries - 5.10	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Packaging - 5.11	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Other take back information - 5.12	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Documentation - 5.13	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y

^{*:} V applies to digital and Internet TV only, N/A applies to all other types of TV

Attributes which are not applicable or where nothing can be declared should be left out.

The declaration items indicated with

- Y shall be included in a product declaration according to ECMA TR/70
- *N/A* not applicable
- V may be included in a product declaration according to ECMA TR/70
- (*) N/A to a LCD monitor

^{**:} V if equipped with a fan

^{***:} A specific task group is working on the subject

Camcorder

Supplier's Name: Supplier's Address:	
declares (based on product that the product	uct specification or test results obtained from sample testing,)
Product Name and type: Model Number:	
Weight:	kg (non-packaged system)
Dimension:	cm x cm x cm (\mathbf{h} x \mathbf{w} x \mathbf{d} , non-packaged system, not including projecting parts & controls)
•	g voluntary environmental programme requirements: mental specifications, as listed in the ECO-declaration below:
• Extension of lifetime The system is extendible as • • The manufacturer offers • spare parts availability • service availability • warranty	
 Power consumption a.c. power adapter type: Without load While loading avera Charging time, full of 	ge loading process W
 the product complies wi or is covered by a separ NOTE Chose the applicable option Acoustical noise declared sound power level 	th radio frequency emissions requirements, th 89/336/EEC CE-mark (EMC-Directive); ate declaration of conformity. sound pressure level at distance
record mode: Record mode is defined as	$\ldots \qquad bel \qquad record \ mode \qquad \ldots \ldots \ dB(A)$ \ldots

Materials

The above described product does not contain:

- asbestos;
- cadmium (in plastic materials, packaging and inks);
- mercury (except fluorescent lamp of back light);
- ozone depleting substances, according to those categories that are already banned in the Montreal protocol;
- chloroparaffins with chain length 10-13 C atoms, chlorination greater than 50% contained in mechanical plastic parts heavier than 25 g;
- lead contained in mechanical plastic parts heavier than 25 g;
- PCB or PCT;
- polybrominated biphenyls and their ethers (CAS 32534-81-9, 32536-52-0, 1163-19-5, 13654-09-6) contained in mechanical plastic parts heavier than 25 g.

in concentrations exceeding the natural background levels.

Disassembly

The system is designed for disassembly, by using:

- e.g. marking of plastic parts >25 g according to ISO 11469
- e.g. screws one type
- e.g. snap-in features
- ...

• Batteries

The product or accessories contains the following batteries:

11	le product of accessories contains the	following batteries	•		
Re	emote control battery:		M	emory back-up battery:	
•	Battery type		•	Battery type	
•	Weight:		•	Weight:	•••••
M	ain battery:				
•	Battery type				
•	Weight:				

The batteries are in conformance with:

- 91/157/EEC (hazardous substances)
- 93/86/EEC (marking)
- 98/101/EC (amendment to 91/157/EEC)

The documentation includes instructional information concerning:

- proper removal
- proper disposal

Packaging

Type (e.g. carton and/or EPS)Weight

The packaging materials are marked according to (e.g. ISO 11469):

The supplier offers packaging take back and recycling services in many locations throughout the world. Public packaging recovery systems might also be used where possible. Customers are advised to contact their supplier representatives for additional information.

The following guidelines and/or regulations apply:

• ..

Take back information

The supplier offers take back and recycling services for products and consumables in many locations throughout the world. Customers are advised to contact their supplier representatives for additional information.

Documentation

The documentation is made under use of post-consumer recycled paper.

• Post-consumer content:% to %.......

The paper is bleached by the following method:

$\label{lem:condition} \textbf{Product environmental attributes declaration form according to ECMA-TR/70}$

Copier				
Supplier's Name: Supplier's Address:				
declares (based on produ that the product	ict specification or	test results obtained fr	rom sample testing,)	
Product Name and type: Model Number:				
Weight:	kg (non-packaged s	ystem)		
Dimension:	cm x cm x cn	n (h x w x d , non-packaged sy	vstem)	
conforms to the following one conforms to the environment	-			
 Extension of lifetime The system is upgradable/ex 	xtendible as follows:			
The manufacturer offersspare parts availabilityservice availabilitywarranty	years after end o	-	vice level agreement, business to business) usiness to business)	
Power consumptionStandbyOFF mode:	W W according	to Energy Star		
 Radio frequency emission Regarding conformance with the product complies with the product compliance with the	th 89/336/EEC (ate declaration of conformate declaration of conformate declaration of conformation)	CE-mark (EMC-Direc	ctive);	
Acoustical noise declared sound power level operational mode(s): idle mode: Operational mode is defined.	bel bel	sound pressure level at operational mode(s) idle mode	distance dB(A) dB(A)	
• Chemical emissions: Ozone Dust Styrene	$\begin{array}{ccc} \dots & mg/m^3 \\ \dots & mg/m^3 \\ \dots & mg/m^3 \end{array}$			

The measuring methods should be stated.

Materials

The above described product does not contain:

- asbestos;
- cadmium (in plastic materials, packaging and inks);
- mercury;
- ozone depleting substances, according to those categories that are already banned in the Montreal protocol;
- chloroparaffins with chain length 10-13 C atoms, chlorination greater than 50% contained in mechanical plastic parts heavier than 25 g;
- lead contained in mechanical plastic parts heavier than 25 g;
- PCB or PCT;
- polybrominated biphenyls and their ethers (CAS 32534-81-9, 32536-52-0, 1163-19-5, 13654-09-6) contained in mechanical plastic parts heavier than 25 g.

in concentrations exceeding the natural background levels.

The flame retardant system should be specified.

Disassembly

The system is designed for disassembly, by using:

• ...

Batteries

The product or accessories contains the following batteries:

Memory back-up battery:

•	Battery type	
•	Weight:	
M	lain battery:	
•	Battery type	
•	Weight:	

The batteries are in conformance with:

- 91/157/EEC (hazardous substances)
- 93/86/EEC (marking)
- 98/101/EC (amendment to 91/157/EEC)

The documentation includes instructions concerning:

- proper removal
- proper disposal

Packaging

Type (e.g. carton and/or EPS)Weight

The packaging materials are marked according to (e.g. ISO 11469):

The supplier offers packaging take back and recycling services in many locations throughout the world. Public packaging recovery systems might also be used where possible. Customers are advised to contact their supplier representatives for additional information.

The following guidelines and/or regulations apply:

• ...

Take back information

The supplier offers take back and recycling services for products and consumables in many locations throughout the world. Customers are advised to contact their supplier representatives for additional information.

Documentation

The documentation is made under use of post-consumer recycled paper.

Hi-fi systems

Supplier's Name: Supplier's Address:			
declares (based on prod that the product	uct specification	or test results obtained f	rom sample testing,)
Product Name and type: Model Number:			
Weight:	kg (non-package	ed system)	
Dimension:	cm x cm x	. cm (h x w x d , non-packaged s	ystem)
•		ironmental programme r	_
 Extension of lifetime The system is upgradable/e The manufacturer offers spare parts availability service availability warranty 	years after	end of production end of production	
 Power consumption Standby passive Standby active (if avail OFF mode: 	W		
 Radio frequency emiss Regarding conformance wi the product complies w or is covered by a separation 	th radio frequency entith 89/336/EEC	CE-mark (EMC-Dire	ective);
NOTE Chose the applicable optio	n		
• Acoustical noise declared sound power lever Play mode: Play mode is defined as	bel	sound pressure level at Play mode	distance dB(A)
 Materials The above described produ asbestos; 	act does not contain:		

• cadmium (in plastic materials, packaging and inks);

• mercury;

- ozone depleting substances, according to those categories that are already banned in the Montreal protocol;
- chloroparaffins with chain length 10-13 C atoms, chlorination greater than 50% contained in mechanical plastic parts heavier than 25 g;
- lead contained in mechanical plastic parts heavier than 25 g;
- PCB or PCT;
- polybrominated biphenyls and their ethers (CAS 32534-81-9, 32536-52-0, 1163-19-5, 13654-09-6) contained in mechanical plastic parts heavier than 25 g.

in concentrations exceeding the natural background levels.

Disassembly

The system is designed for disassembly, by using:

- e.g. marking of plastic parts >25 g according to ISO 11469
- e.g. screws one type
- · e.g. snap-in features
- •

Batteries

The product or accessories contains the following batteries:

Remote control battery:

	3	
•	Battery type	
•	Weight:	
M	emory back-up battery:	
•	Battery type	
•	Weight:	

The batteries are in conformance with:

- 91/157/EEC (hazardous substances)
- 93/86/EEC (marking)
- 98/101/EC (amendment to 91/157/EEC)

The documentation includes instructional information concerning:

- · proper removal
- proper disposal

Packaging

Type (e.g. carton and/or EPS)Weight

The packaging materials are marked according to (e.g. ISO 11469):

The supplier offers packaging take back and recycling services in many locations throughout the world. Public packaging recovery systems might also be used where possible. Customers are advised to contact their supplier representatives for additional information.

The following guidelines and/or regulations apply:

• ..

Take back information

The supplier offers take back and recycling services for products and consumables in many locations throughout the world. Customers are advised to contact their supplier representatives for additional information.

Documentation

The documentation is made under use of post-consumer recycled paper.

• Post-consumer content:% to %.......

The paper is bleached by the following method:

Mobile phone

Supplier's Name: Supplier's Address:	
declares (based on prod that the product	uct specification or test results obtained from sample testing,)
Product Name and type: Model Number:	
Weight:	kg (non-packaged system)
Dimension:	cm x 8 cm x 3 cm (h x w x d , non-packaged system)
• Extension of lifetime The system is upgradable/e •	extendible as follows:
•	
The manufacturer offers	years after end of production years after end of production years
a.c. power adapter type	
Without load	W

Without load W
 While loading average loading process W
 Charging time, full charge min

Radio frequency emissions

Regarding conformance with radio frequency emissions requirements,

- the product complies with 89/336/EEC CE-mark (EMC-Directive);
- or is covered by a separate declaration of conformity.

NOTE

Chose the applicable option

Materials

The above described product does not contain:

- asbestos;
- cadmium (in plastic materials, packaging and inks);
- mercury:
- ozone depleting substances, according to those categories that are already banned in the Montreal protocol;
- chloroparaffins with chain length 10-13 C atoms, chlorination greater than 50% contained in mechanical plastic parts heavier than 25 g;
- lead contained in mechanical plastic parts heavier than 25 g;

- PCB or PCT;
- polybrominated biphenyls and their ethers (CAS 32534-81-9, 32536-52-0, 1163-19-5, 13654-09-6) contained in mechanical plastic parts heavier than 25 g.

in concentrations exceeding the natural background levels.

Disassembly

The system is designed for disassembly, by using:

- e.g. marking of plastic parts >25 g according to ISO 11469
- e.g. screws one type
- · e.g. snap-in features
- ...

Batteries

The product or accessories contains the following batteries:

Memory back-up battery:

Battery type
Weight:
Main battery:
Battery type
Weight:

The batteries are in conformance with:

- 91/157/EEC (hazardous substances)
- 93/86/EEC (marking)
- 98/101/EC (amendment to 91/157/EEC)

The documentation includes instructional information concerning:

- proper removal
- proper disposal

Packaging

Type (e.g. carton and/or EPS)Weight

The packaging materials are marked according to (e.g. ISO 11469):

The supplier offers packaging take back and recycling services in many locations throughout the world. Public packaging recovery systems might also be used where possible. Customers are advised to contact their supplier representatives for additional information.

The following guidelines and/or regulations apply:

• ..

Take back information

The supplier offers take back and recycling services for products and consumables in many locations throughout the world. Customers are advised to contact their supplier representatives for additional information.

Documentation

The documentation is made under use of post-consumer recycled paper.

• Post-consumer content:% to %.......

The paper is bleached by the following method:

• ...

Monitor (CRT type)

Supplier's Name: Supplier's Address:			
declares (based on prod that the product	uct specification	on or test resul	ts obtained from sample testing,)
Product Name and type: Model Number:			
Weight:	kg (non-packa	nged system)	
Dimension:	cm x cm x	cm (h x w x d ,	non-packaged system)
 Extension of lifetime The manufacturer offers spare parts availability 	-	end of production	d in the ECO-declaration below:
 service availability 	•	end of production	
warranty	years	-	
 Power consumption sleep deep sleep OFF mode: 	W W W		
 Radio frequency emiss Regarding conformance wi the product complies w 	th radio frequency	emissions require	ments, (EMC-Directive);

• or is covered by a separate declaration of conformity.

Chose the applicable option

ELF/VLF emissions

The above described product complies with the Swedish guideline:

• MPR II-1990:8

Materials

The above described product does not contain:

- asbestos;
- cadmium (in plastic materials, packaging and inks);
- mercury;
- ozone depleting substances, according to those categories that are already banned in the Montreal protocol;
- chloroparaffins with chain length 10-13 C atoms, chlorination greater than 50% contained in mechanical plastic parts heavier than 25 g;
- lead contained in mechanical plastic parts heavier than 25 g;

- PCB or PCT;
- polybrominated biphenyls and their ethers (CAS 32534-81-9, 32536-52-0, 1163-19-5, 13654-09-6) contained in mechanical plastic parts heavier than 25 g.

in concentrations exceeding the natural background levels.

Disassembly

The system is designed for disassembly, by using:

- e.g. marking of plastic parts >25 g according to ISO 11469
- e.g. screws one type
- · e.g. snap-in features
- ...

Batteries

No batteries contained in this product.

Packaging

Type (e.g. carton and/or EPS)Weight

The packaging materials are marked according to (e.g. ISO 11469):

The supplier offers packaging take back and recycling services in many locations throughout the world. Public packaging recovery systems might also be used where possible. Customers are advised to contact their supplier representatives for additional information.

The following guidelines and/or regulations apply:

• ..

Take back information

The supplier offers take back and recycling services for products and consumables in many locations throughout the world. Customers are advised to contact their supplier representatives for additional information.

• Documentation

The documentation is made under use of post-consumer recycled paper.

• Post-consumer content:% to %.......

The paper is bleached by the following method:

Monitor (LCD type)

Supplier's Name: Supplier's Address:				
declares (based on prod that the product	uct specificatio	on or test resul	ts obtained from sample testing,)	
Product Name and type: Model Number:				
Weight:	kg (non-packa	ged system)		
Dimension:	cm x cm x	cm x cm (h x w x d, non-packaged system)		
 Extension of lifetime The manufacturer offers 	mental specific	cations, as liste	d in the ECO-declaration below:	
 spare parts availability 	•	end of production		
• service availability	•	end of production		
 warranty 	years			
 Power consumption 				
sleep	W			
 deep sleep 	W			
• OFF mode:	W			
 Radio frequency emiss: Regarding conformance wi the product complies w 	th radio frequency	emissions require	ments, (EMC-Directive);	

- or is covered by a separate declaration of conformity.

Chose the applicable option

Materials

The above described product does not contain:

- asbestos;
- cadmium (in plastic materials, packaging and inks);
- ozone depleting substances, according to those categories that are already banned in the Montreal protocol;
- chloroparaffins with chain length 10-13 C atoms, chlorination greater than 50% contained in mechanical plastic parts heavier than 25 g;
- lead contained in mechanical plastic parts heavier than 25 g;
- PCB or PCT;
- polybrominated biphenyls and their ethers (CAS 32534-81-9, 32536-52-0, 1163-19-5, 13654-09-6) contained in mechanical plastic parts heavier than 25 g.

in concentrations exceeding the natural background levels.

Mercury contained in backlighting system ... mg.

Disassembly

The system is designed for disassembly, by using:

- e.g. marking of plastic parts >25 g according to ISO 11469
- e.g. screws one type
- e.g. snap-in features
- ...

Batteries

No batteries contained in this product.

Packaging

• Type (e.g. carton and/or EPS)

• Weight

The packaging materials are marked according to (e.g. ISO 11469):

The supplier offers packaging take back and recycling services in many locations throughout the world. Public packaging recovery systems might also be used where possible. Customers are advised to contact their supplier representatives for additional information.

The following guidelines and/or regulations apply:

• ...

Take back information

The supplier offers take back and recycling services for products and consumables in many locations throughout the world. Customers are advised to contact their supplier representatives for additional information.

Documentation

The documentation is made under use of post-consumer recycled paper.

• Post-consumer content:% to %.......

The paper is bleached by the following method:

	Notebook			
Supplier's Name: Supplier's Address:				
declares (based on prod that the product	uct specifica	tion or test results obtained f	from sample testing,)	
Product Name and type: Model Number:				
Weight:	kg (non-pac	ckaged system)		
Dimension:	cm x 8 cm	x 3 cm (h x w x d , non-packaged sys	tem)	
conforms to the followin	g voluntary	environmental programme r	requirements:	
conforms to the environ	mental speci	ifications, as listed in the ECC	O-declaration below:	
 Extension of lifetime The system is upgradable/e memory hard drive The manufacturer offers spare parts availability 	• ; • ; years af	card slots attachable devices fter end of production		
service availabilitywarranty	years af years	fter end of production		
 Power consumption (considered) sleep deep sleep 	W W	ne mains, not charging)		
Radio frequency emissi	th radio frequen ith 89/336/EEC		ective);	
NOTE Chose the applicable option	n			
 ELF/VLF emissions The above described produ MPR II-1990:8 	ct complies with	h the Swedish guideline:		
 Acoustical noise declared sound power leve operational mode: idle mode: Operational mode is define 	bel bel	sound pressure level at operational mode idle mode	distance dB(A) dB(A)	

Materials

The above described product does not contain:

- asbestos;
- cadmium (in plastic materials, packaging and inks);
- ozone depleting substances, according to those categories that are already banned in the Montreal protocol;
- chloroparaffins with chain length 10-13 C atoms, chlorination greater than 50% contained in mechanical plastic parts heavier than 25 g;
- lead contained in mechanical plastic parts heavier than 25 g;
- PCB or PCT;
- polybrominated biphenyls and their ethers (CAS 32534-81-9, 32536-52-0, 1163-19-5, 13654-09-6) contained in mechanical plastic parts heavier than 25 g.

in concentrations exceeding the natural background levels.

Mercury contained in backlighting system ... mg

Disassembly

The system is designed for disassembly, by using:

- e.g. marking of plastic parts >25 g according to ISO 11469
- e.g. screws one type
- e.g. snap-in features
- ...

Batteries

The product or accessories contains the following batteries:

Memory back-up battery:

•	Battery type	
•	Weight:	
M	ain battery:	
•	Battery type	
•	Weight:	

The batteries are in conformance with:

- 91/157/EEC (hazardous substances)
- 93/86/EEC (marking)
- 98/101/EC (amendment to 91/157/EEC)

The documentation includes instructional information concerning:

- proper removal
- proper disposal

Packaging

Type (e.g. carton and/or EPS)Weight

The packaging materials are marked according to (e.g. ISO 11469):

The supplier offers packaging take back and recycling services in many locations throughout the world. Public packaging recovery systems might also be used where possible. Customers are advised to contact their supplier representatives for additional information.

The following guidelines and/or regulations apply:

• ...

Take back information

The supplier offers take back and recycling services for products and consumables in many locations throughout the world. Customers are advised to contact their supplier representatives for additional information.

Documentation

The documentation is made under use of post-consumer recycled paper.

• Post-consumer content:% to %.......

The paper is bleached by the following method:

• ...

Personal computer

Supplier's Name: Supplier's Address:				
declares (based on product	uct specificati	on or test results obtained f	rom sample testing,)	
Product Name and type: Model Number:				
Weight:	kg (non-packaged system)			
Dimension: cm x cm (\mathbf{h} x \mathbf{w} x \mathbf{d} , non-packaged system)			ystem)	
•	•	nvironmental programme r cations, as listed in the ECC	•	
 Extension of lifetime The system is upgradable/e Processor Memory Cache RAM 	•	ws: Video Hard disk capacity Slots Bays		
The manufacturer offers		r end of production r end of production		
Power consumptionsleepOFF mode:	W W			
 Radio frequency emissing Regarding conformance with the product complies with the product complete with the product complies with the product complete with the p	th radio frequency vith 89/336/EEC	CE-mark (EMC-Dire	ective);	
NOTE Chose the applicable option	n			
• Acoustical noise declared sound power leve operational mode: idle mode: Operational mode is define	bel bel	sound pressure level at operational mode idle mode	distance dB(A) dB(A)	

Materials

The above described product does not contain:

- asbestos;
- cadmium (in plastic materials, packaging and inks);
- mercury;
- ozone depleting substances, according to those categories that are already banned in the Montreal protocol;
- chloroparaffins with chain length 10-13 C atoms, chlorination greater than 50% contained in mechanical plastic parts heavier than 25 g;
- lead contained in mechanical plastic parts heavier than 25 g;
- PCB or PCT;
- polybrominated biphenyls and their ethers (CAS 32534-81-9, 32536-52-0, 1163-19-5, 13654-09-6) contained in mechanical plastic parts heavier than 25 g.

in concentrations exceeding the natural background levels.

Disassembly

The system is designed for disassembly, by using:

- e.g. marking of plastic parts >25 g according to ISO 11469
- e.g. screws one type
- e.g. snap-in features
- ...

Batteries

The product or accessories contains the following batteries:

Memory back-up battery:

• Battery type

• Weight:

The batteries are in conformance with:

- 91/157/EEC (hazardous substances)
- 93/86/EEC (marking)
- 98/101/EC (amendment to 91/157/EEC)

The documentation includes instructional information concerning:

- proper removal
- proper disposal

Packaging

Type (e.g. carton and/or EPS)Weight

The packaging materials are marked according to (e.g. ISO 11469):

The supplier offers packaging take back and recycling services in many locations throughout the world. Public packaging recovery systems might also be used where possible. Customers are advised to contact their supplier representatives for additional information.

The following guidelines and/or regulations apply:

• ...

Take back information

The supplier offers take back and recycling services for products and consumables in many locations throughout the world. Customers are advised to contact their supplier representatives for additional information.

Documentation

The documentation is made under use of post-consumer recycled paper.

• Post-consumer content:% to %.......

The paper is bleached by the following method:

Personal digital assistant (P.D.A)

	$(1.\mathbf{D}.\mathbf{A})$
Supplier's Name: Supplier's Address:	
declares (based on prod that the product	luct specification or test results obtained from sample testing,)
Product Name and type: Model Number:	
Weight:	kg (non-packaged system)
Dimension:	cm x cm x cm (h x w x d , non-packaged system)
 Extension of lifetime The system is upgradable/of memory slots 	extendible as follows:
The manufacturer offers	years after end of production years after end of production years
 Power consumption (c sleep deep sleep OFF mode: 	onnected to the mains – not charging) W W W

• Radio frequency emissions

Regarding conformance with radio frequency emissions requirements,

- the product complies with 89/336/EEC CE-mark (EMC-Directive);
- or is covered by a separate declaration of conformity.

NOTE

Chose the applicable option

Materials

The above described product does not contain:

- asbestos;
- cadmium (in plastic materials, packaging and inks);
- ozone depleting substances, according to those categories that are already banned in the Montreal protocol;
- chloroparaffins with chain length 10-13 C atoms, chlorination greater than 50% contained in mechanical plastic parts heavier than 25 g;
- lead contained in mechanical plastic parts heavier than 25 g;
- PCB or PCT;

• polybrominated biphenyls and their ethers (CAS 32534-81-9, 32536-52-0, 1163-19-5, 13654-09-6) contained in mechanical plastic parts heavier than 25 g.

in concentrations exceeding the natural background levels.

Mercury contained in the back lighting system ... mg

Disassembly

The system is designed for disassembly, by using:

- e.g. marking of plastic parts >25 g according to ISO 11469
- e.g. screws one type
- e.g. snap-in features
- ...

Batteries

The product or accessories contains the following batteries:

Main battery:

Battery typeWeight:

The batteries are in conformance with:

- 91/157/EEC (hazardous substances)
- 93/86/EEC (marking)
- 98/101/EC (amendment to 91/157/EEC)

The documentation includes instructional information concerning:

- proper removal
- proper disposal

Packaging

Type (e.g. carton and/or EPS)Weight

The packaging materials are marked according to (e.g. ISO 11469):

The supplier offers packaging take back and recycling services in many locations throughout the world. Public packaging recovery systems might also be used where possible. Customers are advised to contact their supplier representatives for additional information.

The following guidelines and/or regulations apply:

• ...

Take back information

The supplier offers take back and recycling services for products and consumables in many locations throughout the world. Customers are advised to contact their supplier representatives for additional information.

Documentation

The documentation is made under use of post-consumer recycled paper.

• Post-consumer content:% to %.......

The paper is bleached by the following method:

		Printer	
Supplier's Name: Supplier's Address:			
declares (based on prod that the product	uct specification or	test results obtained fro	om sample testing,)
Product Name and type: Model Number:			
Weight:	kg (non-packaged system)		
Dimension:	cm x cm x cm	(h x w x d, non-packaged sys	tem)
 Extension of lifetime The system is upgradable/e 	xtendible as follows:		
•			
•			
The supplier offers to userspare parts availabilityservice availabilitywarranty	years after end of years after end of years	-	
Power consumptionlow power mode:OFF mode:	W W according t	o Energy Star	
 Acoustical noise declared sound power leve operational mode: Operational mode is define (describe operational mode 	bel d as in accordance wi		distance dB(A)
• Materials			

The above described product does not contain:

- asbestos;
- cadmium (in plastic materials, packaging and inks);
- mercury;
- ozone depleting substances, according to those categories that are already banned in the Montreal protocol;
- chloroparaffins with chain length 10-13 C atoms, chlorination greater than 50% contained in mechanical plastic parts heavier than 25 g;
- lead contained in mechanical plastic parts heavier than 25 g;
- PCB or PCT;
- polybrominated biphenyls and their ethers (CAS 32534-81-9, 32536-52-0, 1163-19-5, 13654-09-6) contained in mechanical plastic parts heavier than 25 g.

in concentrations exceeding the natural background levels.

Disassembly

The system is designed for disassembly, by using:

- e.g. marking of plastic parts >25 g according to ISO 11469
- e.g. screws one type
- e.g. snap-in features
- ...

• Batteries (if applicable)

The product or accessories contains the following batteries:

Remote control battery:

The batteries are in conformance with:

- 91/157/EEC (hazardous substances)
- 93/86/EEC (marking)
- 98/101/EC (amendment to 91/157/EEC)

The documentation includes instructional information concerning:

- proper removal
- proper disposal

Packaging

Type (e.g. carton and/or EPS)Weight

The packaging materials are marked according to (e.g. ISO 11469):

The supplier offers packaging take back and recycling services in many locations throughout the world. Public packaging recovery systems might also be used where possible. Customers are advised to contact their supplier representatives for additional information.

The following guidelines and/or regulations apply:

• ...

Take back information

The supplier offers take back and recycling services for products and consumables in many locations throughout the world. Customers are advised to contact their supplier representatives for additional information.

Documentation

The documentation is made under use of post-consumer recycled paper.

• Post-consumer content:% to %.......

The paper is bleached by the following method:

	Server	
Supplier's Name: Supplier's Address:		
declares (based on prod that the product	uct specification or test results obtained fro	m sample testing,)
Product Name and type: Model Number:		
Weight:	kg (non-packaged system)	
Dimension:	cm x cm x cm (h x w x d , non-packaged syst	tem)
 conforms to the environ Extension of lifetime The system is upgradable/e 	mental specifications, as listed in the ECO-extendible as follows:	declaration below:
• •		
The manufacturer offers	years after end of production years after end of production (depends on servi years (depends on service level agreement)	ce level agreement)
Power consumptionWould give voluntarily	the maximum power rating	
 the product complies w 	th radio frequency emissions requirements,	ive);
Chose the applicable optio	n	
 Acoustical noise declared sound power leve operational mode: Operational mode is define 	sound pressure level at operational mode das in accordance with ISO 9296 and ISO 7779.	distance dB(A)
 Materials 		

The above described product does not contain:

- asbestos;
- cadmium (in plastic materials, packaging and inks);
- mercury;
- ozone depleting substances, according to those categories that are already banned in the Montreal protocol;

- chloroparaffins with chain length 10-13 C atoms, chlorination greater than 50% contained in mechanical plastic parts heavier than 25 g;
- lead contained in mechanical plastic parts heavier than 25 g;
- PCB or PCT;
- polybrominated biphenyls and their ethers (CAS 32534-81-9, 32536-52-0, 1163-19-5, 13654-09-6) contained in mechanical plastic parts heavier than 25 g.

in concentrations exceeding the natural background levels.

• Disassembly

The system is designed for disassembly, by using:

- e.g. marking of plastic parts >25 g according to ISO 11469
- e.g. screws one type
- · e.g. snap-in features
- ...

Batteries

The product or accessories contains the following batteries:

Memory back-up battery:

•	Battery type	
•	Weight:	
M	ain battery:	
•	Battery type	
	Weight:	

The batteries are in conformance with:

- 91/157/EEC (hazardous substances)
- 93/86/EEC (marking)
- 98/101/EC (amendment to 91/157/EEC)

The documentation includes instructional information concerning:

- proper removal
- proper disposal

Packaging

Type (e.g. carton and/or EPS)Weight

The packaging materials are marked according to (e.g. ISO 11469):

The supplier offers packaging take back and recycling services in many locations throughout the world. Public packaging recovery systems might also be used where possible. Custoifmers are advised to contact their supplier representatives for additional information.

The following guidelines and/or regulations apply:

• ..

Take back information

The supplier offers take back and recycling services for products and consumables in many locations throughout the world. Customers are advised to contact their supplier representatives for additional information.

Documentation

The documentation is made under use of post-consumer recycled paper.

The paper is bleached by the following method:

Single use camera (SUC)

Supplier's Name: Supplier's Address:	
declares (based on produ that the product	act specification or test results obtained from sample testing,)
Product Name and type: Model Number:	
Weight:	kg (non-packaged system)
Dimension:	cm x cm (h x w x d , non-packaged system)
•	g voluntary environmental programme requirements: nental specifications, as listed in the ECO-declaration below:
 mercury; ozone depleting substance chloroparaffins with character than 25 g; lead contained in mecha PCB or PCT; polybrominated bipheny mechanical plastic parts 	erials, packaging and inks); ces, according to those categories that are already banned in the Montreal protocol; nin length 10-13 C atoms, chlorination greater than 50% contained in mechanical plastic parts nical plastic parts heavier than 25 g; yls and their ethers (CAS 32534-81-9, 32536-52-0, 1163-19-5, 13654-09-6) contained in
 Disassembly The system is designed for of e.g. marking of plastic p e.g. screws one type e.g. snap-in features 	disassembly, by using: arts >25 g according to ISO 11469
 Batteries The product or accessories of Main battery: Battery type Weight: 	contains the following batteries:

The batteries are in conformance with:

- 91/157/EEC (hazardous substances)
- 93/86/EEC (marking)
- 98/101/EC (amendment to 91/157/EEC)

The documentation includes instructional information concerning:

- · proper removal
- proper disposal

Packaging

•	Type (e.g. carton and/or EPS)	
•	Weight	

The packaging materials are marked according to (e.g. ISO 11469):

The supplier offers packaging take back and recycling services in many locations throughout the world. Public packaging recovery systems might also be used where possible. Customers are advised to contact their supplier representatives for additional information.

The following guidelines and/or regulations apply:

• ..

• Take back information

The supplier offers take back and recycling services for products and consumables in many locations throughout the world. Customers are advised to contact their supplier representatives for additional information.

Documentation

The documentation is made under use of post-consumer recycled paper.

• Post-consumer content:% to %.......

The paper is bleached by the following method:

• ..

TV sets (CRT)

declares (based on product that the product	ct specification or test results obtained from sample testing,)
Product Name and type: Model Number:	
Weight:	kg (non-packaged system)
Dimension:	cm x cm x cm (h x w x d , non-packaged system)
• Extension of lifetime	nental specifications, as listed in the ECO-declaration below: tendible as follows (applies only to Digital/Internet TV):
The manufacturer offers	years after end of production years after end of production years
 Power consumption Standby passive Standby active (if availab OFF mode: 	W ble) W W
• Radio frequency emissio	ons

Regarding conformance with radio frequency emissions requirements,

- the product complies with 89/336/EEC CE-mark (EMC-Directive);
- or is covered by a separate declaration of conformity.

NOTE

Chose the applicable option

Materials

The above described product does not contain:

- asbestos;
- cadmium (in plastic materials, packaging, inks and CRT);
- mercury:
- ozone depleting substances, according to those categories that are already banned in the Montreal protocol;
- chloroparaffins with chain length 10-13 C atoms, chlorination greater than 50% contained in mechanical plastic parts heavier than 25 g;
- lead contained in mechanical plastic parts heavier than 25 g;
- PCB or PCT;

• polybrominated biphenyls and their ethers (CAS 32534-81-9, 32536-52-0, 1163-19-5, 13654-09-6) contained in mechanical plastic parts heavier than 25 g.

in concentrations exceeding the natural background levels.

Disassembly

The system is designed for disassembly, by using:

- e.g. marking of plastic parts >25 g according to ISO 11469
- e.g. screws one type
- e.g. snap-in features
- ...

Batteries

The product or accessories contains the following batteries:

Remote control battery:

Battery type
Weight:
Memory back-up battery:
Battery type
Weight:

The batteries are in conformance with:

- 91/157/EEC (hazardous substances)
- 93/86/EEC (marking)
- 98/101/EC (amendment to 91/157/EEC)

The documentation includes instructional information concerning:

- proper removal
- · proper disposal

Packaging

Type (e.g. carton and/or EPS)Weight

The packaging materials are marked according to (e.g. ISO 11469):

The supplier offers packaging take back and recycling services in many locations throughout the world. Public packaging recovery systems might also be used where possible. Customers are advised to contact their supplier representatives for additional information.

The following guidelines and/or regulations apply:

• ..

Take back information

The supplier offers take back and recycling services for products and consumables in many locations throughout the world. Customers are advised to contact their supplier representatives for additional information.

Documentation

The documentation is made under use of post-consumer recycled paper.

• Post-consumer content:% to %.......

The paper is bleached by the following method:

• ...

Video Cassette Recorder (VCR)

Supplier's Name: Supplier's Address:						
declares (based on prod that the product	uct specifi	cation or	test results o	btained fro	om sample testi	ng,)
Product Name and type: Model Number:						
Weight:	kg (non-	packaged s	ystem)			
Dimension:	cm x	cm x cn	n (h x w x d , non-	packaged sys	stem)	
conforms to the following conforms to the environ			_			low
 Extension of lifetime The system is upgradable/e The manufacturer offers spare parts availability service availability warranty 	yea	urs after end	of production of production			
 Power consumption Standby mode I (e.g. di Standby mode II (e.g. di OFF mode: 						
 Radio frequency emissing Regarding conformance with the product complies with the p	th radio frequith 89/336/El	EC (CE-mark	es, (EMC-Direc	tive);	
Chose the applicable option	n					
 Acoustical noise declared sound power leve Play mode: Play mode is defined as 	l bel		sound pressure Play mode	: level at	distance dB(A)	
 Materials The above described produ asbestos; cadmium (in plastic ma 			ıks);			

• mercury;

- ozone depleting substances, according to those categories that are already banned in the Montreal protocol;
- chloroparaffins with chain length 10-13 C atoms, chlorination greater than 50% contained in mechanical plastic parts heavier than 25 g;
- lead contained in mechanical plastic parts heavier than 25 g;
- PCB or PCT:
- polybrominated biphenyls and their ethers (CAS 32534-81-9, 32536-52-0, 1163-19-5, 13654-09-6) contained in mechanical plastic parts heavier than 25 g.

in concentrations exceeding the natural background levels.

Disassembly

The system is designed for disassembly, by using:

- e.g. marking of plastic parts >25 g according to ISO 11469
- e.g. screws one type
- e.g. snap-in features
- ...

Batteries

The product or accessories contains the following batteries:

Remote control battery:

•	Battery type	
•	Weight:	
M	emory back-up battery:	
•	Battery type	
•	Weight:	

The batteries are in conformance with:

- 91/157/EEC (hazardous substances)
- 93/86/EEC (marking)
- 98/101/EC (amendment to 91/157/EEC)

The documentation includes instructional information concerning:

- proper removal
- proper disposal

Packaging

Type (e.g. carton and/or EPS)Weight

The packaging materials are marked according to (e.g. ISO 11469):

The supplier offers packaging take back and recycling services in many locations throughout the world. Public packaging recovery systems might also be used where possible. Customers are advised to contact their supplier representatives for additional information.

The following guidelines and/or regulations apply:

• ..

Take back information

The supplier offers take back and recycling services for products and consumables in many locations throughout the world. Customers are advised to contact their supplier representatives for additional information.

Documentation

The documentation is made under use of post-consumer recycled paper.

• Post-consumer content:% to %.......

The paper is bleached by the following method:

• ..

Annex B

Bibliography

This annex lists documents that are of interest for the users of this Technical Report. This list does not pretend to represent an exhaustive survey, nor do all the listed documents apply to every product class within the scope of the Technical Report.

measurements; scanning method in controlled rooms

Measurement of high frequency noise emitted by computer and business equipment (ISO 9295)

Determination of sound power levels of computer and business equipment using sound intensity

B.1 ECMA

B.2

Standards ECMA-108

ECMA-160

ECMA-172	Procedure for the measurement of emissions of electric and magnetic fields from VDUs from 5 Hz to 400 kHz	
Technical Repo ECMA TR/27 ECMA TR/56 ECMA TR/62	Methods for the prediction of installation noise levels Recommended measuring method for Ozone emissions Product noise emission of computer and business equipment	
ISO		
ISO 4871:1996	Acoustics - Declaration and verification of noise emission values of machinery and equipment	
ISO 7574:1985	Acoustics - Statistical methods for determining and verifying stated noise emission values of machinery and equipment (five parts)	
ISO 7708:1995	Air quality - particle size fraction definitions for health related sampling	
ISO 9295:1988	Measurement of high frequency noise emitted by computer and business equipment	
ISO/IEC 11159:	996 Office equipment - Minimum information to be included in specifications sheets - Copying machines	
ISO/IEC 11160	Office equipment - Minimum information to be included in specifications sheets - Printers - Part1 and Part2	
ISO 11690-2:199	Acoustics - Recommended practice for the design of low-noise workplaces containing machinery - Part 2: Noise control measures	
ISO/DIS 14004:	996 Environmental management systems - General guidelines on principles, systems and supporting techniques	
ISO/DIS 14010:	996 Guidelines for environmental auditing - General principles	
ISO/DIS 14011:	Guidelines for environmental auditing - Audit procedures - Auditing of environmental management systems	
ISO/DIS 14012:	996 Guidelines for environmental auditing - Qualification criteria for environmental auditors	
ISO 14021	Environmental labels and declarations - Self-declaration environmental claims - Guidelines and definition and usage of terms	

B.3 IEC

ISO 14040

ISO 14050

IEC Guide 109	Environmental aspects - Inclusion in electrotechnical product standards
IEC 950:1991	Safety of information technology equipment including electrical business equipment

Environmental management - Vocabulary

Environmental management - Life cycle assessment - Principles and framework

B.4 CEN

pr EN 13428	Packaging - Avoidance of packaging waste by protection of resources
pr EN 13429	Packaging - Reuse
pr EN 13430	Packaging - Requirements for Packaging suitable for Material Recycling
pr EN 13431	Packaging - Requirements for Packaging suitable for Thermal Recovery including Definition of the Minimum Calorie Value
pr EN 13432	Requirements for Recovery of Packaging by Composting or biological Degradation - Testing Scheme and Criteria for the Classification of Packagings
PR EN 50279	Visual Display Units – Measuring methods for low frequency electric and magnetic fields

B.5 European Union (EU)

VDI Berichte Nr. 1122, 1994 The European collaboration action indoor air quality and its impact on man: scope,

purpose, implementation, results and ongoing activities

89/391/EEC Council directive on the minimum Health & Safety requirements regarding the

exposure of workers to the risk arising from physical agents

EUR 13 593 Environment and quality of life: Guideline for the characterization of volatile organic

compounds emitted from indoor materials and products using small test chambers

B.6 Germany

RAL-UZ 78 July 1994 and March 1996: Basic criteria for the award of the environmental label -

Environmentally acceptable workstation computers

ZVEI Substances contained in products of the electrical/ electronic industry, Germany, 1995.

B.7 Sweden

SITO, May 16, 1995 SITO, March 1996 SITO, May 16, 1995 SITO, May 16, 1995	Product declaration for computers Eco Declaration - Copiers Product declaration - Monitors Product declaration - Copiers Product declaration - Fax Machines Product declaration - Toner Product declaration - Ink cartridges Product declaration - Printers
--	---

TCO '95 Test methods for environmental. labelling of computer systems, 2nd edition May 22, 1995

B.8 Swiss Federal Office of Energy

E2000	Ordinance on Energy Use 1996
730.01	Ordinance on Energy Use, 22 January 1992, Appendix 7 - 13
730.011.1	Ordinance on energetical testing procedures for telefax machines, 18 May 1994
730.011.2	Ordinance on energetical testing procedures for Copiers with Electrostatic Copying Processes
	for Normal Paper, 29 August 1994
730.011.5	Ordinance on energetical testing procedures for printers, 29 August 1994
730.017.3	Ordinance on energetical testing procedures for home video recorders, 29 August 1994
730.017.1	Ordinance on energetical testing procedures for mains operated television sets, 29 August
	1994

B.9 United States Environmental Protection Agency (US EPA)

Energy Star Program Memorandum of understanding for: computer, copier, monitor, printer, fax

EPA/600/4-84/041 Compendium of methods for the determination of toxic organic compounds in ambient air

B.10 Perkin-Elmer

No. 33	Thermal Desorption applications: Overview of sample strategies for organic pollutants in
	ambient air
No. 34	Field preparation and stabilization of volatile organic constituents
No. 35	On-line air analysis for volatile organic precursors
No. 36	Sample and analysis of Polychlorinated Biphenyls (PCB's)
No. 37	Sampling and analysis of atmospheric monoterpenes
No. 39	US EPA Monitoring Method TO-14







Free printed copies can be ordered from: \mathbf{ECMA}

114 Rue du Rhône CH-1204 Geneva Switzerland

Fax: +41 22 849.60.01 Email: documents@ecma.ch

Files of this Technical Report can be freely downloaded from the ECMA web site (www.ecma.ch). This site gives full information on ECMA, ECMA activities, ECMA Standards and Technical Reports.

ECMA 114 Rue du Rhône CH-1204 Geneva Switzerland

See inside cover page for obtaining further soft or hard copies.