

# Circle Assignment

Gautam Singh

**Abstract**—This document contains the solution to Question 12 of Exercise 5 in Chapter 10 of the class 9 NCERT textbook.

- 1) Prove that a cyclic parallelogram is a rectangle.

**Solution:** Consider the points  $\mathbf{P}_i$ ,  $1 \leq i \leq 4$  on the unit circle. Thus, for  $1 \leq i \leq 4$ ,

$$\mathbf{P}_i \triangleq \begin{pmatrix} \cos \theta_i \\ \sin \theta_i \end{pmatrix} \quad (1)$$

where all the  $\theta_i$ 's are distinct. Choose the axes in such a way that  $P_1P_4$  and  $P_2P_3$  are parallel to the  $x$ -axis. Suppose  $P_1P_4$  lies on the line

$$\mathbf{n}^\top \mathbf{x} = c \quad (2)$$

where

$$\mathbf{n} = \begin{pmatrix} 0 \\ 1 \end{pmatrix} \quad (3)$$

Since  $\mathbf{P}_1$  and  $\mathbf{P}_4$  also lie on the unit circle, substituting  $\mathbf{P}_1$  and  $\mathbf{P}_4$  into (2) gives

$$c = \sin \theta_1 = \sin \theta_4 \quad (4)$$

Similarly for  $\mathbf{P}_2$  and  $\mathbf{P}_3$ ,

$$\sin \theta_2 = \sin \theta_3 \quad (5)$$

From (4) and (5), we can also write, since all the  $\theta_i$ 's are distinct,

$$\cos \theta_1 = -\cos \theta_4 \quad (6)$$

$$\cos \theta_2 = -\cos \theta_3 \quad (7)$$

Since  $P_1P_2P_3P_4$  form a parallelogram,  $P_1P_2 \parallel P_3P_4$ . Equating direction vectors and using equations (4) to (7),

$$\begin{pmatrix} \cos \theta_1 - \cos \theta_2 \\ \sin \theta_1 - \sin \theta_2 \end{pmatrix} = \begin{pmatrix} \cos \theta_4 - \cos \theta_3 \\ \sin \theta_4 - \sin \theta_3 \end{pmatrix} \quad (8)$$

$$\implies \cos \theta_1 - \cos \theta_2 = \cos \theta_4 - \cos \theta_3 \quad (9)$$

$$\implies 2 \cos \theta_1 = 2 \cos \theta_2 \quad (10)$$

$$\implies \cos \theta_1 = \cos \theta_2 \quad (11)$$

Using (11), the direction vector of  $P_1P_2$  is

$$\mathbf{P}_1 - \mathbf{P}_2 = \begin{pmatrix} \cos \theta_1 - \cos \theta_2 \\ \sin \theta_1 - \sin \theta_2 \end{pmatrix} \quad (12)$$

$$= \begin{pmatrix} 0 \\ \sin \theta_1 - \sin \theta_2 \end{pmatrix} \quad (13)$$

Equation (13) clearly shows that  $P_1P_2$  is parallel to the  $y$ -axis. Thus,  $P_1P_2 \perp P_1P_4$  and therefore,  $P_1P_2P_3P_4$  is a rectangle, as required. The situation is demonstrated in Fig. 1, plotted by the Python code `codes/circle.py`.




Fig. 1:  $P_1P_2P_3P_4$  is a rectangle.