## 1

## Conic Assignment

## Gautam Singh

Abstract—This document contains the solution to Question 14 of Exercise 4 in Chapter 11 of the class 11 NCERT textbook.

1) Find the equation of the hyperbola eccentricity is  $e = \frac{4}{3}$  and whose vertices are

$$\mathbf{P_1} = \begin{pmatrix} 7 \\ 0 \end{pmatrix}, \ \mathbf{P_2} = \begin{pmatrix} -7 \\ 0 \end{pmatrix} \tag{1}$$

**Solution:** Let the equation of the conic with focus  $\mathbf{F}$ , directrix  $\mathbf{n}^{\mathsf{T}}\mathbf{x} = c$  and eccentricity e be

$$\mathbf{x}^{\mathsf{T}}\mathbf{V}\mathbf{x} + 2\mathbf{u}^{\mathsf{T}}\mathbf{x} + f = 0 \tag{2}$$

where

$$\mathbf{V} \triangleq ||\mathbf{n}||^2 \mathbf{I} - e^2 \mathbf{n} \mathbf{n}^{\mathsf{T}} \tag{3}$$

$$\mathbf{u} \triangleq ce^2\mathbf{n} - ||\mathbf{n}||^2\mathbf{F} \tag{4}$$

$$f \triangleq ||\mathbf{n}||^2 ||\mathbf{F}||^2 - c^2 e^2 \tag{5}$$

Since the conic is a hyperbola whose vertices are given by (1), the major axis is the *x*-axis and the directrix is parallel to the *y*-axis. Hence,

$$\mathbf{n} = \begin{pmatrix} 1 \\ 0 \end{pmatrix} \tag{6}$$

Thus,

$$\mathbf{V} = \begin{pmatrix} 1 - e^2 & 0 \\ 0 & 1 \end{pmatrix} \tag{7}$$

$$\mathbf{u} = ce^2 \begin{pmatrix} 1 \\ 0 \end{pmatrix} - \mathbf{F} \tag{8}$$

$$f = ||\mathbf{F}||^2 - c^2 e^2 \tag{9}$$

The centre of the conic is given by

$$\mathbf{c} = -\mathbf{V}^{-1}\mathbf{u} \tag{10}$$

Since  $\mathbf{c} = \mathbf{0}$  and  $\mathbf{V}^{-1} \neq \mathbf{0}$ , it follows from (10) that  $\mathbf{u} = \mathbf{0}$ . Thus, from (8),

$$\mathbf{F} = \begin{pmatrix} ce^2 \\ 0 \end{pmatrix} \tag{11}$$

and so,

$$f = c^2 e^2 \left( e^2 - 1 \right) \tag{12}$$

Putting  $\mathbf{x} = \mathbf{P_1}$  or  $\mathbf{x} = \mathbf{P_2}$  in (2) and using (11) and (12),

$$(\pm 7 \quad 0) \begin{pmatrix} 1 - e^2 & 0 \\ 0 & 1 \end{pmatrix} \begin{pmatrix} 0 \\ \pm 7 \end{pmatrix} + f = 0$$
 (13)

$$\implies 49e^2 - f = 49 \tag{14}$$

Since  $e = \frac{4}{3}$ , (14) implies

$$f = 49\left(e^2 - 1\right) = \frac{343}{9} \tag{15}$$

Therefore, the equation of the conic is

$$\mathbf{x}^{\mathsf{T}} \begin{pmatrix} -\frac{7}{9} & 0\\ 0 & 1 \end{pmatrix} \mathbf{x} + \frac{343}{9} = 0 \tag{16}$$

The situation is illustrated in Fig. 1.




Fig. 1: Locus of the required hyperbola.