



1001




$$\ast w = mg$$

$$F_{e,p} - w = \frac{w}{g} a \Rightarrow F_{e,p} = w + \frac{w}{g} a = w \left(1 + \frac{a}{g}\right)$$

a) Apparent weight is the magnitude of the normal force the person feels: $w \left(1 + \frac{a}{g}\right)$

1002

Because the Earth spins around its axis, an orbit that has the same angular velocity as a single point on Earth has to occur above a point on the Equator.



$$\text{orbiting object: } \frac{-Gmme}{r^2} = r(-\omega_e^2)$$

G, m, m_e and ω_e are known parameters. We solve for r .

$$r = \sqrt[3]{\frac{Gm_e}{\omega_e^2}}$$

$$\text{On the Equator itself: } \frac{-Gmme}{R_e^2} = -mg \Rightarrow Gm_e R_e^2 g$$

$$\Rightarrow r = \sqrt[3]{\frac{R_e^2 g}{\omega_e^2}}. \text{ we know } R_e, g. \text{ we also know } T_e \approx 24 \text{ h} = 86400 \text{ s}$$

$$\omega_e = 2\pi/T_e = \pi/43200 \text{ rad/s} \Rightarrow r = 4.22 \cdot 10^7 \text{ m} = 4.22 \cdot 10^4 \text{ km} = 42000 \text{ km}$$

Note that there is a difference between being on the surface of the Earth moving with the surface in circular motion, and orbiting the Earth right above the surface.

Right above the surface, mg is the radial force accelerating the motion radially.

$$F = ma \Rightarrow mg = m R_e \omega_e^2 \Rightarrow \omega_e = \sqrt{\frac{g}{R_e}} = \sqrt{\frac{9.81 \text{ m/s}^2}{6371 \cdot 10^3 \text{ m}}} = 0.0012408 \text{ rad/s}$$


$$\Rightarrow v = \omega \cdot R = 0.0012408 \cdot 6371 \cdot 10^3$$

$$= 7905.66 \text{ m/s}$$

$$\text{The surface itself has some other } v \text{ and } \omega. \text{ We know } v = \frac{2\pi R}{24h} = \frac{2\pi \cdot 6371 \cdot 10^3 \text{ m}}{24 \cdot 60 \cdot 60 \text{ s}} = 463.31 \text{ m/s}$$

* note also that ω for orbiting just above the surface is 0.0012408 and $\omega_e = \frac{\pi}{43200} = 0.000072722$.

1003



$$\omega = 2\pi f_{\text{LS}}$$

$$\mu_s = 0.4$$

$$m = 50 \text{ kg}$$

$$N - mg = 0 \Rightarrow N = mg$$

$$F_s = \cancel{\gamma r} \cancel{r \omega^2} = \mu_s N = \mu_s \cancel{r g} \Rightarrow r = \frac{N g}{\omega^2} = \frac{0.4 \cdot 9.81}{4} = 0.981 \text{ m}$$

Given ω , or inversely with r . A force f_s is needed to cause such a r . The available force is friction, which reaches a max value of $\mu_s N$. \Rightarrow There is a max r for which uniform circular motion can be sustained by friction alone.

113S Derivation of Rocket Eq.

time momentum of system rocket + fuel

$$t \quad m(t)\vec{v}(t)$$

$$t + \Delta t \quad (m(t) + \Delta m_r)\vec{v}(t + \Delta t) + \Delta m_f \vec{v}_f$$

$$\Delta m_f = -\Delta m_r$$

Momentum principle

$$\vec{F}_{ext} = \frac{d\vec{p}}{dt}$$

$$\vec{p}(t + \Delta t) - \vec{p}(t) = (m(t) + \Delta m_r)\vec{v}(t + \Delta t) - \cancel{\Delta m_r \vec{v}(t + \Delta t)} - \Delta m_r \vec{v} - m(t)\vec{v}(t)$$

$$\frac{d\vec{p}}{dt} = \frac{m(t)\vec{v}(t + \Delta t) - \Delta m_r \vec{v} - m(t)\vec{v}(t)}{\Delta t} = m(t) \frac{d\vec{v}}{dt} - \frac{\Delta m_r \vec{v}}{\Delta t}$$

$$\lim_{\Delta t \rightarrow 0} \frac{d\vec{p}}{dt} = \frac{d\vec{p}}{dt} = m(t) \frac{d\vec{v}}{dt} - v \frac{dm}{dt}$$

$$\vec{F}_{ext} = m(t) \frac{d\vec{v}}{dt} - v \frac{dm}{dt}$$

Scenario

Free space ($\vec{F}_{ext} = 0$)

initial mass m_0

exhaust velocity = v

Rocket mass decreases when momentum is maximum.

$$m(t) \frac{d\vec{v}}{dt} = v \frac{dm}{dt} \Rightarrow v m'(t) dm = dV \Rightarrow \int_{V(t_0)}^{V(t_f)} dV = \int_{m_0}^{m_f} v m' dm \Rightarrow V(t_f) - V(t_0) = v \ln\left(\frac{m_f}{m_0}\right)$$

$$= V(t_f) - V(t_0) + v \ln(m_f/m_0)$$

Interpretation: there is no external force \Rightarrow momentum of system is constant

Initial momentum is zero: rocket is at rest. Then part of its mass is accelerated in the positive direction (the rocket) and part in the opposite direction (the fuel). The fuel velocity is constant. The two momentums cancel out.

$$\Delta m_r \vec{v}_f = (m + \Delta m_r) \vec{v}_r$$

We break time into Δt pieces. In each piece, this equation holds: the momentum of the rocket minus a small piece of fuel is equal to the momentum of the small piece of fuel.

$$\Delta m_r \vec{v}_r + \Delta m_r \vec{v} = (m + \Delta m_r) \vec{v}_r$$

$$\cancel{<0} \quad >0 \quad >0$$


$$\Delta m_r \vec{v} = m \vec{v}_r$$


$$|m| \gg |\Delta m_r| \Rightarrow |v| \gg |v_r|$$

Note that $\Delta m_r < 0$

Assume Δm_r and v are always the same for each Δt . m is smaller in each Δt because Δm_r of fuel is ejected each Δt . v must be increasing to keep momentum of system constant.

$$v_r = \frac{1}{m} \Delta m_r v$$





$v_r = \frac{v_0 t}{(10-t)} \Rightarrow v_r$ is exponential (decay) int. v_r is proportional to v .

t	v_r	
1	$10/9$	Back to problem 1135: $v(t) - v(t_0) = v_0 \ln\left(\frac{m_t}{m_0}\right)$
2	$20/18$	$v(t_0) = 0 \Rightarrow v(t) = v_0 \ln(m_t/m_0)$
3	$30/7$	$p(t) = m_t v_t = m_0 v_0 \ln(m_t/m_0)$
(--)		if we think of momentum as a function of m :
8	$80/2$	$p(m) = m_0 v_0 \ln(m/m_0)$
9	90	$\frac{dp}{dm} = m_0 v_0 \ln(m/m_0) + \cancel{m_0 \cdot v_0} \cdot \cancel{\frac{1}{m}} = 0 \Rightarrow \ln(m/m_0) = -1 \Rightarrow m = \frac{m_0}{e}$

Recap

Rocket Eq. $\vec{F}_{\text{ext}} = m(t) \frac{d\vec{v}}{dt} - \vec{v} \frac{dm}{dt}$

No external force $\Rightarrow v(m_f) = v(t_0) + v \ln(m_0/m_f)$

Momentum $p(t) = m_f \cdot v \ln(m_0/m_f)$

$$v'(m_f) = \frac{v}{m_f} \quad \Rightarrow v'(m_0) = \frac{v}{m_0}$$

The relationship between $v(t_f)$ and m_f is logarithmic: $v(t_f) \propto -\ln(m_f)$. Because m_f is falling, v_f is increasing. Initially ($m_f \gg 1$), the slope is $-1/2$: $\Delta v / \Delta m \approx -1/2$, but as $m_f \rightarrow p = m_f \cdot v \ln(m_0/m_f)$ it becomes clear what matters is how p increases when we change m_f is the relationship between $\frac{\Delta v}{v}$ and $\frac{\Delta m_f}{m_f}$.

As we decrease m_f by Δm_f , as long as $\frac{\Delta v}{v}$ is larger than $\frac{\Delta m_f}{m_f}$ $p(t)$ will increase. At a certain m_f , $\frac{\Delta m_f}{m_f}$ starts to be larger than $\frac{\Delta v}{v}$ so each time we decrease m_f the proportional change in m_f is larger than the proportional change in v and so p decreases.