

Bid Document

| Bid Details | |
|--|---|
| Bid End Date/Time | 07-08-2021 12:00:00 |
| Bid Opening Date/Time | 07-08-2021 12:30:00 |
| Bid Life Cycle (From Publish Date) | 90 (Days) |
| Bid Offer Validity (From End Date) | 30 (Days) |
| Ministry/State Name | Andaman & Nicobar |
| Department Name | Revenue Department Andaman & Nicobar |
| Organisation Name | N/a |
| Office Name | South Andaman |
| Total Quantity | 4 |
| Item Category | Portable Fire extinguishers as per IS 15683 (2018) , GALVANIZED MILD STEEL FIRE BUCKET (Fire suppression hand tools) as per IS 2546 |
| MSE Exemption for Years of Experience and Turnover | No |
| Startup Exemption for Years of Experience and Turnover | No |
| Bid to RA enabled | No |
| Primary product category | Portable Fire extinguishers as per IS 15683 (2018) |
| Time allowed for Technical Clarifications during technical evaluation | 2 Days |
| Evaluation Method | Total value wise evaluation |

EMD Detail

| | |
|----------|----|
| Required | No |
|----------|----|

ePBG Detail

| | |
|----------|----|
| Required | No |
|----------|----|

Splitting

Bid splitting not applied.

MSE Purchase Preference

| | |
|-------------------------|----|
| MSE Purchase Preference | No |
|-------------------------|----|

MII Purchase Preference

| | |
|-------------------------|----|
| MII Purchase Preference | No |
|-------------------------|----|

Portable Fire Extinguishers As Per IS 15683 (2018) (1 pieces)

| | |
|------------|------------------|
| Brand Type | Registered Brand |
|------------|------------------|

Technical Specifications

[* As per GeM Category Specification](#)

| Specification | Specification Name | Bid Requirement (Allowed Values) |
|-------------------------|---|---|
| Generic | Type | Stored Pressure |
| | Extinguishing Media | Water Based |
| | Expellant Medium | N2 Based (Stored Pressure) |
| Constructional Material | Type of Extinguisher | Low Pressure Extinguisher (Service Pressure ≤19 bar) |
| | Material Specification for the body of High Pressure Extinguisher (Hint: Select NA Low Pressure Extinguisher) | NA |
| | Material Specification for the body of Low Pressure Extinguisher (Hint: Select NA High Pressure Extinguisher) | Welded low carbon steel cylinders (as per Clause 9.2.5 of IS 15683) |
| Construction | Foam Based Extinguishing Media (Hint: Select NA for Extinguishing Media other than Foam Based) | NA |
| | Powder Based Extinguishing Media (Hint: Select NA for Extinguishing Media other than Powder Based) | NA |
| | Type of Clean Agent for Clean Agent Based Fire Extinguisher (as per CL 5-1-3) (HINT: Select NA for other Extinguishing Media) | NA |
| | Foam Based Fire Extinguisher Capacity in Liters (Hint: Select NA for Extinguisher Capacity other than Foam Based) | 9 |

| Specification | Specification Name | Bid Requirement (Allowed Values) |
|---------------|--|---|
| | Powder Based Fire Extinguisher Capacity in Kg (Hint: Select NA for Extinguisher Capacity other than Powder Based) | NA |
| | Carbon Dioxide Based Fire Extinguisher Capacity in Kg (Hint: Select NA for Extinguisher Capacity other than CO2 Based) | NA |
| | Water Based Fire Extinguisher Capacity in Liters (Hint: Select NA for Extinguisher Capacity other than Water Based) | 9 |
| | Clean Agents Fire Extinguisher Capacity in Kg (Hint: Select NA for Extinguisher Capacity other than Clean Agents Based) | NA |
| | Water Mist Fire Extinguisher Capacity in Liters (Hint: Select NA for Extinguisher Capacity other than Water Mist Based) | NA |
| | Features of Fire Extinguisher | Carrying Handle (Mandatory If Extinguisher having mass $\geq 1.5\text{Kg}$ or Cylinder diameter, Safety Devices (Mandatory for High Pressure Extinguisher), Rechargeable, Hose Assemblies (Mandatory If mass or volume of Extinguishing medium $> 3\text{ Kg}$ or Litres), NA |
| | Class of fire for which Fire Extinguisher is suitable | Class -A |
| Performance | Minimum Effective discharge time for Fire Extinguisher | 13.0 |
| | Fire Rating of different class of fires (Hint: Higher is better) | 4A |

Consignees/Reporting Officer and Quantity

| S.No. | Consignee/Reporting Officer | Address | Quantity | Delivery Days |
|-------|-----------------------------|---------|----------|---------------|
|-------|-----------------------------|---------|----------|---------------|

| S.No. | Consignee/Reporting Officer | Address | Quantity | Delivery Days |
|-------|-----------------------------|---|----------|---------------|
| 1 | Tarak Roy | 744101,office of the Deputy Commissioner South Andman Andaman and Nicobar Islands | 1 | 15 |

Portable Fire Extinguishers As Per IS 15683 (2018) (1 pieces)

| | |
|------------|------------------|
| Brand Type | Registered Brand |
|------------|------------------|

Technical Specifications

[* As per GeM Category Specification](#)

| Specification | Specification Name | Bid Requirement (Allowed Values) |
|-------------------------|---|---|
| Generic | Type | Stored Pressure |
| | Extinguishing Media | Powder Based (as per IS 4308) |
| | Expellant Medium | N2 Based (Stored Pressure) |
| Constructional Material | Type of Extinguisher | Low Pressure Extinguisher (Service Pressure \leq 19 bar) |
| | Material Specification for the body of High Pressure Extinguisher (Hint: Select NA Low Pressure Extinguisher) | NA |
| | Material Specification for the body of Low Pressure Extinguisher (Hint: Select NA High Pressure Extinguisher) | Welded low carbon steel cylinders (as per Clause 9.2.5 of IS 15683) |
| Construction | Foam Based Extinguishing Media (Hint: Select NA for Extinguishing Media other than Foam Based) | NA |
| | Powder Based Extinguishing Media (Hint: Select NA for Extinguishing Media other than Powder Based) | ABC |
| | Type of Clean Agent for Clean Agent Based Fire Extinguisher (as per CL 5-1-3) (HINT: Select NA for other Extinguishing Media) | NA |
| | Foam Based Fire Extinguisher Capacity in Liters (Hint: Select NA for Extinguisher Capacity other than Foam Based) | NA |

| Specification | Specification Name | Bid Requirement (Allowed Values) |
|---------------|--|---|
| | Powder Based Fire Extinguisher Capacity in Kg (Hint: Select NA for Extinguisher Capacity other than Powder Based) | 6 |
| | Carbon Dioxide Based Fire Extinguisher Capacity in Kg (Hint: Select NA for Extinguisher Capacity other than CO2 Based) | NA |
| | Water Based Fire Extinguisher Capacity in Liters (Hint: Select NA for Extinguisher Capacity other than Water Based) | NA |
| | Clean Agents Fire Extinguisher Capacity in Kg (Hint: Select NA for Extinguisher Capacity other than Clean Agents Based) | NA |
| | Water Mist Fire Extinguisher Capacity in Liters (Hint: Select NA for Extinguisher Capacity other than Water Mist Based) | NA |
| | Features of Fire Extinguisher | Carrying Handle (Mandatory If Extinguisher having mass $\geq 1.5\text{Kg}$ or Cylinder diameter, Safety Devices (Mandatory for High Pressure Extinguisher), Rechargeable, Hose Assemblies (Mandatory If mass or volume of Extinguishing medium $> 3\text{ Kg}$ or Litres), NA |
| | Class of fire for which Fire Extinguisher is suitable | Class -A |
| Performance | Minimum Effective discharge time for Fire Extinguisher | 8.0 |
| | Fire Rating of different class of fires (Hint: Higher is better) | 3A |

Consignees/Reporting Officer and Quantity

| S.No. | Consignee/Reporting Officer | Address | Quantity | Delivery Days |
|-------|-----------------------------|---------|----------|---------------|
|-------|-----------------------------|---------|----------|---------------|

| S.No. | Consignee/Reporting Officer | Address | Quantity | Delivery Days |
|-------|-----------------------------|---|----------|---------------|
| 1 | Tarak Roy | 744101,office of the Deputy Commissioner South Andman Andaman and Nicobar Islands | 1 | 15 |

Portable Fire Extinguishers As Per IS 15683 (2018) (1 pieces)

| | |
|------------|------------------|
| Brand Type | Registered Brand |
|------------|------------------|

Technical Specifications

[* As per GeM Category Specification](#)

| Specification | Specification Name | Bid Requirement (Allowed Values) |
|-------------------------|---|---|
| Generic | Type | Stored Pressure |
| | Extinguishing Media | Carbon Dioxide Based (as per IS 15222) |
| | Expellant Medium | CO2 Extinguishing Medium |
| Constructional Material | Type of Extinguisher | High Pressure Extinguisher (Service Pressure >19 bar) |
| | Material Specification for the body of High Pressure Extinguisher (Hint: Select NA Low Pressure Extinguisher) | Steel body (as per latest IS 7285) |
| | Material Specification for the body of Low Pressure Extinguisher (Hint: Select NA High Pressure Extinguisher) | NA |
| Construction | Foam Based Extinguishing Media (Hint: Select NA for Extinguishing Media other than Foam Based) | NA |
| | Powder Based Extinguishing Media (Hint: Select NA for Extinguishing Media other than Powder Based) | NA |
| | Type of Clean Agent for Clean Agent Based Fire Extinguisher (as per CL 5-1-3) (HINT: Select NA for other Extinguishing Media) | NA |
| | Foam Based Fire Extinguisher Capacity in Liters (Hint: Select NA for Extinguisher Capacity other than Foam Based) | NA |

| Specification | Specification Name | Bid Requirement (Allowed Values) |
|---------------|--|--|
| | Powder Based Fire Extinguisher Capacity in Kg (Hint: Select NA for Extinguisher Capacity other than Powder Based) | NA |
| | Carbon Dioxide Based Fire Extinguisher Capacity in Kg (Hint: Select NA for Extinguisher Capacity other than CO2 Based) | 4.5 |
| | Water Based Fire Extinguisher Capacity in Liters (Hint: Select NA for Extinguisher Capacity other than Water Based) | NA |
| | Clean Agents Fire Extinguisher Capacity in Kg (Hint: Select NA for Extinguisher Capacity other than Clean Agents Based) | NA |
| | Water Mist Fire Extinguisher Capacity in Liters (Hint: Select NA for Extinguisher Capacity other than Water Mist Based) | NA |
| | Features of Fire Extinguisher | Carrying Handle (Mandatory If Extinguisher having mass ≥ 1.5 Kg or Cylinder diameter, Safety Devices (Mandatory for High Pressure Extinguisher), Rechargeable, Hose Assemblies (Mandatory If mass or volume of Extinguishing medium > 3 Kg or Litres) |
| | Class of fire for which Fire Extinguisher is suitable | Class -B |
| Performance | Minimum Effective discharge time for Fire Extinguisher | 17.0 |
| | Fire Rating of different class of fires (Hint: Higher is better) | 34B |

Consignees/Reporting Officer and Quantity

| S.No. | Consignee/Reporting Officer | Address | Quantity | Delivery Days |
|-------|-----------------------------|---|----------|---------------|
| 1 | Tarak Roy | 744101,office of the Deputy Commissioner South Andman Andaman and Nicobar Islands | 1 | 15 |

GALVANIZED MILD STEEL FIRE BUCKET (Fire Suppression Hand Tools) As Per IS 2546 (1 pieces)

| | |
|------------|------------------|
| Brand Type | Registered Brand |
|------------|------------------|

Technical Specifications

[* As per GeM Category Specification](#)

| Specification | Specification Name | Bid Requirement (Allowed Values) |
|---------------|--|----------------------------------|
| Generic | GALVANIZED MILD STEEL FIRE BUCKET Specification | Conforming to IS:2546 latest |
| | Nominal Capacity | 10.0 |

Consignees/Reporting Officer and Quantity

| S.No. | Consignee/Reporting Officer | Address | Quantity | Delivery Days |
|-------|-----------------------------|---|----------|---------------|
| 1 | Tarak Roy | 744101,office of the Deputy Commissioner South Andman Andaman and Nicobar Islands | 1 | 15 |

Buyer Added Bid Specific Additional Terms and Conditions

1. Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization. Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specification and / or terms and conditions governing the bid. Any clause incorporated by the Buyer such as demanding Tender Sample, incorporating any clause against the MSME policy and Preference to make in India Policy, mandating any Brand names or Foreign Certification, changing the default time period for Acceptance of material or payment timeline governed by OM of Department of Expenditure shall be null and void and would not be considered part of bid. Further any reference of conditions published on any external site or reference to external documents / clauses shall also be null and void. If any seller has any objection / grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---Thank You---