


30 TRICKY INTERVIEW QUESTIONS ON AUTHENTICATION & AUTHORIZATION IN .NET CORE WEB API – WITH DETAILED ANSWERS

Are you preparing for a .NET Core interview or looking to master secure Web API development? Here's your go-to guide with **30 advanced Authentication & Authorization questions**, perfect for cracking interviews or leveling up your skills. 

AUTHENTICATION VS AUTHORIZATION

1. What is the difference between Authentication and Authorization?

- **Authentication** verifies *who* you are.
- **Authorization** defines *what* you can access.
- Example: Logging in = Authentication; Viewing dashboard = Authorization.

JWT TOKEN-BASED AUTHENTICATION

2. What is JWT and why is it used in Web API?

- JWT (JSON Web Token) is a compact, URL-safe token used to transfer claims between two parties. It's widely used for **stateless authentication**.

3. How do you generate JWT in .NET Core?

- Use `System.IdentityModel.Tokens.Jwt`.
- Configure `TokenValidationParameters` and generate token using `JwtSecurityTokenHandler`.

4. What are claims in JWT?

- Claims are key-value pairs that represent user identity (e.g., Name, Email, Role).

5. What is the purpose of the 'Issuer' and 'Audience' in JWT?

- Issuer: Who created the token.
- Audience: Who the token is intended for.

ROLE-BASED AUTHORIZATION

6. How is role-based authorization implemented in .NET Core?

- Decorate actions or controllers using `[Authorize(Roles = "Admin")]`.

7. Can a user have multiple roles in JWT?

- Yes. Use multiple "role" claims or an array of roles in the JWT payload.

8. How do you secure endpoints for multiple roles?

```
[Authorize(Roles = "Admin,Manager")]
```

POLICY-BASED AUTHORIZATION

9. What is policy-based authorization?

- Instead of static roles, policies allow custom logic via requirements and handlers.

10. How do you define a custom policy?

- Use `services.AddAuthorization(options => {...})` and register requirements.

11. How do you implement a custom `AuthorizationHandler`?

- Inherit from `AuthorizationHandler<TRequirement>` and override `HandleRequirementAsync`.

TOKEN REFRESH & EXPIRY

12. What happens when a JWT token expires?

- The client gets a 401 Unauthorized. You can implement a **refresh token** strategy.

13. How do you implement Refresh Tokens?

- Store refresh tokens server-side. On expiry, send a new access token using the refresh token.

OAUTH2 & OPENID CONNECT

14. What is the difference between OAuth2 and OpenID Connect?

- OAuth2 is for authorization.
- OpenID Connect is built on OAuth2 and adds authentication features.

15. How to implement Google/Facebook login in .NET Core?

- Use `AddAuthentication().AddGoogle()` or `AddFacebook()` in `Startup.cs`.

IDENTITYSERVER & EXTERNAL PROVIDERS

16. What is IdentityServer?

- A powerful framework for implementing OAuth2 and OpenID Connect in .NET Core.

17. How do you secure an API using IdentityServer4?

- Configure IdentityServer, generate tokens, and validate them in the Web API using middleware.
-

ASP.NET CORE IDENTITY

18. What is ASP.NET Core Identity?

- A full-featured membership system for managing users, passwords, roles, and claims.

19. How do you override password rules in Identity?

- Configure PasswordOptions in IdentityOptions during service configuration.
-

MIDDLEWARE & TOKEN VALIDATION

20. Where should you validate JWT tokens in the middleware pipeline?

- After UseRouting() but before UseEndpoints().

21. How can you access the currently logged-in user?

- Use HttpContext.User.Identity.Name or access claims from User.Claims.
-

ADVANCED & TRICKY SCENARIOS

22. Can you invalidate a JWT token before it expires?

- JWTs are stateless, so you must implement token revocation via a server-side blacklist.

23. How to prevent token replay attacks?

- Use short-lived tokens with refresh strategy, and track usage on the server.

24. Is HTTPS required for JWT?

- Yes. JWTs contain sensitive info and must be transmitted over HTTPS.

25. How to secure Swagger endpoints?

- Use [Authorize] on controllers and configure Swagger to accept Bearer tokens.

26. What's the risk of putting roles in the JWT?

- If the token is compromised, all role info is exposed. Always encrypt tokens and use HTTPS.
-

MULTI-TENANCY & CLAIMS

27. How to implement multi-tenancy authorization?

- Include tenant info in claims and validate it in custom handlers or filters.

28. How do you manage per-tenant roles?

- Use custom claims like TenantId and role mapping logic based on tenant.
-

MISCELLANEOUS

29. **Difference between [Authorize], [AllowAnonymous], and [Authorize(Roles = "...")]?**

- [Authorize]: Requires authentication.
- [AllowAnonymous]: Skips auth.
- [Authorize(Roles = "...")]: Requires specific role.

30. **How to log authorization failures?**

- Hook into OnChallenge or OnForbidden events in JWT bearer options.

BONUS TIPS

- Always secure APIs using HTTPS.
- Rotate keys and secrets regularly.
- Prefer short-lived tokens with refresh strategy.
- Validate tokens strictly (issuer, audience, lifetime, signing key).

 LET ME KNOW IN THE COMMENTS WHICH QUESTION WAS MOST HELPFUL!

 LIKE &  REPOST TO HELP OTHERS ACE THEIR .NET CORE INTERVIEWS!