

Safety First

- If any exercise feels unsafe or painful, stop.
- Warm up for 3–5 minutes (march in place, gentle leg swings, arm circles).
- Have a stable chair/countertop nearby for balance—even if you rarely use one.
- Film on a non-slip surface with no tripping hazards.

Exercise: Chair Push-Ups

Goal: Strengthen arms & core; reinforce upright sitting posture

Camera Angle: Face the camera front-on at chair height

Prosthetic limb type(s): NA; Transfemoral (above knee); Transtibial (below knee)

Steps:

1. Place hands on the armrests of the chair.
2. Press down and lift your body by straightening your arms.
3. Avoid pushing through your foot, it should be resting on the floor for balance.
4. Hold for a count of 5 seconds.
5. Slowly, lower yourself into the chair.

Common mistakes:

- Repeat the steps but push through your foot to stand up instead of relying on arm strength, causing the torso to lean and shoulders to roll forward.

Exercise: Side-Stepping

Goal: Improve hip stability & lateral balance

Camera Angle: Face camera backwards (your back to camera) at hip level

Prosthetic limb type(s): NA; Transfemoral (above knee); Transtibial (below knee)

Steps:

1. Stand facing a long counter or a parallel bar and place both hands on the counter for support.
2. Starting with your non-prosthetic leg, step sideways.
3. Now step sideways towards your non-prosthetic leg with your prosthetic leg.
4. Concentrate on keeping your hips even with each other.
5. Try not to lean over your prosthetic leg as to step sideways with your non-prosthetic leg.

Common mistakes:

- Perform the steps while leaning your torso over the prosthetic side, letting hips tilt and uneven weight shift occur

Exercise: Dead Bug

Goal: Strengthen deep core & protect spine

Camera Angle: Lie on back side-on to camera (prosthetic side closest)

Prosthetic limb type(s): NA; Transfemoral (above knee); Transtibial (below knee)

Steps:

1. Lie flat, knees up 90°, arms reaching to ceiling.
2. Press low back into the mat (engage abs).
3. Extend right leg + left arm until just above floor.
4. Return to start; repeat opposite side = 1 rep.
5. Complete 3 reps, keeping low back glued down.

Common mistakes:

- Repeat the sequence while allowing your lower back to arch off the mat—core disengaged—throughout the movement.

Exercise: Hip Abduction (Lying on side)

Goal: Strengthen gluteus medius for better lateral stability

Prosthetic type:

Camera Angle: Side view – place the camera perpendicular to your body so your hips and top leg are clearly visible in profile. (If you must film head-on, ensure the leg's upward motion stays within frame.)

Prosthetic limb type(s): NA; Transfemoral (above knee); Transtibial (below knee)

Steps:

1. Lie on your non-prosthetic side on a mat.
2. Bend the bottom leg for support; keep the top leg straight in line with your torso.
3. Brace your core so the hips stay stacked—no rolling forward or back.
4. Slowly lift the top leg about 30–45 cm (12–18 in).
5. Pause 1 s, feeling the outer-hip muscles engage.
6. Lower slowly to the start position.

7. Perform 8–10 reps, then switch sides.

Common mistakes:

- Repeat the movement but allow your hips to roll slightly forward during the lift. This tilts the pelvis and recruits the wrong muscle groups, undermining the exercise's purpose.
- Not keeping the residual limb in line with the hip, not keeping the residual limb straight