SNPE
Model: WF
Gln pop id: 5
log10(estimatedCNV fitness effect): -1.2712340354919434
log10(estimated CNV mutation rate): -3.472111701965332
SNV fitness:0.001
SNV mutation rate:1e-05
WF_presimulated_data_1000_1.csv

SNPE
Model: WF
Gln pop id: 9
log10(estimatedCNV fitness effect): -1.504472255706787
log10(estimated CNV mutation rate): -3.134794235229492
SNV fitness:0.001
SNV mutation rate:1e-05
WF_presimulated_data_1000_1.csv

SNPE
Model: WF
Gln pop id: 2
log10(estimatedCNV fitness effect): -1.4847116470336914
log10(estimated CNV mutation rate): -3.0976877212524414
SNV fitness:0.001
SNV mutation rate:1e-05
WF_presimulated_data_1000_1.csv

SNPE
Model: WF
Gln pop id: 4
log10(estimatedCNV fitness effect): -1.395326852798462
log10(estimated CNV mutation rate): -3.0212812423706055
SNV fitness:0.001
SNV mutation rate:1e-05
WF_presimulated_data_1000_1.csv

SNPE
Model: WF
Gln pop id: 6
log10(estimatedCNV fitness effect): -1.3284547328948975
log10(estimated CNV mutation rate): -3.182917594909668
SNV fitness:0.001
SNV mutation rate:1e-05
WF_presimulated_data_1000_1.csv

SNPE
Model: WF
Gln pop id: 1
log10(estimatedCNV fitness effect): -1.2294676303863525
log10(estimated CNV mutation rate): -3.7418575286865234
SNV fitness:0.001
SNV mutation rate:1e-05
WF_presimulated_data_1000_1.csv

SNPE
Model: WF
Gln pop id: 3
log10(estimatedCNV fitness effect): -1.3498268127441406
log10(estimated CNV mutation rate): -3.1768808364868164
SNV fitness:0.001
SNV mutation rate:1e-05
WF_presimulated_data_1000_1.csv

Observed data

SNPE
Model: WF
Gln pop id: 8
log10(estimatedCNV fitness effect): -1.3013148307800293
log10(estimated CNV mutation rate): -3.1189327239990234
SNV fitness:0.001
SNV mutation rate:1e-05
WF_presimulated_data_1000_1.csv

SNPE
Model: WF
Gln pop id: 7
log10(estimatedCNV fitness effect): -1.7854156494140625
log10(estimated CNV mutation rate): -3.4614791870117188
SNV fitness:0.001
SNV mutation rate:1e-05
WF_presimulated_data_1000_1.csv