


SNPE Model: WF Gln pop id: 7 log10(estimatedCNV fitness effect): -1.5156421661376953 log10(estimated CNV mutation rate): -3.699286460876465 SNV fitness:0.001 SNV mutation rate:1e-05 WF presimulated data 10000 2.csv


log10(CNV fitness effect)



0.8

Observed data

SNPE Model: WF Gln pop id: 4 log10(estimatedCNV fitness effect): -1.2286019325256348 log10(estimated CNV mutation rate): -3.1471920013427734 SNV fitness:0.001 SNV mutation rate:1e-05 WF presimulated data 10000 2.csv



1.0


0.8

Observed data

SNPE Model: WF Gln pop id: 8 log10(estimatedCNV fitness effect): -1.1788098812103271 log10(estimated CNV mutation rate): -3.1904001235961914 SNV fitness:0.001 SNV mutation rate:1e-05 WF presimulated data 10000 2.csv

log10(CNV mutation rate)


log10(CNV fitness effect)




0.8

Observed data


log10(CNV fitness effect)





SNPE Model: WF Gln pop id: 9 log10(estimatedCNV fitness effect): -1.4481098651885986 log10(estimated CNV mutation rate): -3.233860969543457 SNV fitness:0.001 SNV mutation rate:1e-05 WF presimulated data 10000 2.csv

log10(CNV fitness effect)



8.0

Observed data

