


SNPE Model: WF Gln pop id: 2 log10(estimatedCNV fitness effect): -1.4489476680755615 log10(estimated CNV mutation rate): -3.4421424865722656 SNV fitness:0.001 SNV mutation rate:1e-05 WF presimulated data 100000 1.csv


log10(CNV fitness effect)




8.0


0.6

Observed data






SNPE Model: WF Gln pop id: 6 log10(estimatedCNV fitness effect): -1.8647913932800293 log10(estimated CNV mutation rate): -3.2117319107055664 SNV fitness:0.001 SNV mutation rate:1e-05 WF presimulated data 100000 1.csv



1.0


8.0

Observed data



SNPE Model: WF Gln pop id: 3 log10(estimatedCNV fitness effect): -1.3209903240203857 log10(estimated CNV mutation rate): -3.2293453216552734 SNV fitness:0.001 SNV mutation rate:1e-05 WF presimulated data 100000 1.csv

log10(CNV fitness effect)





Observed data

1.0

8.0


0.6





SNPE Model: WF Gln pop id: 7 log10(estimatedCNV fitness effect): -1.766005039215088 log10(estimated CNV mutation rate): -3.530914306640625 SNV fitness:0.001 SNV mutation rate:1e-05 WF presimulated data 100000 1.csv

log10(CNV fitness effect)



0.8

Observed data