
















SNPE  
 Model: WF  
 Simulation id: 43  
 $\log_{10}(\text{CNV fitness effect})$ : tensor(-3.)  
 $\log_{10}(\text{CNV mutation rate})$ : tensor(-7.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 4  
 $\log_{10}(\text{CNV fitness effect})$ : tensor(-1.)  
 $\log_{10}(\text{CNV mutation rate})$ : tensor(-5.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 35  
 $\log_{10}(\text{CNV fitness effect})$ : tensor(-1.)  
 $\log_{10}(\text{CNV mutation rate})$ : tensor(-7.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 77  
 $\log_{10}(\text{CNV fitness effect})$ : tensor(-3.)  
 $\log_{10}(\text{CNV mutation rate})$ : tensor(-5.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 46  
 $\log_{10}(\text{CNV fitness effect})$ : tensor(-3.)  
 $\log_{10}(\text{CNV mutation rate})$ : tensor(-7.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 8  
 log10(CNV fitness effect): tensor(-1.)  
 log10(CNV mutation rate): tensor(-5.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 55  
 log10(CNV fitness effect): tensor(-3.)  
 log10(CNV mutation rate): tensor(-7.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 22  
 $\log_{10}(\text{CNV fitness effect})$ : tensor(-1.)  
 $\log_{10}(\text{CNV mutation rate})$ : tensor(-7.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 21  
 log10(CNV fitness effect): tensor(-1.)  
 log10(CNV mutation rate): tensor(-7.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 70  
 $\log_{10}(\text{CNV fitness effect})$ : tensor(-3.)  
 $\log_{10}(\text{CNV mutation rate})$ : tensor(-5.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 25  
 log10(CNV fitness effect): tensor(-1.)  
 log10(CNV mutation rate): tensor(-7.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 57  
 $\log_{10}(\text{CNV fitness effect})$ : tensor(-3.)  
 $\log_{10}(\text{CNV mutation rate})$ : tensor(-7.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 68  
 $\log_{10}(\text{CNV fitness effect})$ : tensor(-3.)  
 $\log_{10}(\text{CNV mutation rate})$ : tensor(-5.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 48  
 log10(CNV fitness effect): tensor(-3.)  
 log10(CNV mutation rate): tensor(-7.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 1  
 log10(CNV fitness effect): tensor(-1.)  
 log10(CNV mutation rate): tensor(-5.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 31  
 log10(CNV fitness effect): tensor(-1.)  
 log10(CNV mutation rate): tensor(-7.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 71  
 $\log_{10}(\text{CNV fitness effect})$ : tensor(-3.)  
 $\log_{10}(\text{CNV mutation rate})$ : tensor(-5.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 44  
 $\log_{10}(\text{CNV fitness effect})$ : tensor(-3.)  
 $\log_{10}(\text{CNV mutation rate})$ : tensor(-7.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 14  
 log10(CNV fitness effect): tensor(-1.)  
 log10(CNV mutation rate): tensor(-5.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 79  
 $\log_{10}(\text{CNV fitness effect})$ : tensor(-3.)  
 $\log_{10}(\text{CNV mutation rate})$ : tensor(-5.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 37  
 log10(CNV fitness effect): tensor(-1.)  
 log10(CNV mutation rate): tensor(-7.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 30  
 log10(CNV fitness effect): tensor(-1.)  
 log10(CNV mutation rate): tensor(-7.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 45  
 $\log_{10}(\text{CNV fitness effect})$ : tensor(-3.)  
 $\log_{10}(\text{CNV mutation rate})$ : tensor(-7.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 3  
 log10(CNV fitness effect): tensor(-1.)  
 log10(CNV mutation rate): tensor(-5.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 11  
 log10(CNV fitness effect): tensor(-1.)  
 log10(CNV mutation rate): tensor(-5.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 60  
 $\log_{10}(\text{CNV fitness effect})$ : tensor(-3.)  
 $\log_{10}(\text{CNV mutation rate})$ : tensor(-5.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 28  
 log10(CNV fitness effect): tensor(-1.)  
 log10(CNV mutation rate): tensor(-7.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 47  
 $\log_{10}(\text{CNV fitness effect})$ : tensor(-3.)  
 $\log_{10}(\text{CNV mutation rate})$ : tensor(-7.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
Model: WF  
Simulation id: 72  
 $\log_{10}(\text{CNV fitness effect})$ : tensor(-3.)  
 $\log_{10}(\text{CNV mutation rate})$ : tensor(-5.)  
SNV fitness: 0.001  
SNV mutation rate: 1e-05  
WF\_presimulated data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 20  
 log10(CNV fitness effect): tensor(-1.)  
 log10(CNV mutation rate): tensor(-7.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 34  
 log10(CNV fitness effect): tensor(-1.)  
 log10(CNV mutation rate): tensor(-7.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 78  
 $\log_{10}(\text{CNV fitness effect})$ : tensor(-3.)  
 $\log_{10}(\text{CNV mutation rate})$ : tensor(-5.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 52  
 log10(CNV fitness effect): tensor(-3.)  
 log10(CNV mutation rate): tensor(-7.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 58  
 log10(CNV fitness effect): tensor(-3.)  
 log10(CNV mutation rate): tensor(-7.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 33  
 $\log_{10}(\text{CNV fitness effect})$ : tensor(-1.)  
 $\log_{10}(\text{CNV mutation rate})$ : tensor(-7.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 65  
 $\log_{10}(\text{CNV fitness effect})$ : tensor(-3.)  
 $\log_{10}(\text{CNV mutation rate})$ : tensor(-5.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 5  
 log10(CNV fitness effect): tensor(-1.)  
 log10(CNV mutation rate): tensor(-5.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 10  
 log10(CNV fitness effect): tensor(-1.)  
 log10(CNV mutation rate): tensor(-5.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 40  
 $\log_{10}(\text{CNV fitness effect})$ : tensor(-3.)  
 $\log_{10}(\text{CNV mutation rate})$ : tensor(-7.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 24  
 log10(CNV fitness effect): tensor(-1.)  
 log10(CNV mutation rate): tensor(-7.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 53  
 log10(CNV fitness effect): tensor(-3.)  
 log10(CNV mutation rate): tensor(-7.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 0  
 log10(CNV fitness effect): tensor(-1.)  
 log10(CNV mutation rate): tensor(-5.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 56  
 $\log_{10}(\text{CNV fitness effect})$ : tensor(-3.)  
 $\log_{10}(\text{CNV mutation rate})$ : tensor(-7.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 29  
 log10(CNV fitness effect): tensor(-1.)  
 log10(CNV mutation rate): tensor(-7.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 17  
 log10(CNV fitness effect): tensor(-1.)  
 log10(CNV mutation rate): tensor(-5.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 38  
 $\log_{10}(\text{CNV fitness effect})$ : tensor(-1.)  
 $\log_{10}(\text{CNV mutation rate})$ : tensor(-7.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 2  
 log10(CNV fitness effect): tensor(-1.)  
 log10(CNV mutation rate): tensor(-5.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 64  
 $\log_{10}(\text{CNV fitness effect})$ : tensor(-3.)  
 $\log_{10}(\text{CNV mutation rate})$ : tensor(-5.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 7  
 log10(CNV fitness effect): tensor(-1.)  
 log10(CNV mutation rate): tensor(-5.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 67  
 $\log_{10}(\text{CNV fitness effect})$ : tensor(-3.)  
 $\log_{10}(\text{CNV mutation rate})$ : tensor(-5.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 61  
 $\log_{10}(\text{CNV fitness effect})$ : tensor(-3.)  
 $\log_{10}(\text{CNV mutation rate})$ : tensor(-5.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 39  
 $\log_{10}(\text{CNV fitness effect})$ : tensor(-1.)  
 $\log_{10}(\text{CNV mutation rate})$ : tensor(-7.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 50  
 log10(CNV fitness effect): tensor(-3.)  
 log10(CNV mutation rate): tensor(-7.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 23  
 log10(CNV fitness effect): tensor(-1.)  
 log10(CNV mutation rate): tensor(-7.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 66  
 $\log_{10}(\text{CNV fitness effect})$ : tensor(-3.)  
 $\log_{10}(\text{CNV mutation rate})$ : tensor(-5.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 73  
 $\log_{10}(\text{CNV fitness effect})$ : tensor(-3.)  
 $\log_{10}(\text{CNV mutation rate})$ : tensor(-5.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 54  
 $\log_{10}(\text{CNV fitness effect})$ : tensor(-3.)  
 $\log_{10}(\text{CNV mutation rate})$ : tensor(-7.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 13  
 $\log_{10}(\text{CNV fitness effect})$ : tensor(-1.)  
 $\log_{10}(\text{CNV mutation rate})$ : tensor(-5.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 74  
 $\log_{10}(\text{CNV fitness effect})$ : tensor(-3.)  
 $\log_{10}(\text{CNV mutation rate})$ : tensor(-5.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 36  
 log10(CNV fitness effect): tensor(-1.)  
 log10(CNV mutation rate): tensor(-7.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 9  
 log10(CNV fitness effect): tensor(-1.)  
 log10(CNV mutation rate): tensor(-5.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 18  
 log10(CNV fitness effect): tensor(-1.)  
 log10(CNV mutation rate): tensor(-5.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 32  
 $\log_{10}(\text{CNV fitness effect})$ : tensor(-1.)  
 $\log_{10}(\text{CNV mutation rate})$ : tensor(-7.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 59  
 $\log_{10}(\text{CNV fitness effect})$ : tensor(-3.)  
 $\log_{10}(\text{CNV mutation rate})$ : tensor(-7.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 75  
 $\log_{10}(\text{CNV fitness effect})$ : tensor(-3.)  
 $\log_{10}(\text{CNV mutation rate})$ : tensor(-5.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 6  
 log10(CNV fitness effect): tensor(-1.)  
 log10(CNV mutation rate): tensor(-5.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 62  
 log10(CNV fitness effect): tensor(-3.)  
 log10(CNV mutation rate): tensor(-5.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 26  
 log10(CNV fitness effect): tensor(-1.)  
 log10(CNV mutation rate): tensor(-7.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 69  
 $\log_{10}(\text{CNV fitness effect})$ : tensor(-3.)  
 $\log_{10}(\text{CNV mutation rate})$ : tensor(-5.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 63  
 $\log_{10}(\text{CNV fitness effect})$ : tensor(-3.)  
 $\log_{10}(\text{CNV mutation rate})$ : tensor(-5.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 19  
 log10(CNV fitness effect): tensor(-1.)  
 log10(CNV mutation rate): tensor(-5.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 12  
 log10(CNV fitness effect): tensor(-1.)  
 log10(CNV mutation rate): tensor(-5.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 49  
 $\log_{10}(\text{CNV fitness effect})$ : tensor(-3.)  
 $\log_{10}(\text{CNV mutation rate})$ : tensor(-7.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 41  
 log10(CNV fitness effect): tensor(-3.)  
 log10(CNV mutation rate): tensor(-7.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 27  
 log10(CNV fitness effect): tensor(-1.)  
 log10(CNV mutation rate): tensor(-7.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv








SNPE  
Model: WF  
Simulation id: 76  
 $\log_{10}(\text{CNV fitness effect})$ : tensor(-3.)  
 $\log_{10}(\text{CNV mutation rate})$ : tensor(-5.)  
SNV fitness: 0.001  
SNV mutation rate: 1e-05  
WF\_presimulated\_data\_1000\_1.csv








SNPE  
 Model: WF  
 Simulation id: 51  
 $\log_{10}(\text{CNV fitness effect})$ : tensor(-3.)  
 $\log_{10}(\text{CNV mutation rate})$ : tensor(-7.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv



SNPE  
 Model: WF  
 Simulation id: 15  
 log10(CNV fitness effect): tensor(-1.)  
 log10(CNV mutation rate): tensor(-5.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv



SNPE  
 Model: WF  
 Simulation id: 42  
 $\log_{10}(\text{CNV fitness effect})$ : tensor(-3.)  
 $\log_{10}(\text{CNV mutation rate})$ : tensor(-7.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv



SNPE  
 Model: WF  
 Simulation id: 16  
 log10(CNV fitness effect): tensor(-1.)  
 log10(CNV mutation rate): tensor(-5.)  
 SNV fitness: 0.001  
 SNV mutation rate: 1e-05  
 WF\_presimulated\_data\_1000\_1.csv

