# Transient Dynamical Indicators of Critical Transitions

# Grace Zhang

# January 10, 2022

# Contents

1	Introduction	2
2	Resilience Quantification 2.1 Asymptotic Resilience	3
3	Critical Slowing Down 3.1 Local Bifurcation	3
4	Transient Dynamical Indicators of Critical Transitions 4.1 Indicators from Reactivity	
5	Thesis Proposal  5.1 Continuity of Intensity of Attraction  5.2 Intensity through Critical Transitions  5.3 Further Possibilities	4
6	Conclusion	4

#### 1 Introduction

A tipping point or critical transition occurs in a dynamical system when a small perturbation to system conditions causes an abrupt overall shift in qualitative behavior. Empirically, tipping points have been studied in contexts as diverse as Earth's climate [1, 2], emerging infectious diseases [3], aquatic and land ecosystems [4,5], the onset of medical health states [6,7], socio-economic systems [8], and more [9,10]. Since critical transitions often represent a shift into an undesirable or catastrophic regime, and since such transitions may not be easily or at all reversible [11–13], it is of pressing interest to anticipate them before they occur, in order to inform management strategies and possibly improve the odds of prevention. Unfortunately, in complex real world systems, the conditions under which a critical transition occurs, and the underlying mechanisms driving the approach to transition are usually extremely difficult to characterize.

As a result, there is particular interest in generic mathematical signals that can warn of impending tipping in a wide variety of systems without reference to specific underlying mechanisms. Such **early warning signals** have been most commonly studied as precursors of local codimension-1 bifurcations of ODEs, where they are based on the phenomenon of **critical slowing down** [10]. Roughly speaking, as the bifurcation parameter gradually nears its critical value, the resilience of the system drops (becoming slower to recover from perturbations), and this produces certain detectable statistical trends over time. In the context of critical slowing down, the term resilience refers specifically to what is known in the ecology literature as **asymptotic resilience**. In section 2, we review asymptotic resilience, and also two other quantitative measures of resilience (termed **reactivity** and **intensity of attraction**). In section 3, we summarize the theory of critical slowing down.

Early warning signals derived from asymptotic resilience and critical slowing down are a powerful tool for anticipating critical transitions, and their usefulness has already been demonstrated in numerous empirical contexts, including . But a major limitation is the assumption that the system experiences only small, infrequent perturbations, which do not drive the system state very far from equilibrium and which leave sufficient time for recovery in between disturbances. In particular, there is a neglect of transient behavior within the larger domain of attraction. Such transient states can result from large, closely repeated, or continual disturbances, as are common in real world systems.

Early warning signals derived from certain transient dynamics have been developed recently in the infectious disease literature [14]. In section 4 we first review transient indicators arising from reactivity. Then, we consider the possibility for other transient indicators to arise from Meyer's intensity of attraction, an idea further developed in section 5 into the thesis proposal.

### 2 Resilience Quantification

The concept of resilience differs between authors and disciplines, and an abundance of quantifications have been proposed. Loosely, resilience refers to the capacity for a system to retain its overall qualitative structure in the face of disturbances. In this section, we define asymptotic resilience, reactivity, and intensity of attraction mathematically. For some other definitions of resilience that we do not cover, see [15].

Let  $U \subset \mathbb{R}^n$  be open, and suppose that  $f: U \to \mathbb{R}^n$ . Consider a system of ordinary differential equations

$$x' = f(x) \tag{1}$$

and let  $\varphi : \mathbb{R} \times U \to U$  be the associated local flow, so that  $\varphi(t, x_0) = x(t)$  solves the ODE with initial condition  $x(0) = x_0$ .

#### 2.1 Asymptotic Resilience

The most commonly used definition of resilience in theoretical ecology represents long-term return rates to a point equilibrium, and is measured by the dominant eigenvalue of linearization.

citations

**Definition 1.** Suppose that  $x_*$  is a stable rest point of the ODE (1). That is,  $f(x_*) = 0$ , and  $Re(\lambda) < 0$  for all  $\lambda \in spec(\mathbf{A})$ , where  $\mathbf{A} = Df(x_*)$  is the Jacobian. Let  $\lambda_1$  be the eigenvalue of  $\mathbf{A}$  with largest (closest to 0) real part. The **asymptotic resilience** of the system at that equilibrium is  $Re(\lambda_1)$ .

For the linear system  $x' = \mathbf{A}x$ , the asymptotic resilience provides a lower bound on the rate at which trajectories approach equilibrium.

explain more

For nonlinear systems, the Stable Manifold Theorem implies that for any  $\alpha$  such that  $Re(\lambda_1) < \alpha < 0$ , there exists a constant C and a neighborhood  $V \ni x_*$  such that  $|\varphi(t, x_0)| \le Ce^{\alpha t}$  for all  $x_0 \in V$ .

Hence, asymptotic resilience bounds the rate of return to equilibrium after a small perturbation to the system. Because local bifurcation is characterized by  $Re(\lambda_1)$  passing through zero, the system recovers slower when nearer to bifurcation. This is the core of critical slowing down, explained further in section 3.

maybe show how to derive this from Stable Manifold Theorem

#### 2.2 Reactivity

Eigenvalues govern the long-term rate of recovery; however, in the short term, perturbations can initially be amplified before decaying. Asymptotic resilience provides no information about this transient behavior. Because of this shortcoming, an alternative measure of system response to perturbations was introduced in [16].

Definition 2.

#### 2.3 Intensity of Attraction

Next, we discuss intensity of attraction, a definition introduced by Katherine Meyer in her PhD thesis [17].

add figure with example of positive reactivity

### 3 Critical Slowing Down

this results in certain detectable statistical trends over time – in particular, gradually increasing variance and auto-correlation in the system state

- 3.1 Local Bifurcation
- 3.2 Critical Slowing Down
- 3.3 Early Warning Signals
- 3.4 Limitations

Early warning signals derived from critical slowing down are a powerful tool for anticipating critical transitions, and their usefulness has already been demonstrated in numerous empirical contexts, including. However, they have at least a few significant limitations. First, being based on a linear approximation at a stable equilibrium, they are relevant only to small perturbations that do not move the system state very far from equilibrium. Second, being a measure of long term rates of return to equilibrium, they (1) may overlook short term behavior that occurs immediately after the perturbation and (2) are relevant only to infrequent perturbations, so that the system has enough time to recover in between disturbances. In particular, they are not reliable in cases of closely repeating or continual disturbances, as are common in real world ecological systems. Third, they specifically precede local bifurcations, while the informal tipping point concept may correspond to other dynamical behaviors such as global bifurcations, perturbations pushing a state variable across the boundary between two basins of attraction, or rate-induced tipping behavior.

citations

### 4 Transient Dynamical Indicators of Critical Transitions

- 4.1 Indicators from Reactivity
- 4.2 Possibility for Indicators from Intensity of Attraction
- 5 Thesis Proposal
- 5.1 Continuity of Intensity of Attraction
- 5.2 Intensity through Critical Transitions
- 5.3 Further Possibilities

#### 6 Conclusion

Machine learning based early warning signals.

Possible connection between machine-learning based and analytical theory based early warning signals? i.e. using theory to inform ML design.

Mention papers where critical transitions occur with no lead warning

As pressures exerted by modern day anthropogenic practices on the Earth grow in magnitude and complexity, threatening physical, ecological, and social systems on all scales with unprecedented forms of change, this goal becomes even more pressing.

#### References

- [1] Timothy M. Lenton, Hermann Held, Elmar Kriegler, Jim W. Hall, Wolfgang Lucht, Stefan Rahmstorf, and Hans Joachim Schellnhuber. Tipping elements in the Earth's climate system. *Proceedings of the National Academy of Sciences*, 105(6):1786–1793, February 2008.
- [2] Vasilis Dakos, Marten Scheffer, Egbert H. van Nes, Victor Brovkin, Vladimir Petoukhov, and Hermann Held. Slowing down as an early warning signal for abrupt climate change. *Proceedings of the National Academy of Sciences*, 105(38):14308–14312, September 2008.
- [3] Tobias S. Brett and Pejman Rohani. Dynamical footprints enable detection of disease emergence. *PLOS Biology*, 18(5):e3000697, May 2020.
- [4] Marten Scheffer, Steve Carpenter, Jonathan A. Foley, Carl Folke, and Brian Walker. Catastrophic shifts in ecosystems. *Nature*, 413(6856):591–596, October 2001.
- [5] S. R. Carpenter and W. A. Brock. Rising variance: A leading indicator of ecological transition. *Ecology Letters*, 9(3):311–318, 2006.
- [6] Patrick E. McSharry, Leonard A. Smith, and Lionel Tarassenko. Prediction of epileptic seizures: Are nonlinear methods relevant? *Nature Medicine*, 9(3):241–242, March 2003.
- [7] Jose G. Venegas, Tilo Winkler, Guido Musch, Marcos F. Vidal Melo, Dominick Layfield, Nora Tgavalekos, Alan J. Fischman, Ronald J. Callahan, Giacomo Bellani, and R. Scott Harris. Self-organized patchiness in asthma as a prelude to catastrophic shifts. *Nature*, 434(7034):777–782, April 2005.
- [8] Kees C. H. van Ginkel, W. J. Wouter Botzen, Marjolijn Haasnoot, Gabriel Bachner, Karl W. Steininger, Jochen Hinkel, Paul Watkiss, Esther Boere, Ad Jeuken, Elisa Sainz de Murieta, and Francesco Bosello. Climate change induced socio-economic tipping points: Review and stakeholder consultation for policy relevant research. Environmental Research Letters, 15(2):023001, January 2020.
- [9] Sandip V. George, Sneha Kachhara, and G. Ambika. Early warning signals for critical transitions in complex systems. arXiv:2107.01210 [nlin, physics:physics], July 2021.
- [10] Marten Scheffer, Jordi Bascompte, William A. Brock, Victor Brovkin, Stephen R. Carpenter, Vasilis Dakos, Hermann Held, Egbert H. van Nes, Max Rietkerk, and George Sugihara. Early-warning signals for critical transitions. *Nature*, 461(7260):53–59, September 2009.
- [11] Katharina Albrich, Werner Rammer, and Rupert Seidl. Climate change causes critical transitions and irreversible alterations of mountain forests. *Global Change Biology*, 26(7):4013–4027, 2020.
- [12] Xingru Chen and Feng Fu. Imperfect vaccine and hysteresis. *Proceedings of the Royal Society B: Biological Sciences*, 286(1894):20182406, January 2019.
- [13] Valerio Lucarini, Klaus Fraedrich, and Frank Lunkeit. Thermodynamic analysis of snowball Earth hysteresis experiment: Efficiency, entropy production and irreversibility. *Quarterly Journal of the Royal Meteorological Society*, 136(646):2–11, 2010.
- [14] Suzanne M. O'Regan, Eamon B. O'Dea, Pejman Rohani, and John M. Drake. Transient indicators of tipping points in infectious diseases. *Journal of The Royal Society Interface*, 17(170):20200094, September 2020.
- [15] Katherine Meyer. A Mathematical Review of Resilience in Ecology. *Natural Resource Modeling*, 29(3):339–352, 2016.
- [16] Michael G. Neubert and Hal Caswell. Alternatives to Resilience for Measuring the Responses of Ecological Systems to Perturbations. *Ecology*, 78(3):653–665, 1997.
- [17] Katherine Meyer. Metric Properties of Attractors for Vector Fields via Bounded, Nonautonomous Control. PhD thesis, University of Minnesota, Twin Cities, May 2019.