

Climatography of the United States No. 20

National Climatic Data Center
Federal Building
151 Patton Avenue
Asheville, North Carolina 28801
www.ncdc.noaa.gov

Station: **TEXARKANA WEBB FIELD, AR**

1971-2000

COOP ID: 037048

Climate Division: **AR 7**

NWS Call Sign: **TXK**

Elevation: **361 Feet**

Lat: **33° 27N**

Lon: **94° 00W**

Temperature (°F)																					
Mean (1)				Extremes										Degree Days (1) Base Temp 65		Mean Number of Days (3)					
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	53.0	35.6	44.3	83+	1943	23	50.7	1990	-7	1982	17	35.7	1978	642	0	.0	.0	19.1	1.1	13.3	@
Feb	59.7	39.4	49.6	89	1986	20	57.2	1976	-3	1951	2	38.7	1978	438	5	.0	.0	22.2	.4	7.7	.0
Mar	67.8	46.1	57.0	90+	1946	30	61.3	1974	11	1943	3	51.6	1996	261	10	.0	.1	29.5	@	2.8	.0
Apr	75.0	53.5	64.3	94	1930	7	71.8	1981	24	1936	3	59.5	1997	91	68	.0	.2	29.9	.0	.4	.0
May	82.0	62.1	72.1	97	1934	31	76.1	1998	38	1931	7	67.2	1976	9	228	.0	2.5	31.0	.0	.0	.0
Jun	89.1	69.2	79.2	108	1936	20	83.4	1981	50+	1933	15	74.8	1974	0	426	.5	14.7	30.0	.0	.0	.0
Jul	92.7	72.6	82.7	110+	1930	29	88.7	1998	57	1970	6	79.3	1989	0	549	2.4	24.0	31.0	.0	.0	.0
Aug	93.0	71.6	82.3	117	1936	10	87.9	1980	51	1986	29	76.7	1992	0	535	3.6	23.0	31.0	.0	.0	.0
Sep	86.3	65.4	75.9	108+	1939	4	82.0	1980	37	1942	27	68.3	1974	7	333	.8	11.7	30.0	.0	.0	.0
Oct	76.8	54.9	65.9	104	1938	1	70.7	1971	27+	1930	31	58.6	1976	78	104	.0	1.2	30.9	.0	.1	.0
Nov	64.3	45.0	54.7	88	1965	26	60.8	1978	18+	1932	16	48.1	1976	325	15	.0	.0	27.3	.0	3.5	.0
Dec	55.9	37.8	46.9	84	1939	7	56.8	1984	-1	1989	23	36.0	1983	570	7	.0	.0	22.2	.8	10.3	@
Ann	74.6	54.4	64.6	117	Aug 1936	10	88.7	Jul 1998	-7	Jan 1982	17	35.7	Jan 1978	2421	2280	7.3	77.4	334.1	2.3	38.1	.0

+ Also occurred on an earlier date(s)

@ Denotes mean number of days greater than 0 but less than .05

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normal/usnormals.html

Issue Date: February 2004

(1) From the 1971-2000 Monthly Normals

(2) Derived from station's available digital record: 1930-2001

(3) Derived from 1971-2000 serially complete daily data

Climatography of the United States

No. 20 1971-2000

National Climatic Data Center
Federal Building
151 Patton Avenue
Asheville, North Carolina 28801
www.ncdc.noaa.gov

Station: TEXARKANA WEBB FIELD, AR

COOP ID: 037048

Climate Division: AR 7

NWS Call Sign: TXK

Elevation: 361 Feet Lat: 33°27N

Lon: 94°00W

Precipitation (inches)																								
	Precipitation Totals									Mean Number of Days (3)				Precipitation Probabilities (1) Probability that the monthly/annual precipitation will be equal to or less than the indicated amount										
	Means/ Medians(1)		Extremes							Daily Precipitation				Monthly/Annual Precipitation vs Probability Levels These values were determined from the incomplete gamma distribution										
Month	Mean	Med-ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	3.57	3.25	5.30	1938	21	7.88	1990	.11	1986	8.9	5.9	2.4	.8	.80	1.13	1.65	2.12	2.59	3.09	3.66	4.33	5.21	6.62	7.95
Feb	3.31	3.15	4.29	2001	27	8.97	1989	.58	1996	7.6	5.3	2.3	.8	.79	1.10	1.58	2.02	2.44	2.90	3.40	4.00	4.79	6.05	7.22
Mar	4.09	3.80	5.36	1945	29	9.14	1989	.63	1974	9.3	6.4	2.5	1.0	1.24	1.63	2.21	2.71	3.19	3.69	4.25	4.90	5.74	7.06	8.28
Apr	3.95	3.67	5.09	1958	26	9.55	1991	.59	1972	8.6	6.0	2.7	1.2	1.05	1.42	1.99	2.50	2.99	3.51	4.09	4.77	5.66	7.06	8.38
May	4.29	3.57	5.43	1968	10	12.11	1981	.56	1988	9.9	6.9	3.0	1.4	.85	1.24	1.87	2.45	3.03	3.66	4.37	5.22	6.35	8.16	9.88
Jun	4.60	4.36	5.75	1976	18	9.57	1976	.69	1971	8.4	5.4	2.4	1.2	1.07	1.50	2.17	2.78	3.38	4.01	4.73	5.58	6.70	8.48	10.15
Jul	3.78	3.58	6.60	1940	2	9.90	1989	.07	1982	7.3	5.4	2.6	1.3	.50	.80	1.34	1.87	2.42	3.03	3.74	4.61	5.79	7.73	9.59
Aug	2.35	1.96	4.46	2001	31	8.79	1974	.22	2000	6.7	4.6	1.5	.5	.43	.64	.98	1.30	1.62	1.98	2.38	2.86	3.50	4.54	5.52
Sep	3.40	3.35	4.02	1980	29	7.97	1974	.43	1989	7.1	4.7	2.3	1.0	.58	.87	1.37	1.83	2.31	2.83	3.43	4.15	5.12	6.68	8.17
Oct	3.87	3.35	4.99	2001	11	12.81	1984	.64	1975	7.4	5.1	2.4	1.4	.63	.96	1.52	2.05	2.60	3.20	3.89	4.72	5.84	7.65	9.39
Nov	5.34	5.28	4.19	2000	23	13.65	2000	.80	1999	9.1	5.9	3.4	1.6	1.03	1.51	2.29	3.01	3.74	4.53	5.43	6.51	7.94	10.23	12.42
Dec	4.83	4.69	5.71	1985	11	16.49	1987	.33	1981	8.7	6.4	3.1	1.4	1.01	1.45	2.16	2.80	3.45	4.15	4.93	5.88	7.12	9.11	10.99
Ann	47.38	46.28	6.60	Jul 1940	2	16.49	Dec 1987	.07	Jul 1982	99.0	68.0	30.6	13.6	33.45	36.14	39.59	42.21	44.54	46.79	49.12	51.69	54.82	59.35	63.28

+ Also occurred on an earlier date(s)

Denotes amounts of a trace

@ Denotes mean number of days greater than 0 but less than .05

** Statistics not computed because less than six years out of thirty had measurable precipitation

(1) From the 1971-2000 Monthly Normals

(2) Derived from station's available digital record: 1930-2001

(3) Derived from 1971-2000 serially complete daily data

Complete documentation available from:
www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Climatography of the United States

No. 20 1971-2000

National Climatic Data Center
Federal Building
151 Patton Avenue
Asheville, North Carolina 28801
www.ncdc.noaa.gov

Station: TEXARKANA WEBB FIELD, AR

COOP ID: 037048

Climate Division: AR 7

NWS Call Sign: TXK

Elevation: 361 Feet

Lat: 33°27N

Lon: 94°00W

Snow (inches)																							
Snow Totals															Mean Number of Days (1)								
Means/Medians (1)					Extremes (2)										Snow Fall >= Thresholds					Snow Depth >= Thresholds			
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	1.3	.0	#	0	9.0	1982	30	12.0	1982	3+	1988	8	1	1988	.5	.4	.1	.1	.0	.5	.2	.0	.0
Feb	.1	.0	#	0	2.0	1988	11	2.0	1988	1	1988	11	#	1988	.1	.1	.0	.0	.0	@	.0	.0	.0
Mar	.1	.0	0	0	1.0	1975	3	1.0	1975	#	1975	4	0	0	.1	.1	.0	.0	.0	.0	.0	.0	.0
Apr	#	.0	0	0	#	1980	13	#	1980	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
May	.0	.0	#	0	.0	0	0	.0	0	0	0	0	#	1977	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Nov	#	.0	0	0	#	1976	14	#+	1976	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Dec	.6	.0	#	0	8.0	1983	16	8.0	1983	4	1983	17	#	1983	.1	.1	.1	.1	.0	.1	@	.0	.0
Ann	2.1	.0	N/A	N/A	9.0	Jan 1982	30	12.0	Jan 1982	4	Dec 1983	17	1	Jan 1988	.8	.7	.2	.2	.0	.6	.2	.0	.0

+ Also occurred on an earlier date(s) #Denotes trace amounts

@ Denotes mean number of days greater than 0 but less than .05

-9/-9.9 represents missing values

Annual statistics for Mean/Median snow depths are not appropriate

(1) Derived from Snow Climatology and 1971-2000 daily data

(2) Derived from 1971-2000 daily data

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normal/usnormals.html

**Climatography
of the United States
No. 20
1971-2000**

Station: TEXARKANA WEBB FIELD, AR

COOP ID: 037048

Climate Division: AR 7

NWS Call Sign: TXK

Elevation: 361 Feet

Lat: 33°27N

Lon: 94°00W

Freeze Data									
Spring Freeze Dates (Month/Day)									
Temp (F)	Probability of later date in spring (thru Jul 31) than indicated(*)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	4/15	4/09	4/04	4/01	3/28	3/25	3/21	3/17	3/11
32	4/06	3/29	3/23	3/18	3/13	3/09	3/04	2/26	2/18
28	3/21	3/12	3/06	3/01	2/24	2/18	2/13	2/07	1/29
24	3/08	2/27	2/21	2/16	2/11	2/07	2/01	1/26	1/16
20	3/01	2/20	2/13	2/06	1/31	1/25	1/18	1/09	0/00
16	2/10	1/31	1/24	1/17	1/09	12/31	0/00	0/00	0/00
Fall Freeze Dates (Month/Day)									
Temp (F)	Probability of earlier date in fall (beginning Aug 1) than indicated(*)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	10/22	10/26	10/30	11/01	11/04	11/07	11/09	11/12	11/17
32	10/31	11/06	11/10	11/13	11/16	11/19	11/23	11/27	12/02
28	11/07	11/15	11/21	11/25	11/30	12/04	12/09	12/15	12/23
24	11/19	11/28	12/04	12/09	12/14	12/19	12/24	12/31	1/10
20	12/06	12/17	12/26	1/02	1/09	1/17	1/25	2/06	0/00
16	12/19	12/29	1/05	1/12	1/19	1/30	0/00	0/00	0/00
Freeze Free Period									
Temp (F)	Probability of longer than indicated freeze free period (Days)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	245	236	230	225	220	215	209	203	194
32	279	268	260	253	247	240	234	225	214
28	313	301	293	285	279	272	264	256	244
24	352	332	321	313	305	298	290	281	269
20	>365	>365	>365	361	344	332	322	311	297
16	>365	>365	>365	>365	>365	>365	>365	353	330

* Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Derived from 1971-2000 serially complete daily data

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normal/usnormals.html

**Climatology
of the United States**
No. 20
1971-2000

Station: TEXARKANA WEBB FIELD, AR

COOP ID: 037048

Climate Division: AR 7 NWS Call Sign: TXK Elevation: 361 Feet Lat: 33° 27N Lon: 94° 00W

Degree Days to Selected Base Temperatures (°F)													
Base	Heating Degree Days (1)												
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	642	438	261	91	9	0	0	0	7	78	325	570	2421
60	495	310	140	30	1	0	0	0	0	27	206	428	1637
57	408	241	88	12	0	0	0	0	0	11	149	349	1258
55	353	200	60	6	0	0	0	0	0	6	117	300	1042
50	232	118	19	0	0	0	0	0	0	1	57	199	626
32	16	3	0	0	0	0	0	0	0	0	0	15	34

Base	Cooling Degree Days (1)												
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	397	494	773	968	1242	1416	1572	1558	1317	1049	680	475	11941
55	21	47	120	283	529	726	859	845	627	342	107	47	4553
57	14	32	85	229	467	666	797	783	567	286	79	34	4039
60	8	17	45	157	375	576	704	690	477	208	46	20	3323
65	0	5	10	68	228	426	549	535	333	104	15	7	2280
70	0	0	1	19	110	280	394	383	205	39	2	0	1433

Growing Degree Units (2)																								
Base	Growing Degree Units (Monthly)												Growing Degree Units (Accumulated Monthly)											
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	200	311	537	731	997	1174	1324	1311	1082	805	444	257	200	511	1048	1779	2776	3950	5274	6585	7667	8472	8916	9173
45	114	205	395	581	842	1024	1169	1156	932	650	311	155	114	319	714	1295	2137	3161	4330	5486	6418	7068	7379	7534
50	56	119	260	433	687	874	1014	1001	782	497	199	83	56	175	435	868	1555	2429	3443	4444	5226	5723	5922	6005
55	29	60	152	291	532	724	859	846	632	353	115	40	29	89	241	532	1064	1788	2647	3493	4125	4478	4593	4633
60	4	25	77	177	379	574	704	691	483	221	54	18	4	29	106	283	662	1236	1940	2631	3114	3335	3389	3407
Base	Growing Degree Units for Corn (Monthly)												Growing Degree Units for Corn (Accumulated Monthly)											
50/86	119	186	326	468	678	822	908	893	734	522	260	145	119	305	631	1099	1777	2599	3507	4400	5134	5656	5916	6061

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Complete documentation available from:
www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
- c. Only observed validated values were used to select the extreme daily values.
- d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.
Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.
- e. Degree Days were derived using the same techniques as the 1971-2000 normals.
Complete documentation for the 1971-2000 Normals is available on the internet from:
www.ncdc.noaa.gov/oa/climate/normal/usnormals.html
- f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set.
Documentation of the serially complete data set is available from the link below:
- g. Snowfall and snow depth statistics were derived from the Snow Climatology.
Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- | | |
|---|---|
| <ol style="list-style-type: none">a. Temperature/ Precipitation Tables<ol style="list-style-type: none">1. 1971-2000 Monthly Normals2. Cooperative Summary of the Day3. National Weather Service station records4. 1971-2000 serially complete daily datab. Degree Day Table<ol style="list-style-type: none">1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data | <ol style="list-style-type: none">c. Snow Tables<ol style="list-style-type: none">1. Snow Climatology2. Cooperative Summary of the Dayd. Freeze Data Table
1971-2000 serially complete daily data |
|---|---|

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normal.html
U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normal/usnormalsprods.html
Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html
Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,
www1.ncdc.noaa.gov/pub/data/special/serialcomplete_jam_0900.pdf