

Climatology of the United States

No. 20

1971-2000

Station: AUSTIN 3 S, MN

COOP ID: 210355

Climate Division: MN 9

NWS Call Sign:

Elevation: 1,215 Feet Lat: 43° 37N

Lon: 92° 59W

Temperature (°F)

Mean (1)				Extremes										Degree Days (1) Base Temp 65		Mean Number of Days (3)					
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	20.2	1.5	10.9	55	1981	24	26.9	1990	-42	1963	15	-3.3	1979	1678	0	.0	.0	.2	24.0	30.8	12.7
Feb	26.9	8.7	17.8	62	1981	17	30.7	1987	-34	1996	2	6.4	1979	1322	0	.0	.0	.9	17.2	27.3	7.5
Mar	39.4	22.1	30.8	79	1978	31	39.6	2000	-34	1962	1	21.9	1975	1062	0	.0	.0	6.9	7.8	25.7	1.7
Apr	55.7	34.1	44.9	91	1952	30	52.8	1977	6	1995	4	37.3	1983	607	2	.0	.1	21.5	.6	12.0	.0
May	68.6	46.0	57.3	94	1988	28	65.5	1977	22	1967	3	51.7	1983	279	40	.0	.4	30.4	.0	1.5	.0
Jun	77.9	55.8	66.9	100	1988	21	73.6	1988	35	1992	21	62.0	1982	61	116	@	2.3	30.0	.0	.0	.0
Jul	80.5	59.5	70.0	99+	1990	3	74.2	1986	41+	1967	5	63.7	1971	31	186	.0	3.9	31.0	.0	.0	.0
Aug	78.1	56.7	67.4	99	1948	23	72.8	1995	34	1958	25	62.6	1992	57	131	.0	2.1	31.0	.0	.0	.0
Sep	70.8	47.2	59.0	97+	1978	7	64.7	1998	23	1976	23	53.7	1993	204	23	.0	.7	29.6	.0	1.2	.0
Oct	58.6	35.3	47.0	92	1997	3	52.6	1973	10	1952	29	42.3	1972	559	0	.0	@	25.9	.1	9.4	.0
Nov	39.3	21.8	30.6	77	1999	8	39.7	1999	-25	1977	26	22.8	1985	1034	0	.0	.0	7.8	8.0	23.4	.8
Dec	24.5	7.6	16.1	65	1998	1	23.9	1997	-33	1950	27	.4	1983	1517	0	.0	.0	.5	21.1	30.3	8.1
Ann	53.4	33.0	43.2	100	Jun 1988	21	74.2	Jul 1986	-42	Jan 1963	15	-3.3	Jan 1979	8411	498	@	9.5	215.7	78.8	161.6	30.8

+ Also occurred on an earlier date(s)

@ Denotes mean number of days greater than 0 but less than .05

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normal/usnormals.html

Issue Date: February 2004

(1) From the 1971-2000 Monthly Normals

(2) Derived from station's available digital record: 1948-2001

(3) Derived from 1971-2000 serially complete daily data

008-A

**Climatography
of the United States
No. 20
1971-2000**

National Climatic Data Center
Federal Building
151 Patton Avenue
Asheville, North Carolina 28801
www.ncdc.noaa.gov

Station: AUSTIN 3 S, MN

COOP ID: 210355

Climate Division: MN 9

NWS Call Sign:

Elevation: 1,215 Feet Lat: 43°37N

Lon: 92°59W

Precipitation (inches)																								
	Precipitation Totals									Mean Number of Days (3)				Precipitation Probabilities (1) Probability that the monthly/annual precipitation will be equal to or less than the indicated amount										
	Means/ Medians(1)		Extremes							Daily Precipitation				Monthly/Annual Precipitation vs Probability Levels These values were determined from the incomplete gamma distribution										
Month	Mean	Med-ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	.96	.62	2.53	1973	22	3.68	1973	.00+	1988	6.8	2.9	.5	.1	.00	.00	.00	.26	.46	.68	.93	1.23	1.65	2.34	2.99
Feb	.57	.40	1.01	2001	24	3.03	1971	.00+	1991	4.7	2.2	.3	.0	.00	.00	.00	.07	.18	.32	.48	.70	1.00	1.52	2.03
Mar	1.62	1.18	1.94	1950	26	4.31	1995	.00	1984	7.1	4.2	1.2	.2	.08	.23	.47	.71	.97	1.25	1.58	2.00	2.56	3.49	4.40
Apr	3.11	3.11	2.67	1990	23	7.09	1999	1.06	1982	9.6	6.7	2.0	.6	1.02	1.32	1.75	2.12	2.47	2.84	3.24	3.71	4.31	5.25	6.11
May	4.05	3.41	3.50	1980	30	7.69	2000	1.61	1989	10.8	7.4	2.8	.9	1.56	1.94	2.48	2.92	3.35	3.78	4.24	4.78	5.47	6.53	7.49
Jun	4.07	4.10	3.30	1954	16	8.12	1993	1.34	1988	9.7	7.6	2.7	1.3	1.60	1.98	2.51	2.96	3.38	3.80	4.26	4.80	5.47	6.51	7.46
Jul	4.49	4.57	3.75	1961	31	10.20	1999	.73	1996	9.8	6.9	3.1	1.4	1.02	1.44	2.09	2.69	3.28	3.90	4.61	5.45	6.55	8.31	9.97
Aug	4.51	4.36	3.14	1959	22	10.23	1980	1.03+	1976	9.7	7.1	3.2	1.4	1.32	1.75	2.40	2.95	3.50	4.06	4.69	5.42	6.37	7.86	9.24
Sep	3.28	3.16	3.83	1983	19	8.21	1985	.52	1979	8.5	5.7	2.2	.8	.54	.83	1.31	1.76	2.22	2.73	3.30	4.00	4.94	6.46	7.91
Oct	2.30	2.19	2.18	1966	12	4.92	1984	.26	1975	7.3	4.8	1.5	.5	.52	.73	1.07	1.37	1.67	2.00	2.36	2.79	3.36	4.27	5.12
Nov	2.00	1.97	1.88	1975	9	5.46	1975	.03	1990	6.5	3.7	1.2	.6	.10	.20	.44	.70	1.01	1.38	1.82	2.40	3.22	4.62	6.02
Dec	1.01	.85	1.36	1965	12	3.43	1975	.00+	1998	7.1	2.9	.6	.1	.00	.00	.30	.48	.64	.83	1.03	1.28	1.60	2.12	2.62
Ann	31.97	31.90	3.83	Sep 1983	19	10.23	Aug 1980	.00+	Dec 1998	97.6	62.1	21.3	7.9	21.27	23.29	25.90	27.91	29.70	31.44	33.26	35.27	37.73	41.32	44.45

+ Also occurred on an earlier date(s)

Denotes amounts of a trace

@ Denotes mean number of days greater than 0 but less than .05

** Statistics not computed because less than six years out of thirty had measurable precipitation

(1) From the 1971-2000 Monthly Normals

(2) Derived from station's available digital record: 1948-2001

(3) Derived from 1971-2000 serially complete daily data

Complete documentation available from:
www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Climatography of the United States

No. 20

1971-2000

National Climatic Data Center
Federal Building
151 Patton Avenue
Asheville, North Carolina 28801
www.ncdc.noaa.gov

Station: AUSTIN 3 S, MN

COOP ID: 210355

Climate Division: MN 9

NWS Call Sign:

Elevation: 1,215 Feet

Lat: 43°37N

Lon: 92°59W

Snow (inches)																							
Snow Totals															Mean Number of Days (1)								
Means/Medians (1)					Extremes (2)										Snow Fall >= Thresholds					Snow Depth >= Thresholds			
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	9.6	12.6	6	5	9.0	1973	3	17.0+	1973	28	1982	31	17	1982	2.0	1.7	.6	.2	.0	-9.9	-9.9	-9.9	-9.9
Feb	5.5	4.7	7	4	6.6	1971	5	15.5	1971	30	1982	6	24	1982	1.3	1.0	.2	.1	.0	-9.9	-9.9	-9.9	-9.9
Mar	2.1	1.5	2	2	8.5	1995	6	8.6	1971	18	1994	1	8	1993	1.2	.5	.2	.1	.0	7.0	4.7	2.7	.9
Apr	1.2	.0	#	0	7.5	1973	9	10.0	1973	8	1985	1	1	1983	.7	.5	.1	@	.0	.3	.1	@	.0
May	#	.0	0	0	#	1976	2	#	1976	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.2	.0	#	0	2.0	1981	24	2.0	1981	2	1981	24	#+	2000	.3	.1	.0	.0	.0	@	.0	.0	.0
Nov	2.3	1.1	1	#	3.5	1971	23	9.0	1977	16	1983	30	4	1985	1.2	.6	.2	.0	.0	3.1	.6	.2	.0
Dec	7.5	7.0	5	2	8.0	2000	18	12.4	1971	32	2000	31	24	1983	2.6	2.0	.7	.3	.0	-9.9	-9.9	-9.9	-9.9
Ann	28.4	26.9	N/A	N/A	9.0	Jan 1973	3	17.0+	Jan 1973	32	Dec 2000	31	24+	Dec 1983	9.3	6.4	2.0	.7	.0	-9.9	-9.9	-9.9	-9.9

+ Also occurred on an earlier date(s) #Denotes trace amounts

@ Denotes mean number of days greater than 0 but less than .05

-9/-9.9 represents missing values

Annual statistics for Mean/Median snow depths are not appropriate

(1) Derived from Snow Climatology and 1971-2000 daily data

(2) Derived from 1971-2000 daily data

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normal/usnormals.html

Climatography of the United States

No. 20 1971-2000

Station: AUSTIN 3 S, MN

COOP ID: 210355

Climate Division: MN 9

NWS Call Sign:

Elevation: 1,215 Feet

Lat: 43° 37N

Lon: 92° 59W

Freeze Data									
Spring Freeze Dates (Month/Day)									
Temp (F)	Probability of later date in spring (thru Jul 31) than indicated(*)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	5/29	5/23	5/19	5/15	5/12	5/09	5/05	5/01	4/25
32	5/16	5/11	5/07	5/04	5/01	4/29	4/26	4/22	4/17
28	5/07	5/01	4/27	4/24	4/20	4/17	4/13	4/09	4/03
24	4/22	4/17	4/13	4/10	4/07	4/05	4/02	3/29	3/24
20	4/13	4/08	4/04	4/01	3/29	3/26	3/23	3/19	3/14
16	4/10	4/04	4/01	3/28	3/25	3/22	3/19	3/15	3/10
Fall Freeze Dates (Month/Day)									
Temp (F)	Probability of earlier date in fall (beginning Aug 1) than indicated(*)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	9/10	9/14	9/17	9/19	9/21	9/23	9/26	9/29	10/02
32	9/14	9/19	9/22	9/25	9/28	10/01	10/04	10/07	10/12
28	9/21	9/26	9/30	10/03	10/06	10/09	10/12	10/16	10/22
24	10/05	10/11	10/15	10/19	10/23	10/26	10/30	11/03	11/09
20	10/17	10/23	10/27	10/30	11/02	11/05	11/09	11/13	11/18
16	10/22	10/29	11/03	11/07	11/11	11/15	11/19	11/24	12/01
Freeze Free Period									
Temp (F)	Probability of longer than indicated freeze free period (Days)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	155	147	141	136	132	127	122	116	108
32	170	163	157	153	149	145	140	135	127
28	187	181	176	172	168	164	160	156	149
24	218	211	206	201	197	193	189	184	177
20	241	233	227	222	217	212	207	201	193
16	258	248	241	235	230	225	219	212	202

* Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Derived from 1971-2000 serially complete daily data

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normal/usnormals.html

**Climatography
of the United States
No. 20
1971-2000**

Station: AUSTIN 3 S, MN

COOP ID: 210355

Climate Division: MN 9

NWS Call Sign:

Elevation: 1,215 Feet Lat: 43° 37N Lon: 92° 59W

Degree Days to Selected Base Temperatures (° F)													
Base	Heating Degree Days (1)												
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	1678	1322	1062	607	279	61	31	57	204	559	1034	1517	8411
60	1523	1182	907	464	175	19	8	16	102	407	884	1362	7049
57	1430	1098	814	383	126	7	0	6	59	320	794	1269	6306
55	1368	1042	753	333	98	4	0	2	38	267	734	1207	5846
50	1213	902	607	221	46	0	0	0	9	153	589	1052	4792
32	689	443	186	17	0	0	0	0	0	4	174	537	2050

Base	Cooling Degree Days (1)												
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	34	45	146	403	784	1045	1178	1097	810	468	130	44	6184
55	0	0	1	28	169	359	465	386	158	18	0	0	1584
57	0	0	0	19	135	302	403	328	119	9	0	0	1315
60	0	0	0	10	91	224	317	245	72	3	0	0	962
65	0	0	0	2	40	116	186	131	23	0	0	0	498
70	0	0	0	0	14	45	92	55	5	0	0	0	211

Growing Degree Units (2)																								
Base	Growing Degree Units (Monthly)												Growing Degree Units (Accumulated Monthly)											
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	0	1	45	237	586	849	980	911	635	308	51	1	0	1	46	283	869	1718	2698	3609	4244	4552	4603	4604
45	0	0	22	141	435	699	825	756	488	192	21	1	0	0	22	163	598	1297	2122	2878	3366	3558	3579	3580
50	0	0	7	74	296	549	670	601	349	105	6	0	0	0	7	81	377	926	1596	2197	2546	2651	2657	2657
55	0	0	1	37	180	401	515	446	226	47	1	0	0	0	1	38	218	619	1134	1580	1806	1853	1854	1854
60	0	0	0	13	95	263	360	295	127	15	0	0	0	0	0	13	108	371	731	1026	1153	1168	1168	1168
Base	Growing Degree Units for Corn (Monthly)												Growing Degree Units for Corn (Accumulated Monthly)											
50/86	0	0	30	148	356	549	660	599	400	187	27	0	0	0	30	178	534	1083	1743	2342	2742	2929	2956	2956

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Complete documentation available from:
www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
- c. Only observed validated values were used to select the extreme daily values.
- d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.
Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.
- e. Degree Days were derived using the same techniques as the 1971-2000 normals.
Complete documentation for the 1971-2000 Normals is available on the internet from:
www.ncdc.noaa.gov/oa/climate/normal/usnormals.html
- f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set.
Documentation of the serially complete data set is available from the link below:
- g. Snowfall and snow depth statistics were derived from the Snow Climatology.
Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- | | |
|---|---|
| <ol style="list-style-type: none">a. Temperature/ Precipitation Tables<ol style="list-style-type: none">1. 1971-2000 Monthly Normals2. Cooperative Summary of the Day3. National Weather Service station records4. 1971-2000 serially complete daily datab. Degree Day Table<ol style="list-style-type: none">1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data | <ol style="list-style-type: none">c. Snow Tables<ol style="list-style-type: none">1. Snow Climatology2. Cooperative Summary of the Dayd. Freeze Data Table
1971-2000 serially complete daily data |
|---|---|

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normal.html
U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normal/usnormalsprods.html
Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html
Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,
www1.ncdc.noaa.gov/pub/data/special/serialcomplete_jam_0900.pdf