Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 141559

Lon: 97°08W

Station: CLAY CENTER, KS

Climate Division: KS 2 NWS Call Sign:

									ŗ	Гетре	eratui	re (°F)									
	Mea	n (1)						Extr	emes					Degree Base To	Days (1) emp 65		Mean	Numb	er of I	Days (3)	
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	38.8	18.3	28.6	77	1989	31	38.3	1986	-20	1947	4	14.8	1979	1131	0	.0	.0	7.0	9.8	28.3	3.0
Feb	45.9	23.3	34.6	85	1972	29	45.6	1976	-19	1971	8	21.0	1979	852	0	.0	.0	11.6	5.7	22.4	1.9
Mar	57.3	32.9	45.1	93	1946	31	52.2	1986	-15	1948	11	38.0	1975	617	0	.0	.0	21.5	1.2	15.2	.3
Apr	68.6	43.4	56.0	99	1989	26	64.1	1981	7	1975	3	49.1	1983	290	18	.0	.6	28.1	@	4.4	.0
May	77.5	53.8	65.7	99+	1967	24	70.6	1977	26	1944	6	60.2	1995	91	112	.0	1.8	31.0	.0	.1	.0
Jun	87.4	63.6	75.5	109	1980	30	79.9	1988	39	1964	1	70.7	1992	5	320	1.2	12.2	30.0	.0	.0	.0
Jul	92.6	69.0	80.8	112+	1940	25	88.2	1980	45	1972	5	76.5	1994	0	490	5.4	20.9	31.0	.0	.0	.0
Aug	91.0	67.3	79.2	110	1943	23	86.6	1983	44	1956	21	73.1	1992	3	440	3.9	18.0	31.0	.0	.0	.0
Sep	82.6	58.2	70.4	111	1947	3	75.6	1998	21	1944	7	64.5	1993	34	195	.8	8.0	30.0	.0	.1	.0
Oct	70.8	46.1	58.5	101	1947	5	62.3	1973	14	1993	31	53.6	1976	222	19	.0	.6	30.0	.0	2.9	.0
Nov	53.4	32.9	43.2	83+	1999	13	51.8	1999	-6	1976	28	35.7	1991	656	0	.0	.0	18.6	1.2	15.7	.1
Dec	41.7	22.4	32.1	76	1939	6	37.4	1988	-24	1989	22	14.0	1983	1021	0	.0	.0	8.6	6.0	27.3	1.4
					Jul			Jul		Dec			Dec								
Ann	67.3	44.3	55.8	112+	1940	25	88.2	1980	-24	1989	22	14.0	1983	4922	1594	11.3	62.1	278.4	23.9	116.4	6.7

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 016-A

Elevation: 1,220 Feet Lat: 39°24N

[@] Denotes mean number of days greater than 0 but less than .05

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1939-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: CLAY CENTER, KS COOP ID: 141559

Climate Division: KS 2 NWS Call Sign: Elevation: 1,220 Feet Lat: 39°24N Lon: 97°08W

										Pı	ecipi	tation	(incl	nes)										
	Mea	ans/	P	recipi	itatio	on Total					ean N of D	ays (3	5)	Proba	ability th		nonthly/	annual j indic	precipita ated am	nount			less tha	ın the
	Medi	ans(1)				Extremes)			"	any Fie	приано	11		Th	ese value	s were det	ermined	from the i	incomplet	e gamma	distributi	on	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	.80	.81	1.23	1949	11	2.54	1979	.00	1986	4.4	2.5	.4	.0	.03	.10	.22	.34	.46	.61	.77	.99	1.28	1.76	2.23
Feb	.90	.77	2.50	1948	27	2.49	1997	.00	1991	4.0	2.4	.5	.1	.02	.08	.20	.33	.47	.64	.84	1.10	1.45	2.06	2.66
Mar	2.39	2.05	1.84	1980	30	7.29	1973	.09	1997	6.6	4.6	1.8	.6	.21	.38	.70	1.03	1.40	1.81	2.30	2.91	3.76	5.17	6.56
Apr	2.72	2.15	2.50	1976	24	8.51	1999	.21	1989	8.2	5.9	1.9	.5	.57	.81	1.21	1.58	1.95	2.34	2.78	3.31	4.01	5.14	6.20
May	4.82	4.86	3.95	1997	24	10.94	1995	1.08	1992	10.1	7.6	3.1	1.3	1.35	1.81	2.51	3.11	3.70	4.32	5.00	5.81	6.85	8.50	10.03
Jun	3.82	3.13	5.25	1964	22	7.19	1989	1.38	1972	8.4	6.4	2.7	1.2	1.51	1.86	2.36	2.78	3.17	3.57	4.01	4.51	5.14	6.11	7.00
Jul	3.98	3.74	4.00+	1945	26	10.98	1992	.17	1983	7.3	5.5	2.7	1.4	.36	.64	1.18	1.73	2.34	3.02	3.83	4.85	6.25	8.59	10.88
Aug	3.53	2.84	4.75	1972	25	13.23	1977	.20	1971	7.4	5.4	2.3	1.0	.59	.89	1.41	1.89	2.39	2.93	3.55	4.31	5.32	6.95	8.51
Sep	3.26	3.14	4.97	1998	21	8.70	1986	.34	1994	6.6	5.0	2.1	1.0	.53	.81	1.28	1.73	2.19	2.70	3.27	3.98	4.92	6.45	7.92
Oct	2.27	2.35	3.80	1967	7	6.26	1979	.00	1999	5.5	4.3	1.5	.5	.13	.34	.70	1.03	1.38	1.78	2.23	2.80	3.57	4.83	6.06
Nov	1.72	1.25	2.37	1998	2	4.90	1998	.00	1989	5.2	3.7	1.2	.3	.06	.18	.42	.67	.94	1.26	1.63	2.11	2.76	3.86	4.95
Dec	.99	.76	1.58	1984	16	3.25	1973	.00	1976	4.0	2.7	.6	.1	.04	.11	.25	.39	.55	.73	.94	1.21	1.58	2.19	2.80
Ann	31.20	30.67	5.25	Jun 1964	22	13.23	Aug 1977	.00+	Oct 1999	77.7	56.0	20.8	8.0	19.52	21.67	24.49	26.67	28.63	30.56	32.56	34.80	37.55	41.60	45.14

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1939-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 141559

Station: CLAY CENTER, KS

Climate Division: KS 2 NWS Call Sign: Elevation: 1,220 Feet Lat: 39°24N Lon: 97°08W

		Snow (inches) Snow Totals Snow Snow Fall																					
						Sno	ow To	tals									Mea	n Nu	mber	of Day	ys (1)		
	Mean	s/Medi	ans (1))					Extre	mes (2)							ow Fa				Snow Depth >= Thresholds		
Month	Snow Fall Mean	Fall	Depth	Depth	Daily Snow	Year	Day	Monthly Snow	Year	Daily Snow	Year	Day	Monthly Mean Snow	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	7.3	5.8	2	1	10.0	1985	10	22.5	1979	15	1979	14	8	1979	2.7	2.2	.9	.3	@	11.4	7.3	4.7	.6
Feb	5.4	4.0	1	#	12.0	1971	22	19.0	1971	18	1983	5	7	1983	2.1	1.6	.8	.3	.1	7.5	5.2	3.2	.5
Mar	3.0	2.0	#	#	10.0	1998	8	11.0	1971	7	1990	24	1	1978	1.2	1.0	.4	.2	@	2.0	.8	.4	.0
Apr	.7	.0	#	0	5.0	1994	6	6.5	1997	3	1975	3	#+	1992	.3	.3	.1	.1	.0	.2	@	.0	.0
May	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.1	.0	#	0	1.1	1991	31	1.1	1991	1	1991	31	#+	1991	.1	.1	.0	.0	.0	@	.0	.0	.0
Nov	1.5	.0	#	#	8.0	1975	26	8.0	1975	8	1975	28	2	1991	.9	.7	.2	.1	.0	1.6	.6	.2	.0
Dec	3.7	2.3	#	#	7.0	1983	21	15.0	1983	13	1983	31	7	1983	1.8	1.5	.4	.1	.0	5.2	2.3	1.0	.4
Ann	21.7	14.1	N/A	N/A	12.0	Feb 1971	22	22.5	Jan 1979	18	Feb 1983	5	8	Jan 1979	9.1	7.4	2.8	1.1	.1	27.9	16.2	9.5	1.5

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 141559

Lon: 97°08W

Lat: 39°24N

Station: CLAY CENTER, KS

Climate Division: KS 2 NWS Call Sign:

NWS Call Sign: Elevation: 1,220 Feet

				Freez	e Data						
			Spri	ng Freeze D	ates (Month/	(Day)					
Freeze Data Spring Freeze Dates (Month/Day)											
remp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90		
36	5/16	5/11	5/07	5/04	5/01	4/28	4/25	4/21	4/16		
32	5/02	4/27	4/24	4/21	4/18	4/16	4/13	4/10	4/05		
28	4/15	4/11	4/09	4/06	4/04	4/02	3/31	3/28	3/24		
24	4/11	4/07	4/04	4/01	3/30	3/27	3/25	3/21	3/17		
20	4/02	3/27	3/23	3/20	3/16	3/13	3/10	3/06	2/28		
16	3/29	3/21	3/15	3/09	3/05	2/28	2/22	2/16	2/08		
		•	Fal	l Freeze Da	tes (Month/D	Day)			•		
Tomp (F)		Pro	bability of ea	arlier date i	n fall (beginn	ing Aug 1) t	han indicate	ed(*)			
remp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90		
36	9/20	9/25	9/29	10/02	10/05	10/07	10/11	10/14	10/19		
32	9/29	10/04	10/08	10/12	10/15	10/18	10/21	10/25	10/30		
28	10/11	10/16	10/20	10/24	10/27	10/30	11/02	11/06	11/12		
24	10/19	10/25	10/30	11/03	11/07	11/11	11/15	11/20	11/26		
20	10/31	11/06	11/11	11/15	11/19	11/22	11/26	12/01	12/07		
16	11/07	11/14	11/19	11/23	11/28	12/02	12/06	12/11	12/18		
•				Freeze F	ree Period		•	1			
Tomn (F)			Probability	of longer th	an indicated	freeze free p	eriod (Days))			
remp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90		
36	177	170	165	160	156	152	147	142	135		
32	196	190	186	182	179	175	171	167	161		
28	226	218	213	209	205	201	196	191	184		
24	245	237	231	226	222	217	212	207	199		
20	274	264	257	252	246	241	235	228	219		
16	300	289	281	274	267	261	254	246	235		

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Complete documentation available from:

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 141559

Station: CLAY CENTER, KS

Climate Division: KS 2 NWS Call Sign: Elevation: 1,220 Feet Lat: 39°24N Lon: 97°08W

				Deg	ree Days t	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree l	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	1131	852	617	290	91	5	0	3	34	222	656	1021	4922
60	976	723	471	176	36	0	0	0	8	113	511	866	3880
57	885	645	386	122	17	0	0	0	2	68	429	774	3328
55	824	594	333	92	10	0	0	0	0	47	375	715	2990
50	680	473	219	38	2	0	0	0	0	15	256	572	2255
32	248	158	21	0	0	0	0	0	0	0	29	171	627

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	140	230	427	719	1044	1305	1513	1461	1151	821	363	174	9348
55	4	22	26	120	341	615	800	748	461	154	19	5	3315
57	2	17	17	90	286	555	738	686	404	114	12	1	2922
60	0	11	9	54	212	465	645	593	319	66	5	0	2379
65	0	0	0	18	112	320	490	440	195	19	0	0	1594
70	0	0	0	4	46	191	338	297	103	3	0	0	982

										Gro	wing]	Degre	e Uni	ts (2)										
Base					Growing	g Degree	Units (M	(Ionthly)					Growing Degree Units (Accumulated Monthly)											
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	26	84	238	491	799	1066	1264	1209	905	575	173	34	26	110	348	839	1638	2704	3968	5177	6082	6657	6830	6864
45	3 42 148 351 644 916 1109 1054 756 428 9											7	3	45	193	544	1188	2104	3213	4267	5023	5451	5548	5555
50	0 13 81 231 489 766 954 899 609 293 42												0	13	94	325	814	1580	2534	3433	4042	4335	4377	4380
55	0	2	39	130	345	616	799	744	463	179	17	0	0	2	41	171	516	1132	1931	2675	3138	3317	3334	3334
60	0	0	10	65	210	467	644	589	330	91	3	0	0	0	10	75	285	752	1396	1985	2315	2406	2409	2409
Base	Growing Degree Units for Corn (Monthly)														Gr	owing D	egree Un	its for C	orn (Acc	umulate	d Month	ly)		
50/86	1/86 25 71 166 307 514 714 838 808 595 365 110											31	25	96	262	569	1083	1797	2635	3443	4038	4403	4513	4544

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf