Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 214546

Lon: 95°19W

Station: LAMBERTON SW EXP STN, MN

Climate Division: MN 7 NWS Call Sign:

									ŗ	Tempe	eratui	re (°F)									
	Mea	n (1)						Extr	emes					U	Days (1) emp 65		Mean	Numb	er of I	Days (3)	
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	22.2	2.0	12.1	66	1981	25	25.8	1990	-34+	1970	22	4	1979	1641	0	.0	.0	.5	22.6	31.0	14.6
Feb	28.4	9.0	18.7	65+	2000	23	32.0	1987	-30+	1996	3	3.1	1979	1297	0	.0	.0	2.0	16.1	27.6	8.9
Mar	39.8	21.7	30.8	84	1968	30	38.9	2000	-23	1984	9	21.6	1984	1062	0	.0	.0	6.8	8.8	26.7	2.2
Apr	56.0	34.0	45.0	95	1985	19	53.1	1987	3	1982	5	38.1	1975	604	4	.0	.2	20.2	.8	14.3	.0
May	70.7	47.0	58.9	98+	2001	16	67.0	1977	18	1967	3	52.6	1997	249	59	.0	1.6	30.0	.0	1.7	.0
Jun	80.0	57.3	68.7	106	1979	15	75.0	1988	35+	1993	1	63.2	1982	38	147	.4	4.7	30.0	.0	.0	.0
Jul	83.2	60.9	72.1	105	1976	11	77.6	1983	39	1967	4	64.8	1992	19	237	.3	5.9	31.0	.0	.0	.0
Aug	80.9	57.7	69.3	106	1988	1	75.3	1983	35+	1967	31	64.4	1992	33	167	.1	4.0	31.0	.0	.0	.0
Sep	73.2	47.2	60.2	102	1976	7	66.6	1978	20	1974	22	55.2	1993	178	35	@	1.6	29.7	.0	1.7	.0
Oct	60.4	35.2	47.8	92	1963	5	54.2	1973	8	1967	28	43.0	1976	535	0	.0	.2	25.1	.2	12.5	.0
Nov	40.6	21.7	31.2	81	1999	9	41.4	1999	-15	1993	26	21.3	1985	1016	0	.0	.0	7.8	8.4	25.6	1.5
Dec	26.5	7.8	17.2	68	1998	3	26.4	1997	-31+	1983	20	1	1983	1484	0	.0	.0	.9	19.5	30.8	9.7
Ann	55.2	33.5	44.3	106+	Aug 1988	1	77.6	Jul 1983	-34+	Jan 1970	22	4	Jan 1979	8156	649	.8	18.2	215.0	76.4	171.9	36.9

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 054-A

Elevation: 1,144 Feet Lat: 44°15N

[@] Denotes mean number of days greater than 0 but less than .05

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1961-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 214546

Station: LAMBERTON SW EXP STN, MN

Climate Division: MN 7 NWS Call Sign: Elevation: 1,144 Feet Lat: 44°15N Lon: 95°19W

										Pı	recipi	tation	(incl	nes)										
	Mea	ans/	P	recipi	itatio	on Total						ays (3)	Proba	ability th		nonthly/	annual j indic	precipita ated am	ount	ies (1)		less tha	n the
	Medi	ans(1)				Extremes	3			և	aily Pre	cipitatio	n		Th	ese value	s were det	ermined	from the i	incomplet	te gamma	distributi	on	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	.65	.43	1.22	1996	18	2.63	1975	.00	1995	5.4	2.0	.1	.1	.02	.06	.15	.24	.35	.47	.61	.80	1.05	1.48	1.90
Feb	.53	.44	1.35	1971	27	2.10	1971	.03	1976	4.9	1.8	.1	@	.04	.08	.15	.22	.30	.40	.51	.64	.84	1.16	1.48
Mar	1.76	1.88	1.53	1977	3	4.59	1977	.12	1994	7.4	4.4	1.1	.2	.27	.42	.67	.92	1.17	1.45	1.76	2.15	2.67	3.52	4.34
Apr	2.73	2.46	3.60	2001	23	7.58	1986	.35	1996	9.5	5.9	1.9	.6	.61	.86	1.26	1.62	1.98	2.37	2.80	3.31	3.99	5.08	6.10
May	3.26	3.07	3.48	1993	8	7.09	1993	.34	1981	10.8	6.6	2.3	.6	.61	.90	1.38	1.82	2.27	2.76	3.31	3.97	4.85	6.27	7.62
Jun	3.86	3.25	4.30	1996	17	11.14	1993	.77	1988	10.8	6.5	2.4	.9	1.06	1.42	1.98	2.47	2.95	3.45	4.00	4.66	5.51	6.85	8.10
Jul	3.59	3.54	3.77	2001	22	7.21	1986	.60	1980	10.3	6.4	2.6	.9	.79	1.12	1.65	2.12	2.60	3.11	3.68	4.36	5.26	6.69	8.05
Aug	3.39	3.07	3.63	1990	20	6.54	1979	.60	1973	9.5	5.7	2.2	.9	1.09	1.41	1.88	2.29	2.68	3.09	3.53	4.05	4.72	5.76	6.72
Sep	2.56	2.21	3.95	1968	21	9.39	1986	.50	1974	8.7	5.3	1.7	.5	.50	.73	1.11	1.45	1.80	2.18	2.61	3.12	3.80	4.90	5.93
Oct	1.94	1.33	2.53	1968	17	5.00	1979	.00	1989	6.3	3.9	1.4	.4	.08	.25	.53	.81	1.12	1.47	1.87	2.38	3.08	4.25	5.39
Nov	1.41	1.13	1.94	2001	25	4.76	1996	.00+	1998	5.9	3.3	.8	.2	.00	.11	.33	.55	.79	1.05	1.37	1.75	2.28	3.17	4.04
Dec	.58	.47	.97	1969	23	1.44	1987	.00	1979	5.1	1.8	.2	.0	.04	.09	.18	.27	.36	.46	.58	.72	.91	1.23	1.54
Ann	26.26	24.88	4.30	Jun 1996	17	11.14	Jun 1993	.00+	Nov 1998	94.6	53.6	16.8	5.3	15.84	17.73	20.23	22.17	23.92	25.65	27.45	29.47	31.96	35.63	38.86

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1961-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 214546

Station: LAMBERTON SW EXP STN, MN

Climate Division: MN 7 NWS Call Sign: Elevation: 1,144 Feet Lat: 44°15N Lon: 95°19W

										Snov	w (incl	hes)			Mean Number of Days (1)										
						Sno	ow To	tals									Mea	ın Nu	mber	of Day	ys (1)				
	Mean	s/Medi	ans (1))					Extre	mes (2)							ow Fa					Depth esholo			
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10		
Jan	7.9	6.3	5	5	9.0	1996	18	21.5	1996	27	1997	2	15	1999	4.7	3.5	.9	.2	.0	20.0	15.7	9.3	2.3		
Feb	6.2	6.7	5	3	14.0	1971	27	17.7	1971	21	1979	22	16	1979	3.6	2.5	.6	.1	@	16.8	12.1	7.9	3.0		
Mar	8.5	7.4	2	1	14.0	1985	4	28.5	1983	21	1984	13	12	1979	3.1	2.3	1.0	.6	.1	7.7	5.4	3.6	1.6		
Apr	2.5	.0	#	#	9.0	1994	5	18.5	1994	9	1975	2	2	1975	1.0	.8	.4	.2	.0	1.4	.7	.4	.0		
May	.0	.0	#	0	.0	0	0	.0	0	#	1976	23	#	1976	.0	.0	.0	.0	.0	.0	.0	.0	.0		
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
Oct	.3	.0	#	0	4.0	1976	24	4.0	1976	4+	1999	2	#+	1999	.1	.1	@	.0	.0	.1	@	.0	.0		
Nov	6.6	6.0	1	1	10.0	1983	28	22.0	1991	14	1996	24	5	1991	2.9	2.4	.9	.4	@	7.0	4.8	2.5	.3		
Dec	7.7	7.9	4	2	12.0	1982	28	16.5	1987	27	2000	31	15	2000	4.0	2.8	.6	.3	.1	16.3	9.1	6.4	2.5		
Ann	39.7	34.3	N/A	N/A	14.0+	Mar 1985	4	28.5	Mar 1983	27+	Dec 2000	31	16	Feb 1979	19.4	14.4	4.4	1.8	.2	69.3	47.8	30.1	9.7		

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 214546

Station: LAMBERTON SW EXP STN, MN

Climate Division: MN 7 NWS Call Sign: Elevation: 1,144 Feet Lat: 44°15N Lon: 95°19W

				Freez	e Data				
			Spri	ng Freeze D	ates (Month	/Day)			
Temp (F)		P	robability of	later date i	n spring (thr	ru Jul 31) tha	n indicated((*)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	5/28	5/23	5/20	5/17	5/15	5/12	5/09	5/06	5/01
32	5/17	5/12	5/09	5/06	5/03	5/01	4/28	4/24	4/20
28	5/10	5/04	4/30	4/27	4/24	4/21	4/17	4/13	4/08
24	4/26	4/21	4/17	4/14	4/11	4/07	4/04	3/31	3/26
20	4/15	4/10	4/07	4/04	4/01	3/29	3/27	3/23	3/19
16	4/10	4/05	4/01	3/29	3/26	3/23	3/20	3/16	3/11
			Fa	ll Freeze Da	tes (Month/I	Day)			
Temp (F)		Pro	bability of ea	arlier date i	n fall (beginn	ning Aug 1) t	han indicate	ed(*)	
remb (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	9/09	9/13	9/15	9/17	9/19	9/21	9/23	9/26	9/29
32	9/14	9/19	9/22	9/25	9/28	9/30	10/03	10/07	10/12
28	9/21	9/26	9/30	10/04	10/07	10/11	10/14	10/18	10/24
24	9/30	10/05	10/09	10/13	10/16	10/19	10/23	10/26	11/01
20	10/10	10/16	10/20	10/24	10/27	10/31	11/03	11/07	11/13
16	10/22	10/28	11/01	11/04	11/08	11/11	11/14	11/19	11/24
-			•	Freeze F	ree Period				
Tomp (E)			Probability	of longer th	an indicated	freeze free p	eriod (Days))	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	146	140	135	131	127	123	119	114	108
32	165	159	154	150	147	143	139	135	128
28	191	182	176	171	166	161	156	149	141
24	211	203	197	192	188	183	178	172	164
20	231	223	217	213	208	204	199	194	186
16	250	242	236	231	226	221	216	210	202

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Complete documentation available from:

Climate Division: MN 7

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 214546

Station: LAMBERTON SW EXP STN, MN

NWS Call Sign: Elevation: 1,144 Feet Lat: 44°15N Lon: 95°19W

				Deg	ree Days to	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree l	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	1641	1297	1062	604	249	38	19	33	178	535	1016	1484	8156
60	1486	1157	907	463	155	9	5	7	86	384	866	1329	6854
57	1393	1073	814	384	110	3	0	2	49	300	776	1236	6140
55	1331	1017	752	335	86	2	0	0	31	249	717	1174	5694
50	1176	883	605	224	41	0	0	0	7	141	576	1019	4672
32	654	438	178	18	0	0	0	0	0	4	175	511	1978

Base						Coolin	g Degree I	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	36	65	140	408	833	1098	1242	1157	847	493	148	50	6517
55	0	0	0	34	206	410	529	445	188	25	1	0	1838
57	0	0	0	24	168	352	467	384	146	14	0	0	1555
60	0	0	0	13	120	268	378	297	93	5	0	0	1174
65	0	0	0	4	59	147	237	167	35	0	0	0	649
70	0	0	0	0	23	62	128	76	8	0	0	0	297

										Gro	wing l	Degre	e Uni	ts (2)										
Base														Growing Degree Units (Accumulated Monthly)										
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec													Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	0 4 41 217 592 861 999 915 615 287 46												0	4	45	262	854	1715	2714	3629	4244	4531	4577	4579
45	0 1 16 126 444 711 844 760 471 177 18												0	1	17	143	587	1298	2142	2902	3373	3550	3568	3568
50	0	0	5	69	305	562	689	605	331	97	6	0	0	0	5	74	379	941	1630	2235	2566	2663	2669	2669
55	0	0	0	34	190	415	534	450	211	47	0	0	0	0	0	34	224	639	1173	1623	1834	1881	1881	1881
60	0	0	0	14	107	275	380	296	118	16	0	0	0	0	0	14	121	396	776	1072	1190	1206	1206	1206
Base	Growing Degree Units for Corn (Monthly)													Gr	owing D	egree Un	its for C	orn (Acc	umulate	d Month	ly)			
50/86	60/86 0 2 32 145 366 553 660 595 388 193 34 1												0	2	34	179	545	1098	1758	2353	2741	2934	2968	2969

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf