

# Climatology of the United States

No. 20

1971-2000

Station: PERRY, FL

COOP ID: 087025

Climate Division: FL 2

NWS Call Sign:

Elevation: 45 Feet

Lat: 30°06N

Lon: 83°34W

## Temperature (°F)

Mean (1)				Extremes										Degree Days (1) Base Temp 65		Mean Number of Days (3)					
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	67.2	40.2	53.7	85	1973	5	65.5	1974	7	1985	21	44.6	1977	380	15	.0	.0	29.9	.0	8.2	.0
Feb	70.4	42.4	56.4	87	1976	29	63.9	1990	14	1996	5	47.3	1978	261	19	.0	.0	27.7	.1	5.5	.0
Mar	76.3	47.8	62.1	90+	1995	5	68.0	1997	19	1980	3	56.7	1996	143	52	.0	.1	30.8	.0	1.9	.0
Apr	81.7	52.5	67.1	95	1968	22	71.9	1991	29	1992	4	62.6	1987	47	109	.0	1.9	30.0	.0	.2	.0
May	87.8	60.6	74.2	99+	1996	23	77.7	1991	40+	1992	8	71.2	1988	1	287	.0	10.8	31.0	.0	.0	.0
Jun	91.5	66.9	79.2	103+	1985	6	82.9	1998	46	1984	1	76.6	1974	0	426	.5	21.7	30.0	.0	.0	.0
Jul	92.7	69.2	81.0	104	1980	15	83.1	1998	59+	1988	8	78.2	1984	0	494	.6	25.7	31.0	.0	.0	.0
Aug	92.3	68.8	80.6	102	1995	16	83.0	1999	58	1957	25	78.8	1974	0	482	.2	25.7	31.0	.0	.0	.0
Sep	90.1	65.9	78.0	99	1972	16	79.7	1998	42	1967	30	75.7	1983	0	391	.0	19.6	30.0	.0	.0	.0
Oct	83.5	55.8	69.7	95	1959	4	76.2	1985	28	1989	21	63.5	1987	39	182	.0	3.5	31.0	.0	.2	.0
Nov	76.5	48.2	62.4	90	1971	3	69.5	1985	14	1970	25	54.6	1976	148	68	.0	@	30.0	.0	2.6	.0
Dec	69.6	41.8	55.7	86+	1982	3	64.0	1971	10	1962	13	47.0	1989	313	26	.0	.0	30.2	.0	7.0	.0
Ann	81.6	55.0	68.3	104	Jul 1980	15	83.1	Jul 1998	7	Jan 1985	21	44.6	Jan 1977	1332	2551	1.3	109.0	362.6	.1	25.6	.0

+ Also occurred on an earlier date(s)

@ Denotes mean number of days greater than 0 but less than .05

Complete documentation available from: [www.ncdc.noaa.gov/oa/climate/normal/usnormals.html](http://www.ncdc.noaa.gov/oa/climate/normal/usnormals.html)

Issue Date: February 2004

(1) From the 1971-2000 Monthly Normals

(2) Derived from station's available digital record: 1948-2001

(3) Derived from 1971-2000 serially complete daily data

061-A

**Climatography  
of the United States  
No. 20  
1971-2000**

National Climatic Data Center  
Federal Building  
151 Patton Avenue  
Asheville, North Carolina 28801  
www.ncdc.noaa.gov

**Station: PERRY, FL**

**COOP ID: 087025**

**Climate Division: FL 2**

**NWS Call Sign:**

**Elevation: 45 Feet**

**Lat: 30°06N**

**Lon: 83°34W**

**Precipitation (inches)**

Precipitation (inches)																								
	Precipitation Totals									Mean Number of Days <sup>(3)</sup>				Precipitation Probabilities <sup>(1)</sup> Probability that the monthly/annual precipitation will be equal to or less than the indicated amount										
	Means/ Medians <sup>(1)</sup>		Extremes							Daily Precipitation				Monthly/Annual Precipitation vs Probability Levels These values were determined from the incomplete gamma distribution										
Month	Mean	Med-ian	Highest Daily <sup>(2)</sup>	Year	Day	Highest Monthly <sup>(1)</sup>	Year	Lowest Monthly <sup>(1)</sup>	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	4.90	4.05	4.00	1964	8	14.36	1991	.69	1989	9.4	7.1	3.4	1.5	1.36	1.83	2.53	3.15	3.75	4.38	5.07	5.89	6.96	8.64	10.20
Feb	3.90	4.02	5.20	1998	17	12.47	1998	.77	1989	7.7	5.6	2.9	1.2	.83	1.19	1.76	2.28	2.80	3.36	3.99	4.74	5.73	7.32	8.82
Mar	5.23	4.92	6.06	1976	9	17.67	1991	1.22	1979	8.1	6.1	2.9	1.8	1.26	1.75	2.52	3.20	3.87	4.59	5.39	6.34	7.58	9.56	11.41
Apr	3.23	2.22	6.86	1958	10	11.56	1973	.10	1986	5.9	3.8	1.8	.9	.15	.31	.68	1.10	1.60	2.19	2.92	3.87	5.21	7.51	9.82
May	3.51	3.38	5.45	1969	19	9.04	1974	.33	1998	7.9	5.2	2.1	1.0	.71	1.03	1.55	2.02	2.50	3.00	3.58	4.27	5.18	6.65	8.04
Jun	5.93	5.48	6.30	1957	8	13.08	1989	2.12	1986	11.4	8.3	3.7	1.8	1.90	2.47	3.30	4.01	4.69	5.40	6.18	7.09	8.27	10.09	11.78
Jul	8.39	7.74	10.26	1980	25	16.04	1995	2.72	1972	15.1	11.5	5.6	2.4	2.51	3.31	4.50	5.53	6.53	7.57	8.71	10.06	11.80	14.52	17.04
Aug	8.31	7.32	5.12	1974	2	23.08	1985	2.41	1984	14.9	11.0	5.2	2.6	2.10	2.88	4.09	5.16	6.22	7.33	8.57	10.05	11.98	15.03	17.88
Sep	5.19	5.11	6.52	1964	12	13.41	1998	1.17	1991	10.1	7.4	3.3	1.6	1.37	1.86	2.61	3.28	3.93	4.61	5.37	6.27	7.44	9.29	11.02
Oct	3.07	1.74	5.07	1996	8	11.81	1996	.00+	2000	5.1	3.6	1.8	.9	.00	.07	.39	.79	1.28	1.89	2.65	3.66	5.11	7.63	10.19
Nov	2.71	2.23	3.79	1993	6	7.96	1976	.14	1991	7.0	4.4	1.6	.9	.46	.70	1.09	1.46	1.85	2.26	2.73	3.31	4.08	5.32	6.51
Dec	3.31	3.57	3.57	1967	11	8.64	1976	.57	1980	7.6	5.4	2.3	.9	.54	.82	1.31	1.76	2.23	2.74	3.33	4.04	4.99	6.54	8.02
Ann	57.68	56.38	10.26	Jul 1980	25	23.08	Aug 1985	.00+	Oct 2000	110.2	79.4	36.6	17.5	41.16	44.36	48.46	51.58	54.34	57.01	59.77	62.82	66.51	71.87	76.50

+ Also occurred on an earlier date(s)

# Denotes amounts of a trace

@ Denotes mean number of days greater than 0 but less than .05

\*\* Statistics not computed because less than six years out of thirty had measurable precipitation

(1) From the 1971-2000 Monthly Normals

(2) Derived from station's available digital record: 1948-2001

(3) Derived from 1971-2000 serially complete daily data

Complete documentation available from:

[www.ncdc.noaa.gov/oa/climate/normals/usnormals.html](http://www.ncdc.noaa.gov/oa/climate/normals/usnormals.html)

# Climatography of the United States

## No. 20 1971-2000

National Climatic Data Center  
Federal Building  
151 Patton Avenue  
Asheville, North Carolina 28801  
[www.ncdc.noaa.gov](http://www.ncdc.noaa.gov)

Station: PERRY, FL

COOP ID: 087025

Climate Division: FL 2

NWS Call Sign:

Elevation: 45 Feet

Lat: 30°06N

Lon: 83°34W

Snow (inches)																							
Snow Totals															Mean Number of Days (1)								
Means/Medians (1)					Extremes (2)										Snow Fall >= Thresholds					Snow Depth >= Thresholds			
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	#	.0	0	0	#	1977	19	#	1977	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Feb	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Mar	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Apr	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
May	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Nov	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Dec	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Ann	#	.0	N/A	N/A	#	Jan 1977	19	#	Jan 1977	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0

+ Also occurred on an earlier date(s) #Denotes trace amounts

@ Denotes mean number of days greater than 0 but less than .05

-9/-9.9 represents missing values

Annual statistics for Mean/Median snow depths are not appropriate

(1) Derived from Snow Climatology and 1971-2000 daily data

(2) Derived from 1971-2000 daily data

Complete documentation available from:

[www.ncdc.noaa.gov/oa/climate/normals/usnormals.html](http://www.ncdc.noaa.gov/oa/climate/normals/usnormals.html)

**Climatography  
of the United States  
No. 20  
1971-2000**

**Station: PERRY, FL**

**COOP ID: 087025**

**Climate Division: FL 2**

**NWS Call Sign:**

**Elevation: 45 Feet**

**Lat: 30°06N**

**Lon: 83°34W**

Freeze Data									
Spring Freeze Dates (Month/Day)									
Temp (F)	Probability of later date in spring (thru Jul 31) than indicated(*)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	4/19	4/12	4/06	4/02	3/29	3/24	3/20	3/15	3/07
32	4/04	3/28	3/24	3/19	3/16	3/12	3/08	3/03	2/24
28	3/15	3/08	3/03	2/27	2/23	2/19	2/15	2/10	2/04
24	3/01	2/20	2/14	2/08	2/02	1/28	1/22	1/14	12/30
20	2/16	2/06	1/29	1/22	1/14	1/05	0/00	0/00	0/00
16	1/16	1/01	0/00	0/00	0/00	0/00	0/00	0/00	0/00
Fall Freeze Dates (Month/Day)									
Temp (F)	Probability of earlier date in fall (beginning Aug 1) than indicated(*)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	10/23	10/30	11/04	11/08	11/12	11/16	11/20	11/25	12/02
32	10/25	11/02	11/07	11/12	11/17	11/21	11/26	12/02	12/10
28	11/07	11/16	11/22	11/28	12/03	12/08	12/13	12/19	12/28
24	11/20	12/01	12/09	12/15	12/22	12/29	1/05	1/14	2/01
20	12/12	12/24	1/02	1/11	1/20	2/01	0/00	0/00	0/00
16	12/30	1/11	0/00	0/00	0/00	0/00	0/00	0/00	0/00
Freeze Free Period									
Temp (F)	Probability of longer than indicated freeze free period (Days)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	256	246	239	233	228	222	216	209	200
32	273	264	257	251	245	240	234	227	218
28	312	301	294	288	282	276	270	262	252
24	>365	>365	>365	326	316	308	300	292	282
20	>365	>365	>365	>365	>365	>365	352	329	312
16	>365	>365	>365	>365	>365	>365	>365	>365	>365

\* Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

**0/00** Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Derived from 1971-2000 serially complete daily data

Complete documentation available from:

[www.ncdc.noaa.gov/oa/climate/normal/usnormals.html](http://www.ncdc.noaa.gov/oa/climate/normal/usnormals.html)

**Climatography  
of the United States**  
**No. 20**  
**1971-2000**

**Station: PERRY, FL**

**COOP ID: 087025**

**Climate Division: FL 2      NWS Call Sign:      Elevation: 45 Feet      Lat: 30°06N      Lon: 83°34W**

Degree Days to Selected Base Temperatures (°F)													
Base	Heating Degree Days (1)												
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	380	261	143	47	1	0	0	0	0	39	148	313	1332
60	268	158	63	11	0	0	0	0	0	11	72	200	783
57	212	111	32	4	0	0	0	0	0	5	41	147	552
55	179	84	19	1	0	0	0	0	0	2	26	116	427
50	104	34	4	0	0	0	0	0	0	0	7	53	202
32	3	0	0	0	0	0	0	0	0	0	0	0	3

Base	Cooling Degree Days (1)												
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	676	682	932	1052	1309	1416	1517	1505	1381	1167	910	735	13282
55	138	122	238	363	596	726	804	792	691	456	246	138	5310
57	109	94	189	305	534	666	742	730	631	396	201	107	4704
60	72	56	127	223	441	576	649	637	541	309	142	67	3840
65	15	19	52	109	287	426	494	482	391	182	68	26	2551
70	15	6	14	36	144	276	339	327	242	86	23	9	1517

Growing Degree Units (2)																								
Base	Growing Degree Units (Monthly)												Growing Degree Units (Accumulated Monthly)											
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	459	506	711	832	1084	1206	1306	1293	1175	945	697	521	459	965	1676	2508	3592	4798	6104	7397	8572	9517	10214	10735
45	326	369	557	682	929	1056	1151	1138	1025	790	547	378	326	695	1252	1934	2863	3919	5070	6208	7233	8023	8570	8948
50	208	243	409	532	774	906	996	983	875	636	400	251	208	451	860	1392	2166	3072	4068	5051	5926	6562	6962	7213
55	117	144	269	386	619	756	841	828	725	483	271	153	117	261	530	916	1535	2291	3132	3960	4685	5168	5439	5592
60	56	68	151	245	464	606	686	673	575	335	162	77	56	124	275	520	984	1590	2276	2949	3524	3859	4021	4098
Base	Growing Degree Units for Corn (Monthly)												Growing Degree Units for Corn (Accumulated Monthly)											
50/86	305	338	473	558	736	818	888	880	803	641	468	349	305	643	1116	1674	2410	3228	4116	4996	5799	6440	6908	7257

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

**Note:** For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Complete documentation available from:  
[www.ncdc.noaa.gov/oa/climate/normals/usnormals.html](http://www.ncdc.noaa.gov/oa/climate/normals/usnormals.html)

## Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
- c. Only observed validated values were used to select the extreme daily values.
- d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.  
Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.
- e. Degree Days were derived using the same techniques as the 1971-2000 normals.  
Complete documentation for the 1971-2000 Normals is available on the internet from:  
[www.ncdc.noaa.gov/oa/climate/normal/usnormals.html](http://www.ncdc.noaa.gov/oa/climate/normal/usnormals.html)
- f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set.  
Documentation of the serially complete data set is available from the link below:
- g. Snowfall and snow depth statistics were derived from the Snow Climatology.  
Documentation for the Snow Climatology project is available from the link under references.

## Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- |   |   |
|---|---|
| <ol style="list-style-type: none"><li>a. Temperature/ Precipitation Tables<ol style="list-style-type: none"><li>1. 1971-2000 Monthly Normals</li><li>2. Cooperative Summary of the Day</li><li>3. National Weather Service station records</li><li>4. 1971-2000 serially complete daily data</li></ol></li><li>b. Degree Day Table<ol style="list-style-type: none"><li>1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals</li><li>2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data</li></ol></li></ol> | <ol style="list-style-type: none"><li>c. Snow Tables<ol style="list-style-type: none"><li>1. Snow Climatology</li><li>2. Cooperative Summary of the Day</li></ol></li><li>d. Freeze Data Table<br/>1971-2000 serially complete daily data</li></ol> |
|---|---|

## References

U.S. Climate Normals 1971-2000, [www.ncdc.noaa.gov/normal.html](http://www.ncdc.noaa.gov/normal.html)  
U.S. Climate Normals 1971-2000-Products Clim20, [www.ncdc.noaa.gov/oa/climate/normal/usnormalsprods.html](http://www.ncdc.noaa.gov/oa/climate/normal/usnormalsprods.html)  
Snow Climatology Project Description, [www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html](http://www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html)  
Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,  
[www1.ncdc.noaa.gov/pub/data/special/serialcomplete\\_jam\\_0900.pdf](http://www1.ncdc.noaa.gov/pub/data/special/serialcomplete_jam_0900.pdf)