Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 093506

Lon: 83°59W

Station: FORSYTH 6 NNW, GA

Climate Division: GA 5 NWS Call Sign:

									,	Tempe	eratui	re (°F)									
	Mea	n (1)						Extr	emes					Degree Base To	Days (1) emp 65		Mean	Numb	er of I	Days (3))
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	55.3	30.5	42.9	80+	1975	29	54.2	1974	-5	1985	21	32.6	1977	684	0	.0	.0	23.4	.3	16.6	@
Feb	60.0	31.6	45.8	83	1989	16	52.9	1990	4+	1996	6	37.1	1978	537	0	.0	.0	23.8	.3	13.5	.0
Mar	67.9	38.5	53.2	91	1974	11	59.4	1997	12	1980	3	46.0	1971	377	10	.0	@	29.9	.0	7.3	.0
Apr	75.4	44.7	60.1	95	1986	27	64.0	1981	24+	1987	1	56.3	1983	169	20	.0	.5	30.0	.0	2.2	.0
May	82.3	53.6	68.0	97+	1962	28	71.8	1998	33+	1996	2	62.6	1997	43	134	.0	3.0	31.0	.0	.0	.0
Jun	88.3	62.7	75.5	104+	1978	29	79.8	1981	42	1984	1	71.6	1997	1	317	.7	14.5	30.0	.0	.0	.0
Jul	90.4	67.0	78.7	104+	1986	31	82.2	1993	53	1967	15	75.0	1975	0	424	1.6	20.8	31.0	.0	.0	.0
Aug	89.0	66.0	77.5	103+	1986	2	81.1	1999	50	1968	29	75.4	1996	0	388	.7	16.0	31.0	.0	.0	.0
Sep	83.5	59.8	71.7	100	1957	2	75.4	1980	39+	1990	24	68.7	1995	9	208	.0	7.2	30.0	.0	.0	.0
Oct	74.8	46.8	60.8	99	1954	6	66.5	1984	22	1976	29	53.9	1987	175	45	.0	.2	31.0	.0	1.8	.0
Nov	66.1	38.4	52.3	89	1961	1	60.7	1985	15+	1970	25	45.6	1976	389	7	.0	.0	29.2	.0	9.2	.0
Dec	57.3	31.8	44.6	84	1991	3	52.7	1971	0	1983	31	36.3	2000	634	0	.0	.0	25.0	.1	14.7	@
					Jul			Jul		Jan			Jan								
Ann	74.2	47.6	60.9	104+	1986	31	82.2	1993	-5	1985	21	32.6	1977	3018	1553	3.0	62.2	345.3	.7	65.3	.0

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 036-A

(1) From the 1971-2000 Monthly Normals

Elevation: 600 Feet Lat: 33°08N

- (2) Derived from station's available digital record: 1954-2001
- (3) Derived from 1971-2000 serially complete daily data

[@] Denotes mean number of days greater than 0 but less than .05

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: FORSYTH 6 NNW, GA
COOP ID: 093506

Climate Division: GA 5 NWS Call Sign: Elevation: 600 Feet Lat: 33°08N Lon: 83°59W

										Pı	ecipi	tation	(incl	nes)										
		ans/	P	recipi	tatio	on Total					of D	Number (3)	5)	Proba	ability th	Me	nonthly/ onthly/Ar	annual j indic	precipita ated am	vs Proba	ll be equ	els		in the
	Medi	/				1									Th	ese value	s were det	ermined	from the i	incomplet	e gamma	distributi	on	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	4.54	4.38	3.60	1978	26	8.35	1974	1.02	1981	8.9	7.4	3.7	1.4	1.53	1.96	2.59	3.12	3.63	4.16	4.74	5.41	6.28	7.62	8.85
Feb	4.51	4.82	6.00	1981	10	9.51	1979	.82	2000	8.2	6.3	3.2	1.5	1.21	1.63	2.29	2.86	3.42	4.01	4.67	5.44	6.46	8.05	9.53
Mar	5.48	5.18	4.65	1971	2	13.10	1980	1.15	1985	9.4	7.3	3.6	1.6	1.58	2.10	2.88	3.56	4.23	4.92	5.68	6.58	7.75	9.58	11.29
Apr	3.70	3.03	4.01	1964	6	8.89	1979	.40	1986	6.8	4.9	2.4	1.1	.67	.99	1.54	2.04	2.55	3.11	3.75	4.51	5.54	7.18	8.75
May	3.07	2.91	4.05	1963	28	9.89	1976	.10	1995	7.0	5.4	2.3	.9	.43	.69	1.13	1.55	2.00	2.49	3.06	3.75	4.69	6.22	7.69
Jun	3.14	2.57	3.25	1972	20	8.43	1972	.19	1988	7.7	5.9	2.2	.8	.55	.82	1.28	1.71	2.15	2.63	3.17	3.83	4.71	6.14	7.49
Jul	4.71	4.50	6.50	1971	24	13.74	1971	.71	1986	9.6	7.4	2.8	1.2	1.05	1.49	2.18	2.80	3.42	4.08	4.83	5.72	6.89	8.75	10.50
Aug	3.77	3.76	4.60	1992	13	11.48	1992	.66	1997	8.0	5.9	2.6	1.0	.98	1.33	1.88	2.36	2.84	3.34	3.90	4.56	5.42	6.78	8.05
Sep	3.34	3.51	4.95	1956	25	6.82	1998	.30	1984	7.1	5.7	2.2	.9	.79	1.10	1.59	2.02	2.46	2.92	3.43	4.05	4.86	6.13	7.34
Oct	2.73	2.57	4.30	1964	5	7.17	1995	.22	1998	5.8	4.1	1.8	.9	.28	.48	.85	1.24	1.65	2.11	2.66	3.34	4.27	5.81	7.32
Nov	3.64	3.17	3.00	1992	26	10.95	1992	.00	1990	7.2	5.7	2.7	1.4	.87	1.39	1.99	2.46	2.90	3.36	3.85	4.42	5.16	6.30	7.34
Dec	3.82	3.69	4.22	1964	26	9.39	1981	1.03	1994	7.8	5.9	2.6	.9	1.34	1.70	2.23	2.67	3.09	3.52	3.99	4.54	5.25	6.33	7.33
Ann	46.45	44.16	6.50	Jul 1971	24	13.74	Jul 1971	.00	Nov 1990	93.5	71.9	32.1	13.6	33.78	36.25	39.42	41.81	43.93	45.97	48.08	50.40	53.22	57.29	60.80

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1954-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 093506

Lon: 83°59W

Station: FORSYTH 6 NNW, GA

Climate Division: GA 5 NWS Call Sign: Elevation: 600 Feet Lat: 33°08N

			Snow Fall Depth Depth Snow Snow Snow Snow Depth Snow Snow Snow Depth Snow Snow Snow Snow Snow Depth Snow Snow Snow Snow Snow Snow Snow Snow																				
		Show Fall Median Mean Median Fall Extremes (2) Extremes (2) Highest Monthly Snow Fall Pear Day Snow Fall Pear Day Snow Fall Pear Day Depth Pear Day Day Depth Pear Day Depth Pear Day Depth Pear Day Depth Pear Day Day Depth Pear Day Depth Pear Day Depth Pear Day Depth Pear Day Day Depth Pear Day Depth Pear Day Day Depth Pear Day Depth Pear Day Depth Pear Day Day Day Depth Pear Day Day Day Depth Pear Day															Mea	n Nu	mber	of Day	ys (1)		
	Mean	s/Medi	ans (1))					Extre	mes (2)							ow Fa					Deptl eshol	
Month	Snow Fall Mean	Fall	Depth	Depth	Daily Snow	Year	Day	Monthly Snow	Year	Daily Snow	Year	Day	Monthly Mean Snow	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	.2	.0	0	0	4.0	1988	7	4.0	1988	0	0	0	0	0	.1	.1	@	.0	.0	.0	.0	.0	.0
Feb	.6	.0	#	0	6.0	1973	9	10.0	1973	10	1973	10	2	1973	.1	.1	.1	@	.0	.0	.0	.0	.0
Mar	.1	.0	0	0	1.4	1980	2	1.4	1980	0	0	0	0	0	@	@	.0	.0	.0	.0	.0	.0	.0
Apr	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
May	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Nov	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Dec	#	.0	#	0	#	2000	19	#+	2000	#	2000	19	#	2000	.0	.0	.0	.0	.0	.0	.0	.0	.0
Ann	.9	.0	N/A	N/A	6.0	Feb 1973	9	10.0	Feb 1973	10	Feb 1973	10	2	Feb 1973	.2	.2	.1	@	.0	.0	.0	.0	.0

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

- (1) Derived from Snow Climatology and 1971-2000 daily data
- (2) Derived from 1971-2000 daily data

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 093506

Station: FORSYTH 6 NNW, GA

Climate Division: GA 5 NWS Call Sign: Elevation: 600 Feet Lat: 33°08N Lon: 83°59W

				Freez	e Data								
			Spri	ng Freeze D	ates (Month/	Day)							
Probability of later date in spring (thru Jul 31) than indicated(*) Temp (F)													
Temp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90				
36	5/07	5/02	4/28	4/24	4/21	4/18	4/15	4/11	4/05				
32	4/25	4/19	4/15	4/12	4/09	4/06	4/02	3/29	3/24				
28	4/11	4/03	3/29	3/24	3/20	3/16	3/11	3/06	2/26				
24	3/28	3/20	3/14	3/09	3/05	2/28	2/23	2/17	2/10				
20	3/09	2/28	2/22	2/17	2/12	2/07	2/02	1/27	1/18				
16	2/28	2/19	2/11	2/05	1/30	1/23	1/15	1/03	0/00				
_			Fal	l Freeze Da	tes (Month/D	ay)							
Tomp (F)		Pro	bability of ea	arlier date ii	n fall (beginn	ing Aug 1) t	han indicate	ed(*)					
remp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90				
36	10/02	10/08	10/11	10/15	10/18	10/21	10/24	10/28	11/02				
32	10/12	10/18	10/22	10/25	10/28	10/31	11/04	11/08	11/13				
28	10/24	10/30	11/03	11/06	11/10	11/13	11/17	11/21	11/27				
24	11/04	11/12	11/19	11/24	11/29	12/04	12/09	12/15	12/24				
20	11/23	12/01	12/07	12/12	12/17	12/21	12/27	1/01	1/10				
16	12/07	12/19	12/27	1/04	1/11	1/19	1/28	2/10	0/00				
				Freeze F	ree Period								
Tomp (E)			Probability	of longer th	an indicated	freeze free p	eriod (Days)						
remp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90				
36	203	194	189	184	179	174	169	163	155				
32	227	218	212	207	202	197	191	185	176				
28	263	253	246	240	234	228	222	215	205				
24	304	292	283	276	269	262	254	245	233				
20	339	327	319	312	306	300	293	286	276				
16	>365	>365	>365	>365	342	328	318	308	296				

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability. Derived from 1971-2000 serially complete daily data

Complete do

Complete documentation available from:

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 093506

Station: FORSYTH 6 NNW, GA

Climate Division: GA 5 NWS Call Sign: Elevation: 600 Feet Lat: 33°08N Lon: 83°59W

				Deg	ree Days t	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree l	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	684	537	377	169	43	1	0	0	9	175	389	634	3018
60	542	400	245	74	9	0	0	0	1	88	257	487	2103
57	457	323	180	38	3	0	0	0	0	53	190	401	1645
55	403	273	143	22	1	0	0	0	0	35	152	347	1376
50	283	165	70	4	0	0	0	0	0	10	76	228	836
32	35	5	0	0	0	0	0	0	0	0	0	17	57

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	374	391	657	840	1114	1306	1447	1411	1189	893	608	406	10636
55	29	15	86	172	402	616	734	698	499	214	70	23	3558
57	21	10	61	128	341	556	672	636	439	170	48	15	3097
60	13	3	33	75	255	466	579	543	350	113	25	8	2463
65	0	0	10	20	134	317	424	388	208	45	7	0	1553
70	0	0	0	2	53	180	271	234	91	12	0	0	843

	Growing Degree Units (Monthly)													ts (2)										
Base					Growing	g Degree	Units (N	(Ionthly)					Growing Degree Units (Accumulated Monthly)											
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec 206 256 474 653 915 1092 1237 1186 997 702 415 249												Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	206 256 474 653 915 1092 1237 1186 997 702 415 113 153 330 505 760 942 1082 1031 847 547 280												206	462	936	1589	2504	3596	4833	6019	7016	7718	8133	8381
45	113 153 330 505 760 942 1082 1031 847 547 280											145	113	266	596	1101	1861	2803	3885	4916	5763	6310	6590	6735
50	56 78 205 358 605 792 927 876 697 394 171											76	56	134	339	697	1302	2094	3021	3897	4594	4988	5159	5235
55	25	34	113	225	450	642	772	721	547	252	89	36	25	59	172	397	847	1489	2261	2982	3529	3781	3870	3906
60	2	9	49	118	299	492	617	566	399	138	39	12	2	11	60	178	477	969	1586	2152	2551	2689	2728	2740
Base	Growing Degree Units for Corn (Monthly)														Gr	owing D	egree Ur	its for C	orn (Acc	umulate	d Month	ly)		
50/86	50/86 140 185 319 437 613 736 839 813 675 462 286 16											169	140	325	644	1081	1694	2430	3269	4082	4757	5219	5505	5674

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf