

# Climatology of the United States

No. 20

1971-2000

Station: CELO 2 S, NC

COOP ID: 311624

Climate Division: NC 1

NWS Call Sign:

Elevation: 2,680 Feet Lat: 35° 50N Lon: 82° 11W

## Temperature (°F)

Mean (1)				Extremes										Degree Days (1) Base Temp 65		Mean Number of Days (3)					
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	46.1	21.7	33.9	79	1999	28	46.0	1974	-16	1985	21	22.3	1977	964	0	.0	.0	12.0	3.9	26.1	1.3
Feb	49.3	23.2	36.3	81	1977	27	42.5	1990	-9+	1996	5	28.2	1980	805	0	.0	.0	14.4	2.8	22.8	.6
Mar	57.1	30.5	43.8	84	1985	31	50.9	1997	-7	1960	8	38.3	1971	658	0	.0	.0	22.7	.6	18.0	@
Apr	65.8	37.0	51.4	88+	2001	11	57.1	1999	11	1960	11	46.4	1983	409	1	.0	.0	27.2	.0	9.0	.0
May	72.8	45.6	59.2	91+	2000	20	63.8	1998	24+	1963	2	55.6	1992	202	23	.0	.1	30.7	.0	2.1	.0
Jun	78.5	53.2	65.9	97+	1952	28	70.1	1981	29+	1972	11	61.7	1972	54	80	.0	.1	30.0	.0	.1	.0
Jul	82.0	57.8	69.9	95+	1952	30	74.2	1993	32	1961	10	67.3	1976	7	160	.0	.9	31.0	.0	.0	.0
Aug	81.0	56.5	68.8	95	1999	1	71.2	1987	32	1950	7	66.1	1976	11	127	.0	.5	31.0	.0	.0	.0
Sep	76.3	50.0	63.2	94+	1998	15	68.5	1998	27+	1990	25	59.4	1976	101	46	.0	.3	30.0	.0	1.0	.0
Oct	68.4	37.7	53.1	88	1951	8	59.4	1984	9	1952	21	47.7	1987	377	5	.0	.0	30.0	.0	10.1	.0
Nov	59.2	30.4	44.8	79+	2001	10	52.5	1985	-1+	1950	26	38.0	1976	607	0	.0	.0	23.0	.2	18.0	.0
Dec	50.2	24.0	37.1	77	1998	8	45.3	1971	-14	1962	13	29.5	1989	865	0	.0	.0	15.5	2.4	24.6	.3
Ann	65.6	39.0	52.3	97+	Jun 1952	28	74.2	Jul 1993	-16	Jan 1985	21	22.3	Jan 1977	5060	442	.0	1.9	297.5	9.9	131.8	2.2

+ Also occurred on an earlier date(s)

@ Denotes mean number of days greater than 0 but less than .05

Complete documentation available from: [www.ncdc.noaa.gov/oa/climate/normal/usnormals.html](http://www.ncdc.noaa.gov/oa/climate/normal/usnormals.html)

Issue Date: February 2004

(1) From the 1971-2000 Monthly Normals

(2) Derived from station's available digital record: 1948-2001

(3) Derived from 1971-2000 serially complete daily data

018-A

**Climatography  
of the United States  
No. 20  
1971-2000**

National Climatic Data Center  
Federal Building  
151 Patton Avenue  
Asheville, North Carolina 28801  
www.ncdc.noaa.gov

**Station: CELO 2 S, NC**

**COOP ID: 311624**

**Climate Division: NC 1**

**NWS Call Sign:**

**Elevation: 2,680 Feet Lat: 35°50N**

**Lon: 82°11W**

Precipitation (inches)																								
	Precipitation Totals									Mean Number of Days (3)				Precipitation Probabilities (1) Probability that the monthly/annual precipitation will be equal to or less than the indicated amount										
	Means/ Medians(1)		Extremes							Daily Precipitation				Monthly/Annual Precipitation vs Probability Levels These values were determined from the incomplete gamma distribution										
Month	Mean	Med-ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	5.58	5.09	7.86	1998	8	15.02	1998	.88	1981	12.1	7.6	3.6	1.6	1.60	2.13	2.93	3.62	4.30	5.01	5.79	6.71	7.91	9.78	11.53
Feb	5.07	5.56	4.51	1966	13	12.22	1998	.57	1978	10.7	7.5	3.3	1.5	1.35	1.83	2.56	3.20	3.84	4.50	5.24	6.11	7.25	9.04	10.71
Mar	6.30	5.34	4.44	1979	24	12.58	1975	1.97	1988	13.0	9.5	3.7	1.7	2.17	2.77	3.64	4.37	5.07	5.79	6.58	7.50	8.68	10.50	12.17
Apr	4.60	4.80	5.21	1957	5	8.95	1979	.62	1975	11.5	7.6	3.1	1.4	1.45	1.89	2.54	3.09	3.63	4.18	4.79	5.50	6.42	7.85	9.17
May	5.32	5.53	6.37	1976	29	13.26	1976	1.91	1987	13.8	8.5	3.4	1.4	1.82	2.32	3.06	3.68	4.28	4.89	5.56	6.34	7.34	8.89	10.31
Jun	4.54	4.15	5.97	1972	21	12.06	1972	1.08	1993	13.5	8.7	2.9	1.1	1.40	1.83	2.48	3.03	3.56	4.12	4.73	5.44	6.37	7.81	9.14
Jul	4.43	4.40	3.56	1973	11	7.52	1975	1.77	1987	13.6	8.5	2.8	1.0	1.84	2.24	2.81	3.27	3.71	4.16	4.64	5.19	5.89	6.96	7.93
Aug	5.02	4.19	6.67	1990	9	15.96	1990	.57	1997	13.5	8.4	2.9	1.1	.92	1.37	2.10	2.79	3.48	4.23	5.09	6.12	7.49	9.70	11.81
Sep	4.55	3.53	5.83	1959	30	16.51	1979	.14	1984	10.4	6.6	2.7	1.2	.67	1.05	1.71	2.34	3.00	3.71	4.54	5.56	6.93	9.15	11.29
Oct	4.18	3.37	6.08	1995	5	11.13	1971	.00	2000	8.4	5.5	2.4	1.3	.30	.73	1.40	2.02	2.66	3.36	4.17	5.17	6.51	8.69	10.80
Nov	5.05	4.37	5.87	1977	6	14.50	1977	.92	1981	10.2	6.7	3.0	1.5	1.28	1.76	2.49	3.14	3.78	4.46	5.21	6.10	7.27	9.11	10.83
Dec	4.19	4.38	4.48	1958	29	9.26	1983	.82	1985	11.7	7.4	2.8	1.0	1.31	1.71	2.30	2.81	3.30	3.80	4.36	5.02	5.87	7.18	8.40
Ann	58.83	58.89	7.86	Jan 1998	8	16.51	Sep 1979	.00	Oct 2000	142.4	92.5	36.6	15.8	40.75	44.22	48.68	52.08	55.10	58.04	61.07	64.44	68.53	74.48	79.63

+ Also occurred on an earlier date(s)

# Denotes amounts of a trace

@ Denotes mean number of days greater than 0 but less than .05

\*\* Statistics not computed because less than six years out of thirty had measurable precipitation

(1) From the 1971-2000 Monthly Normals

(2) Derived from station's available digital record: 1948-2001

(3) Derived from 1971-2000 serially complete daily data

Complete documentation available from:  
[www.ncdc.noaa.gov/oa/climate/normals/usnormals.html](http://www.ncdc.noaa.gov/oa/climate/normals/usnormals.html)

# Climatography of the United States

## No. 20 1971-2000

National Climatic Data Center  
Federal Building  
151 Patton Avenue  
Asheville, North Carolina 28801  
[www.ncdc.noaa.gov](http://www.ncdc.noaa.gov)

**Station: CELO 2 S, NC**

**COOP ID: 311624**

**Climate Division: NC 1**

**NWS Call Sign:**

**Elevation: 2,680 Feet**

**Lat: 35° 50N**

**Lon: 82° 11W**

Snow (inches)																							
Snow Totals															Mean Number of Days (1)								
Means/Medians (1)					Extremes (2)										Snow Fall >= Thresholds					Snow Depth >= Thresholds			
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	5.6	4.9	1	#	10.0	1983	22	18.7	1983	12	1983	22	4	1983	2.6	1.5	.7	.4	@	5.5	3.7	1.8	.2
Feb	4.6	2.5	1	#	8.0	1979	7	20.3	1979	10	1983	11	5	1983	2.4	1.6	.6	.2	.0	4.0	1.9	.7	.1
Mar	3.0	.5	#	#	17.0	1981	23	24.0	1993	24	1993	14	5	1993	1.0	.7	.3	.1	.1	1.5	.8	.4	.2
Apr	.9	.0	#	#	8.5	1987	4	13.5	1987	12	1987	4	1	1987	.3	.2	.1	@	.0	.3	.2	.1	@
May	#	.0	0	0	#	1992	7	#+	1992	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	#	.0	#	0	#	2000	9	#+	2000	#+	1993	31	#+	1993	.0	.0	.0	.0	.0	.0	.0	.0	.0
Nov	.5	.0	#	#	2.5	1975	23	3.0	1975	3	1975	23	#+	2000	.5	.2	.0	.0	.0	.4	@	.0	.0
Dec	2.2	.6	#	#	9.2	1974	1	13.5	1971	12	1971	4	4	1974	1.2	.6	.2	.1	.0	1.8	.8	.5	@
Ann	16.8	8.5	N/A	N/A	17.0	Mar 1981	23	24.0	Mar 1993	24	Mar 1993	14	5+	Mar 1993	8.0	4.8	1.9	.8	.1	13.5	7.4	3.5	.5

+ Also occurred on an earlier date(s) #Denotes trace amounts

@ Denotes mean number of days greater than 0 but less than .05

-9/-9.9 represents missing values

Annual statistics for Mean/Median snow depths are not appropriate

(1) Derived from Snow Climatology and 1971-2000 daily data

(2) Derived from 1971-2000 daily data

Complete documentation available from:

[www.ncdc.noaa.gov/oa/climate/normal/usnormals.html](http://www.ncdc.noaa.gov/oa/climate/normal/usnormals.html)

# Climatography of the United States

## No. 20 1971-2000

**Station: CELO 2 S, NC**

**COOP ID: 311624**

**Climate Division: NC 1**

**NWS Call Sign:**

**Elevation: 2,680 Feet**

**Lat: 35° 50N**

**Lon: 82° 11W**

Freeze Data									
Spring Freeze Dates (Month/Day)									
Temp (F)	Probability of later date in spring (thru Jul 31) than indicated(*)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	6/14	6/07	6/02	5/28	5/24	5/20	5/16	5/11	5/03
32	5/30	5/23	5/18	5/13	5/09	5/05	5/01	4/25	4/18
28	5/13	5/07	5/02	4/29	4/25	4/22	4/18	4/14	4/08
24	4/25	4/19	4/15	4/12	4/09	4/06	4/02	3/29	3/24
20	4/11	4/04	3/30	3/26	3/22	3/19	3/14	3/10	3/03
16	3/30	3/23	3/17	3/13	3/09	3/04	2/28	2/22	2/15
Fall Freeze Dates (Month/Day)									
Temp (F)	Probability of earlier date in fall (beginning Aug 1) than indicated(*)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	9/10	9/15	9/19	9/22	9/25	9/28	10/02	10/05	10/11
32	9/20	9/25	9/28	10/01	10/04	10/07	10/10	10/13	10/18
28	9/28	10/02	10/05	10/08	10/10	10/13	10/16	10/19	10/23
24	10/09	10/14	10/17	10/20	10/23	10/26	10/29	11/01	11/06
20	10/20	10/26	10/31	11/05	11/09	11/12	11/17	11/22	11/29
16	11/02	11/10	11/15	11/20	11/24	11/29	12/03	12/09	12/16
Freeze Free Period									
Temp (F)	Probability of longer than indicated freeze free period (Days)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	150	141	134	129	124	118	113	106	97
32	173	164	158	152	147	142	136	130	121
28	191	183	177	172	167	163	158	152	143
24	219	211	206	201	196	192	187	182	174
20	263	251	244	237	230	224	217	209	198
16	290	280	273	266	260	254	248	240	230

\* Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

**0/00** Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Derived from 1971-2000 serially complete daily data

Complete documentation available from:

[www.ncdc.noaa.gov/oa/climate/normal/usnormals.html](http://www.ncdc.noaa.gov/oa/climate/normal/usnormals.html)

**Climatography  
of the United States  
No. 20  
1971-2000**

**Station: CELO 2 S, NC**

**COOP ID: 311624**

**Climate Division: NC 1**

**NWS Call Sign:**

**Elevation: 2,680 Feet    Lat: 35° 50N    Lon: 82° 11W**

Degree Days to Selected Base Temperatures (° F)													
Base	Heating Degree Days (1)												
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	964	805	658	409	202	54	7	11	101	377	607	865	5060
60	809	665	504	269	99	11	0	0	35	241	459	710	3802
57	716	581	416	193	57	3	0	0	15	173	374	617	3145
55	661	525	359	150	36	1	0	0	8	134	319	558	2751
50	517	392	230	67	8	0	0	0	1	62	197	415	1889
32	136	57	11	0	0	0	0	0	0	0	6	68	278

Base	Cooling Degree Days (1)												
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	195	176	376	582	844	1016	1176	1139	936	652	390	226	7708
55	7	0	11	41	167	327	463	426	253	73	12	4	1784
57	0	0	6	24	125	269	401	364	200	50	7	0	1446
60	0	0	1	10	75	187	308	271	130	25	2	0	1009
65	0	0	0	1	23	80	160	127	46	5	0	0	442
70	0	0	0	0	4	19	52	32	8	0	0	0	115

Growing Degree Units (2)																								
Base	Growing Degree Units (Monthly)												Growing Degree Units (Accumulated Monthly)											
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	56	80	193	360	598	775	925	886	682	393	188	83	56	136	329	689	1287	2062	2987	3873	4555	4948	5136	5219
45	27	34	103	236	443	625	770	731	532	255	100	38	27	61	164	400	843	1468	2238	2969	3501	3756	3856	3894
50	1	9	45	131	300	475	615	576	384	136	42	15	1	10	55	186	486	961	1576	2152	2536	2672	2714	2729
55	0	2	11	60	166	327	460	422	244	60	11	0	0	2	13	73	239	566	1026	1448	1692	1752	1763	1763
60	0	0	2	18	71	190	306	267	130	10	1	0	0	0	2	20	91	281	587	854	984	994	995	995
Base	Growing Degree Units for Corn (Monthly)												Growing Degree Units for Corn (Accumulated Monthly)											
50/86	49	73	147	249	378	497	608	577	429	273	149	72	49	122	269	518	896	1393	2001	2578	3007	3280	3429	3501

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

**Note:** For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Complete documentation available from:  
[www.ncdc.noaa.gov/oa/climate/normals/usnormals.html](http://www.ncdc.noaa.gov/oa/climate/normals/usnormals.html)

## Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
- c. Only observed validated values were used to select the extreme daily values.
- d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.  
Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.
- e. Degree Days were derived using the same techniques as the 1971-2000 normals.  
Complete documentation for the 1971-2000 Normals is available on the internet from:  
[www.ncdc.noaa.gov/oa/climate/normal/usnormals.html](http://www.ncdc.noaa.gov/oa/climate/normal/usnormals.html)
- f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set.  
Documentation of the serially complete data set is available from the link below:
- g. Snowfall and snow depth statistics were derived from the Snow Climatology.  
Documentation for the Snow Climatology project is available from the link under references.

## Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- |   |   |
|---|---|
| <ol style="list-style-type: none"><li>a. Temperature/ Precipitation Tables<ol style="list-style-type: none"><li>1. 1971-2000 Monthly Normals</li><li>2. Cooperative Summary of the Day</li><li>3. National Weather Service station records</li><li>4. 1971-2000 serially complete daily data</li></ol></li><li>b. Degree Day Table<ol style="list-style-type: none"><li>1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals</li><li>2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data</li></ol></li></ol> | <ol style="list-style-type: none"><li>c. Snow Tables<ol style="list-style-type: none"><li>1. Snow Climatology</li><li>2. Cooperative Summary of the Day</li></ol></li><li>d. Freeze Data Table<br/>1971-2000 serially complete daily data</li></ol> |
|---|---|

## References

U.S. Climate Normals 1971-2000, [www.ncdc.noaa.gov/normal.html](http://www.ncdc.noaa.gov/normal.html)  
U.S. Climate Normals 1971-2000-Products Clim20, [www.ncdc.noaa.gov/oa/climate/normal/usnormalsprods.html](http://www.ncdc.noaa.gov/oa/climate/normal/usnormalsprods.html)  
Snow Climatology Project Description, [www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html](http://www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html)  
Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,  
[www1.ncdc.noaa.gov/pub/data/special/serialcomplete\\_jam\\_0900.pdf](http://www1.ncdc.noaa.gov/pub/data/special/serialcomplete_jam_0900.pdf)