**Station: BURWELL, NE** 

## Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 251345** 

Climate Division: NE 2 NWS Call Sign: BUB Elevation: 2,176 Feet Lat: 41°47N Lon: 99°09W

									r	Гетр	eratur	re (°F)									
	Mea	<b>n</b> (1)						Extr	emes					Degree Base To	Days (1) emp 65		Mean	Numb	er of I	Days (3)	
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	33.2	7.7	20.5	71+	1990	10	31.5	1992	-34	1963	27	6.0	1979	1380	0	.0	.0	4.8	13.0	30.8	7.3
Feb	38.9	13.1	26.0	79	1995	25	35.3	1992	-29	1996	3	12.2	1978	1093	0	.0	.0	8.5	8.8	26.7	4.1
Mar	49.2	22.0	35.6	90	1968	30	42.1	1986	-22	1960	4	28.4	1975	911	0	.0	.0	16.7	3.5	25.2	.7
Apr	61.2	33.2	47.2	95	1965	30	55.4	1981	1	1975	3	40.8	1983	535	1	.0	.4	25.2	.2	12.1	.0
May	71.3	46.3	58.8	102+	1967	25	64.5	1977	21+	1967	2	52.9	1995	222	31	.0	.5	30.8	.0	1.7	.0
Jun	81.8	55.9	68.9	107	1952	15	74.9	1988	30	1983	1	63.5	1982	41	156	.5	6.4	30.0	.0	@	.0
Jul	87.1	61.3	74.2	114	1954	11	78.9	1974	37	1971	30	68.0	1992	7	292	1.3	12.9	31.0	.0	.0	.0
Aug	84.9	58.5	71.7	107	1983	16	78.1	1983	37	1964	12	66.9	1992	21	228	.7	10.0	31.0	.0	.0	.0
Sep	76.8	47.5	62.2	104	1959	6	68.9	1998	19	1984	29	57.7	1993	144	58	.0	4.2	29.7	.0	1.3	.0
Oct	64.5	34.6	49.6	93+	1990	5	52.8	1974	6	1997	27	44.7	1976	479	0	.0	.2	27.7	.3	10.2	.0
Nov	46.3	20.9	33.6	80	1954	7	43.8	1999	-16	1976	28	21.5	1985	943	0	.0	.0	13.0	4.5	25.8	.8
Dec	35.4	11.1	23.3	73	1959	3	31.4	1999	-30	1983	22	4.7	1983	1295	0	.0	.0	5.6	10.5	30.6	4.6
Ann	60.9	34.3	47.6	114	Jul 1954	11	78.9	Jul 1974	-34	Jan 1963	27	4.7	Dec 1983	7071	766	2.5	34.6	254.0	40.8	164.4	17.5

<sup>+</sup> Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 019-A

- (1) From the 1971-2000 Monthly Normals
- (2) Derived from station's available digital record: 1948-2001
- (3) Derived from 1971-2000 serially complete daily data

<sup>@</sup> Denotes mean number of days greater than 0 but less than .05

### Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 251345** 

Station: BURWELL, NE

Climate Division: NE 2 NWS Call Sign: BUB Elevation: 2,176 Feet Lat: 41°47N Lon: 99°09W

										Pı	recipi	tation	(incl	nes)										
	Mea	ans/	P	recipi	itatio	n Total					ean N of D	ays (3	)	Proba	ability th		nonthly/	annual j indic	precipita ated am	nount	ies (1)		less tha	ın the
	Medi	ans(1)				Extremes	•			ս	any Pre	стриацю	n		Th	ese value	were det	ermined	from the i	incomplet	te gamma	distributi	ion	ļ
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	.43	.28	1.04	2001	30	1.13	1992	.05	1981	3.8	1.2	.1	.0	.05	.08	.14	.20	.27	.34	.42	.52	.66	.89	1.12
Feb	.55	.41	1.29	1984	18	1.79	1984	.00	1996	3.9	1.8	.2	.1	.01	.05	.12	.20	.28	.38	.51	.66	.88	1.26	1.63
Mar	1.37	1.03	2.56	1987	17	7.01	1987	.09	1994	6.2	3.2	.8	.1	.11	.19	.37	.56	.77	1.01	1.30	1.66	2.17	3.02	3.85
Apr	2.48	2.39	2.46	1970	12	5.75	1984	.54	1989	8.8	5.4	1.6	.4	.64	.87	1.23	1.55	1.86	2.19	2.56	2.99	3.56	4.46	5.30
May	3.58	3.17	3.17	1960	5	6.86	1995	.81	1994	10.5	7.4	2.4	.8	1.34	1.67	2.15	2.55	2.93	3.32	3.74	4.23	4.85	5.81	6.69
Jun	3.54	3.14	2.74	1968	24	7.09	1975	1.40	1996	9.4	6.5	2.3	.9	1.34	1.67	2.14	2.54	2.91	3.29	3.71	4.19	4.80	5.74	6.59
Jul	3.19	3.00	3.60	1997	12	9.09	1993	.23	1980	8.5	5.4	2.2	.7	.60	.88	1.35	1.78	2.22	2.70	3.24	3.89	4.76	6.15	7.48
Aug	3.08	2.92	5.80	1983	23	6.04	1983	.28	1972	7.8	5.0	1.9	1.0	.60	.87	1.33	1.74	2.16	2.61	3.13	3.74	4.56	5.88	7.13
Sep	2.22	2.14	2.82	1994	4	5.70	1973	.05	1980	6.7	4.1	1.6	.5	.44	.64	.97	1.26	1.57	1.89	2.26	2.70	3.29	4.22	5.12
Oct	1.66	1.34	1.86	1965	17	4.69	1998	.15	1988	5.8	3.5	1.1	.4	.21	.34	.57	.80	1.05	1.32	1.64	2.03	2.56	3.43	4.27
Nov	1.11	1.10	1.72	1982	11	3.07	1983	.00	1980	5.0	2.5	.6	.2	.04	.13	.29	.46	.63	.83	1.07	1.37	1.78	2.46	3.13
Dec	.46	.31	.89	1982	25	2.32	1982	.06	1975	3.6	1.4	.2	@	.05	.08	.15	.21	.28	.35	.44	.56	.71	.96	1.20
Ann	23.67	23.41	5.80	Aug 1983	23	9.09	Jul 1993	.00+	Feb 1996	80.0	47.4	15.0	5.1	16.40	17.79	19.58	20.94	22.16	23.34	24.55	25.90	27.55	29.93	32.00

<sup>+</sup> Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

<sup>#</sup> Denotes amounts of a trace

<sup>@</sup> Denotes mean number of days greater than 0 but less than .05

<sup>\*\*</sup> Statistics not computed because less than six years out of thirty had measurable precipitation

<sup>(1)</sup> From the 1971-2000 Monthly Normals

<sup>(2)</sup> Derived from station's available digital record: 1948-2001

<sup>(3)</sup> Derived from 1971-2000 serially complete daily data

# Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 251345** 

Lon: 99°09W

**Station: BURWELL, NE** 

Climate Division: NE 2 NWS Call Sign: BUB Elevation: 2,176 Feet Lat: 41°47N

										Snov	w (inc	hes)												
		Snow Fall   Snow Depth   Median   Mean   Median   Media															Mea	n Nu	mber	of Day	<b>ys</b> (1)			
	Mean	s/Medi	ans (1)	)					Extre	mes (2)							ow Fa					w Depth presholds		
Month	Snow Fall Mean	Fall	Depth	Depth	Daily Snow	Year	Day	Monthly Snow	Year	Daily Snow	Year	Day	Monthly Mean Snow	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10	
Jan	5.6	4.0	2	1	13.0	1990	20	15.5	1993	21	1984	1	9	1988	3.2	1.8	.5	.2	.1	14.4	10.1	7.0	2.1	
Feb	4.0	2.8	2	1	9.0	1994	22	13.0	1994	14	1993	25	7	1993	2.6	1.7	.6	.1	.0	9.8	4.8	2.0	.4	
Mar	5.6	4.8	1	#	12.0	1983	26	21.0	1983	10+	1987	25	3	1984	3.0	2.2	.8	.2	@	4.0	1.8	1.0	.1	
Apr	3.1	1.3	#	#	10.0	1994	28	16.0	1994	8	1997	11	1	1997	1.2	1.1	.4	.2	@	.8	.3	.2	.0	
May	#	.0	#	0	#	1983	17	#	1983	#	1980	30	#	1980	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Sep	.0	.0	0	0	1.0	1985	29	1.0	1985	0	0	0	0	0	@	@	.0	.0	.0	.0	.0	.0	.0	
Oct	1.0	.0	#	0	5.0	1995	23	6.5	1991	7	1991	31	#+	1997	.5	.4	.2	.1	.0	.3	.1	@	.0	
Nov	5.0	3.0	1	#	10.0	1983	27	19.5	1983	16	1983	28	5	2000	2.6	1.7	.7	.3	@	6.3	3.2	2.1	.3	
Dec	4.6	3.5	2	1	10.0	1987	27	18.0	1982	24	1983	30	15	1983	2.7	2.0	.4	.2	@	12.3	5.8	2.4	.6	
Ann	28.9	19.4	N/A	N/A	13.0	Jan 1990	20	21.0	Mar 1983	24	Dec 1983	30	15	Dec 1983	15.8	10.9	3.6	1.3	.1	47.9	26.1	14.7	3.5	

<sup>+</sup> Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

<sup>@</sup> Denotes mean number of days greater than 0 but less than .05

<sup>-9/-9.9</sup> represents missing values Annual statistics for Mean/Median snow depths are not appropriate

<sup>(1)</sup> Derived from Snow Climatology and 1971-2000 daily data

<sup>(2)</sup> Derived from 1971-2000 daily data

## Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 251345** 

**Station: BURWELL, NE** 

Climate Division: NE 2 NWS Call Sign: BUB

NWS Call Sign: BUB Elevation: 2,176 Feet Lat: 41°47N Lon: 99°09W

				Freez	e Data				
			Spri	ng Freeze D	ates (Month/	(Day)			
Temp (F)		P	robability of	later date i	n spring (thr	u Jul 31) tha	an indicated(	(*)	
remp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	5/24	5/19	5/17	5/14	5/12	5/09	5/07	5/04	4/30
32	5/17	5/13	5/10	5/07	5/04	5/02	4/29	4/26	4/22
28	5/11	5/06	5/02	4/28	4/25	4/22	4/19	4/15	4/10
24	4/25	4/21	4/18	4/15	4/12	4/10	4/07	4/04	3/31
20	4/16	4/12	4/09	4/06	4/04	4/01	3/29	3/26	3/22
16	4/09	4/04	3/31	3/28	3/25	3/22	3/18	3/15	3/09
<u>'</u>			Fal	l Freeze Da	tes (Month/D	Day)	II.	1	1
Town (F)		Pro	bability of ea	arlier date i	n fall (beginn	ing Aug 1) t	han indicate	d(*)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	9/12	9/15	9/18	9/20	9/22	9/24	9/26	9/28	10/02
32	9/16	9/20	9/23	9/25	9/28	9/30	10/03	10/06	10/10
28	9/22	9/27	10/01	10/05	10/08	10/11	10/14	10/18	10/24
24	10/01	10/06	10/10	10/13	10/16	10/19	10/23	10/26	11/01
20	10/11	10/16	10/20	10/23	10/26	10/28	11/01	11/04	11/09
16	10/19	10/26	10/30	11/03	11/06	11/10	11/14	11/18	11/24
				Freeze F	ree Period			•	
Tomas (E)			Probability	of longer th	an indicated	freeze free p	eriod (Days)	1	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	147	142	138	135	132	130	127	123	118
32	165	159	154	149	146	142	137	132	126
28	185	178	173	169	165	161	156	151	144
24	207	200	195	190	186	182	178	173	166
20	223	217	212	208	204	201	197	192	185
16	253	244	237	231	226	221	215	208	199

<sup>\*</sup> Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Complete documentation available from:

## Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 251345** 

Station: BURWELL, NE

Climate Division: NE 2 NWS Call Sign: BUB Elevation: 2,176 Feet Lat: 41°47N Lon: 99°09W

				Deg	ree Days t	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree l	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	1380	1093	911	535	222	41	7	21	144	479	943	1295	7071
60	1225	953	756	392	120	11	0	4	63	326	793	1140	5783
57	1132	869	663	311	75	4	0	1	33	240	703	1047	5078
55	1070	819	601	262	53	1	0	0	19	188	645	985	4643
50	920	688	455	156	17	0	0	0	3	87	506	831	3663
32	432	288	83	4	0	0	0	0	0	1	134	346	1288

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	75	119	195	460	832	1105	1308	1231	904	545	182	74	7030
55	0	6	0	28	171	416	595	518	233	20	3	0	1990
57	0	0	0	17	132	359	533	457	186	9	0	0	1693
60	0	0	0	8	83	275	440	367	127	2	0	0	1302
65	0	0	0	1	31	156	292	228	58	0	0	0	766
70	0	0	0	0	7	71	161	119	19	0	0	0	377

										Gro	wing	Degre	e Uni	ts (2)										
Base					Growin	g Degree	Units (M	(Ionthly)					Growing Degree Units (Accumulated Monthly)											
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec													Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	3	28	102	305	621	897	1088	1024	700	361	70	4	3	31	133	438	1059	1956	3044	4068	4768	5129	5199	5203
45													0	6	51	239	707	1454	2387	3256	3811	4047	4075	4075
50												0	0	0	19	120	441	1038	1816	2530	2942	3074	3080	3080
55	0	0	4	51	193	449	623	559	276	54	0	0	0	0	4	55	248	697	1320	1879	2155	2209	2209	2209
60	<b>60</b> 0 0 0 23 96 302 470 408 166 17 0										0	0	0	0	23	119	421	891	1299	1465	1482	1482	1482	
Base	Growing Degree Units for Corn (Monthly)													Gr	owing D	egree Un	its for C	orn (Acc	umulate	d Month	ly)			
50/86	<b>50/86</b> 17 37 100 218 389 584 720 674 452 258 69 2											20	17	54	154	372	761	1345	2065	2739	3191	3449	3518	3538

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

**Note:** For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

### Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
  - c. Only observed validated values were used to select the extreme daily values.
  - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

### **Data Sources for Tables**

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
  - 1. 1971-2000 Monthly Normals
  - 2. Cooperative Summary of the Day
  - 3. National Weather Service station records
  - 4. 1971-2000 serially complete daily data

- c. Snow Tables
  - 1. Snow Climatology
  - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
  - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
  - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

### References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete\_jam\_0900.pdf