## Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 515580** 

Station: LIHUE AP 1020.1, HI

Climate Division: HI 1 NWS Call Sign: LIH Elevation: 103 Feet Lat: 21°59N Lon: 159°20W

									r	Гетре	eratur	re (°F)									
	Mea	<b>n</b> (1)						Extr	emes					Degree Base To	-		Mean	Numb	er of I	Days (3)	
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 90	Max >= 70	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	77.9	65.4	71.7	86+	2001	4	74.3	1974	50	1969	22	69.1	1998	0	207	.0	30.9	31.0	.0	.0	.0
Feb	77.9	65.5	71.7	86+	1986	20	74.2	1974	52	1962	22	69.5	1987	0	188	.0	28.2	28.3	.0	.0	.0
Mar	78.1	67.3	72.7	88	1986	6	74.9	1973	51	1955	25	70.6	1996	0	239	.0	31.0	31.0	.0	.0	.0
Apr	78.8	68.9	73.9	88	1981	27	75.8	1981	56	1958	22	72.0	1979	0	266	.0	30.0	30.0	.0	.0	.0
May	80.6	70.3	75.4	88+	1981	10	77.7	1984	58	1996	1	72.2	1987	0	323	.0	31.0	31.0	.0	.0	.0
Jun	82.7	72.7	77.7	89	1969	15	79.5	1981	61	1987	3	76.1	1998	0	382	.0	30.0	30.0	.0	.0	.0
Jul	83.9	74.0	79.0	89+	1981	7	80.6	1982	62	1979	12	76.8	1998	0	433	.0	31.0	31.0	.0	.0	.0
Aug	84.9	74.5	79.7	90+	1996	30	81.3	1981	66+	1979	9	77.3	1998	0	455	.2	31.0	31.0	.0	.0	.0
Sep	85.0	74.0	79.5	90+	1995	13	80.8	1994	65+	1981	17	77.9	1975	0	435	.1	30.0	30.0	.0	.0	.0
Oct	83.5	72.8	78.2	90+	1957	26	79.4	1977	61	1993	27	76.8	1980	0	408	.0	31.0	31.0	.0	.0	.0
Nov	81.0	70.8	75.9	89	1995	1	78.0	1994	57	1958	25	73.6	1985	0	327	.0	30.0	30.0	.0	.0	.0
Dec	79.0	67.6	73.3	86+	1995	9	75.9	1974	52	1953	28	70.6	1972	0	257	.0	30.9	31.0	.0	.0	.0
Ann	81.1	70.3	75.7	90+	Aug 1996	30	81.3	Aug 1981	50	Jan 1969	22	69.1	Jan 1998	0	3920	.3	365.0	365.3	.0	.0	.0

<sup>+</sup> Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: May 2005 026-A

- (1) From the 1971-2000 Monthly Normals
- (2) Derived from station's available digital record: 1950-2001
- (3) Derived from 1971-2000 serially complete daily data

<sup>@</sup> Denotes mean number of days greater than 0 but less than .05

## Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: LIHUE AP 1020.1, HI

COOP ID: 515580

Climate Division: HI 1 NWS Call Sign: LIH Elevation: 103 Feet Lat: 21°59N Lon: 159°20W

										Pı	ecipi	tation	(incl	nes)										
	Mea		P	recipi	itatio	on Total					of D	Number (3)	)	Proba			nonthly/ onthly/An	annual j indic	ated am	ntion wi nount vs Proba	ll be equ	rels		ın the
	Medi	ans(1)						ā							Th	ese value	were det	ermined	from the i	incomplet	te gamma	distribut	ion	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	4.59	3.77	10.73	1956	24	14.08	1982	.30	1986	14.1	6.3	2.2	1.0	.36	.66	1.25	1.89	2.59	3.39	4.36	5.57	7.26	10.09	12.88
Feb	3.26	1.84	5.40	1954	28	11.35	1989	.00	1983	12.0	5.1	1.5	.8	.12	.38	.85	1.32	1.84	2.42	3.12	4.00	5.21	7.22	9.21
Mar	3.58	2.51	5.15	1993	16.3	6.3	1.6	.9	.41	.69	1.19	1.69	2.22	2.82	3.51	4.37	5.54	7.48	9.36					
Apr	3.00	3.03	3.03 5.33 1972 15 10.65 1972 .32 1								7.1	1.2	.6	.65	.92	1.37	1.76	2.16	2.59	3.07	3.65	4.41	5.62	6.76
May	2.87	1.73	4.99	1977	9	12.59	1977	.10	2000	15.6	5.3	1.2	.6	.19	.37	.73	1.13	1.57	2.08	2.69	3.48	4.57	6.41	8.24
Jun	1.82	1.44	2.09	1991	3	4.83	1991	.41	1975	17.0	5.1	.6	.2	.36	.52	.79	1.04	1.28	1.55	1.85	2.22	2.70	3.47	4.21
Jul	2.12	1.80	4.97	1954	30	6.90	1989	.83	1979	19.8	6.3	.5	.1	.67	.87	1.17	1.43	1.67	1.93	2.21	2.54	2.97	3.63	4.24
Aug	1.91	1.77	5.31	1959	6	5.69	1998	.46	2000	17.1	5.6	.7	.2	.59	.77	1.04	1.27	1.50	1.73	1.98	2.28	2.67	3.27	3.83
Sep	2.69	1.97	7.15	1980	17	10.87	1980	.45	1975	15.5	5.5	1.0	.3	.60	.85	1.25	1.60	1.96	2.33	2.75	3.26	3.93	4.98	5.98
Oct	4.25	3.68	7.85	1966	10	18.04	1982	.98	1998	17.8	7.4	2.0	.7	.78	1.16	1.78	2.36	2.95	3.59	4.31	5.18	6.34	8.21	9.98
Nov	4.70	3.21	9.75	1995	3	16.15	1995	1.18	1994	17.7	7.5	2.2	1.1	.69	1.09	1.76	2.42	3.09	3.84	4.70	5.75	7.16	9.46	11.67
Dec	4.78 3.90 11.24 1968 1 22.20 1992 .51								1985	17.1	7.3	2.2	1.0	.56	.93	1.60	2.27	2.98	3.77	4.69	5.84	7.40	9.96	12.46
Ann	39.57	39.24	11.24	Dec 1968	1	22.20	Dec 1992	.00	Feb 1983	197.5	74.8	16.9	7.5	20.82	24.04	28.39	31.84	35.00	38.14	41.47	45.23	49.92	56.92	63.16

<sup>+</sup> Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

<sup>#</sup> Denotes amounts of a trace

<sup>@</sup> Denotes mean number of days greater than 0 but less than .05

<sup>\*\*</sup> Statistics not computed because less than six years out of thirty had measurable precipitation

<sup>(1)</sup> From the 1971-2000 Monthly Normals

<sup>(2)</sup> Derived from station's available digital record: 1950-2001

<sup>(3)</sup> Derived from 1971-2000 daily data

## Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 515580** 

Station: LIHUE AP 1020.1, HI

Climate Division: HI 1 NWS Call Sign: LIH Elevation: 103 Feet Lat: 21°59N Lon: 159°20W

			Snow   Snow   Depth   Mean   Median   Median   Snow   Fall   Pear   Day   Snow   Fall   Pear   Day   Snow   Depth   Mean   Mean   Mean   Mean   Snow   Depth   Mean   Mean																				
		Snow Fall   Snow Depth Median   Snow Depth Median   Snow Fall   Snow Fall   Snow Fall   Snow Depth Median   Snow Fall   Snow Fall   Snow Depth Median   Snow Fall   Snow Fall   Snow Depth Median   Snow Depth   Sn															Mea	n Nu	mber	of Day	<b>ys</b> (1)		
	Mean	s/Medi	ans (1)	)					Extre	mes (2)							ow Fa					Depth esholo	
Month	Snow Fall Mean	Fall	Depth	Depth	Daily Snow	Year	Day	Monthly Snow	Year	Daily Snow	Year	Day	Monthly Mean Snow	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Feb	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Mar	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Apr	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
May	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Nov	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Dec	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Ann	.0	.0	N/A	N/A	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0

<sup>+</sup> Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

<sup>@</sup> Denotes mean number of days greater than 0 but less than .05

<sup>-9/-9.9</sup> represents missing values Annual statistics for Mean/Median snow depths are not appropriate

<sup>(1)</sup> Derived from Snow Climatology and 1971-2000 daily data

<sup>(2)</sup> Derived from 1971-2000 daily data

# Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 515580** 

Station: LIHUE AP 1020.1, HI

Climate Division: HI 1 NWS Call Sign: LIH Elevation: 103 Feet Lat: 21°59N Lon: 159°20W

				Freez	e Data				
			Spri	ng Freeze D	ates (Month/	Day)			
Temp (F)		P	robability of	later date i	n spring (thr	u Jul 31) tha	n indicated(	(*)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00
32	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00
28	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00
24	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00
20	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00
16	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00
•		•	Fal	l Freeze Da	tes (Month/D	ay)		•	•
To (E)		Pro	bability of ea	arlier date i	n fall (beginn	ing Aug 1) t	han indicate	d(*)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00
32	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00
28	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00
24	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00
20	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00
16	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00
•		•	•	Freeze F	ree Period	•		•	•
Tomp (F)			Probability	of longer th	an indicated	freeze free p	eriod (Days)	)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	>365	>365	>365	>365	>365	>365	>365	>365	>365
32	>365	>365	>365	>365	>365	>365	>365	>365	>365
28	>365	>365	>365	>365	>365	>365	>365	>365	>365
24	>365	>365	>365	>365	>365	>365	>365	>365	>365
20	>365	>365	>365	>365	>365	>365	>365	>365	>365
16	>365	>365	>365	>365	>365	>365	>365	>365	>365

<sup>\*</sup> Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

**0/00** Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Derived from 1971-2000 serially complete daily data

Complete documentation available from:

# Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 515580** 

Station: LIHUE AP 1020.1, HI

Climate Division: HI 1 NWS Call Sign: LIH Elevation: 103 Feet Lat: 21°59N Lon: 159°20W

				Deg	ree Days t	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree l	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	0	0	0	0	0	0	0	0	0	0	0	0	0
60	0	0	0	0	0	0	0	0	0	0	0	0	0
57	0	0	0	0	0	0	0	0	0	0	0	0	0
55	0	0	0	0	0	0	0	0	0	0	0	0	0
50	0	0	0	0	0	0	0	0	0	0	0	0	0
32	0	0	0	0	0	0	0	0	0	0	0	0	0

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	1230	1112	1262	1256	1346	1372	1456	1478	1425	1431	1317	1280	15965
55	517	468	549	566	633	682	743	765	735	718	627	567	7570
57	455	412	487	506	571	622	681	703	675	656	567	505	6840
60	362	328	394	416	478	532	588	610	585	563	477	412	5745
65	207	188	239	266	323	382	433	455	435	408	327	257	3920
70	74	64	90	119	170	232	278	300	285	253	178	110	2153

										Gro	wing l	Degre	e Uni	ts (2)										
Base					Growing	g Degree	Units (M	(Ionthly)					Growing Degree Units (Accumulated Monthly)											
	Jan         Feb         Mar         Apr         May         Jun         Jul         Aug         Sep         Oct         Nov         Dec           0         992         933         1030         1035         1112         1140         1216         1239         1193         1188         1081         104														Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	992 933 1030 1035 1112 1140 1216 1239 1193 1188 1081													1925	2955	3990	5102	6242	7458	8697	9890	11078	12159	13199
45													837	1625	2500	3385	4342	5332	6393	7477	8520	9553	10484	11369
50	682	643	720	735	802	840	906	929	893	878	781	730	682	1325	2045	2780	3582	4422	5328	6257	7150	8028	8809	9539
55	527	498	565	585	647	690	751	774	743	723	631	575	527	1025	1590	2175	2822	3512	4263	5037	5780	6503	7134	7709
60	372	353	410	435	492	540	596	619	593	568	481	420	372	725	1135	1570	2062	2602	3198	3817	4410	4978	5459	5879
Base	Base Growing Degree Units for Corn (Monthly)														Gr	owing D	egree Un	its for C	orn (Acc	umulate	d Month	ly)		
50/86														1325	2045	2780	3582	4421	5327	6256	7147	8025	8806	9536

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

#### Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
- c. Only observed validated values were used to select the extreme daily values.
- d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean 'number of days statistics' for temperature were calculated from a serially complete daily data set. A serial dataset was not available for precipitation,

To ensure that a station's data was adequate to estimate these statistics, the following criteria were used:

- 1. A station must have 80% of its data for the 1971-2000 time period.
- 2. Only months with at least 21 days are used.
- 3. There must be a least 21 months (meeting criteria 2.) in the sample.
- g. Snowfall and snow depth statistics were derived daily values quality controlled to be consistent with the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

### Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these differences are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data. Other inconsistencies may appear from comparing statistically modeled values such as degree days to observed temperatures.

- a. Temperature/ Precipitation Tables
  - 1. 1971-2000 Monthly Normals
  - 2. Cooperative Summary of the Day
  - 3. National Weather Service station records
  - 4. 1971-2000 serially complete daily data

- c. Snow Tables
  - 1. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
  - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
  - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

#### References

- U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html
- U.S. Climate Normals 1971-2000-Products Clim20, <a href="www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html">www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html</a> Snow Climatology Project Description, <a href="www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html">www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html</a>