

Climatology of the United States

No. 20

1971-2000

Station: KNOXVILLE, IA

COOP ID: 134502

Climate Division: IA 8

NWS Call Sign:

Elevation: 920 Feet

Lat: 41° 20N

Lon: 93° 07W

Temperature (°F)

Mean (1)				Extremes										Degree Days (1) Base Temp 65		Mean Number of Days (3)					
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	29.3	10.7	20.0	70	1989	31	32.6	1990	-24+	1966	29	5.7	1979	1395	0	.0	.0	2.0	16.0	29.4	7.2
Feb	35.7	16.4	26.1	73	1972	29	36.8	2000	-29	1996	3	12.2	1979	1091	0	.0	.0	5.5	11.1	24.5	3.2
Mar	48.0	27.1	37.6	89	1986	29	45.4	2000	-19	1960	5	28.9	1984	850	0	.0	.0	14.7	3.2	19.1	.3
Apr	60.9	38.2	49.6	92	1980	22	55.9	1981	9	1975	3	42.9	1983	468	4	.0	.1	25.7	.2	6.1	.0
May	71.9	50.5	61.2	97	1953	30	67.3	1977	28	1966	10	56.4	1997	178	61	.0	.4	30.9	.0	.2	.0
Jun	81.1	59.8	70.5	103	1956	19	75.8	1971	40	1969	3	65.5	1982	19	183	.2	4.4	30.0	.0	.0	.0
Jul	85.5	64.9	75.2	107+	1955	30	79.3	1977	45	1971	30	71.6	1992	1	316	.8	10.9	31.0	.0	.0	.0
Aug	83.4	62.5	73.0	105+	1983	16	81.2	1983	41+	1950	20	67.5	1992	18	263	.7	7.4	31.0	.0	.0	.0
Sep	75.9	53.2	64.6	101	1984	1	71.3	1998	29	1984	29	59.2	1993	100	87	@	2.7	30.0	.0	.2	.0
Oct	64.0	41.8	52.9	94	1963	5	59.7	1971	17+	1972	19	46.2	1988	383	9	.0	.1	28.6	.0	4.4	.0
Nov	47.1	28.7	37.9	80	1950	1	45.8	1999	-5+	1959	17	31.2	1991	814	0	.0	.0	13.6	3.0	17.9	.2
Dec	33.6	16.6	25.1	70+	1984	28	32.0	1998	-24	1989	23	9.9	1983	1237	0	.0	.0	3.3	11.9	28.4	3.9
Ann	59.7	39.2	49.5	107+	Jul 1955	30	81.2	Aug 1983	-29	Feb 1996	3	5.7	Jan 1979	6554	923	1.7	26.0	246.3	45.4	130.2	14.8

+ Also occurred on an earlier date(s)

@ Denotes mean number of days greater than 0 but less than .05

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normal/usnormals.html

Issue Date: February 2004

(1) From the 1971-2000 Monthly Normals

(2) Derived from station's available digital record: 1948-2001

(3) Derived from 1971-2000 serially complete daily data

065-A

Climatography of the United States

No. 20 1971-2000

National Climatic Data Center
Federal Building
151 Patton Avenue
Asheville, North Carolina 28801
www.ncdc.noaa.gov

Station: KNOXVILLE, IA

COOP ID: 134502

Climate Division: IA 8

NWS Call Sign:

Elevation: 920 Feet Lat: 41°20N

Lon: 93°07W

Precipitation (inches)																								
	Precipitation Totals									Mean Number of Days (3)				Precipitation Probabilities (1) Probability that the monthly/annual precipitation will be equal to or less than the indicated amount										
	Means/ Medians(1)		Extremes							Daily Precipitation				Monthly/Annual Precipitation vs Probability Levels These values were determined from the incomplete gamma distribution										
Month	Mean	Med-ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	.84	.68	2.41	1960	12	2.19	1982	.00+	1986	4.8	2.5	.3	.1	.00	.13	.30	.43	.57	.71	.87	1.06	1.31	1.72	2.11
Feb	1.18	1.09	1.42	1981	22	2.68	1981	.28	1991	5.8	3.1	.6	.2	.29	.40	.57	.73	.88	1.04	1.22	1.43	1.71	2.15	2.56
Mar	2.00	1.83	1.82	1990	11	5.46	1991	.00	1994	7.0	4.7	1.2	.5	.12	.31	.62	.91	1.23	1.57	1.97	2.47	3.15	4.25	5.33
Apr	3.87	3.37	3.95	1976	24	10.49	1991	.50	1988	9.1	6.7	2.5	1.0	.72	1.07	1.63	2.16	2.70	3.27	3.93	4.72	5.77	7.47	9.08
May	4.46	4.22	3.07	1997	8	10.66	1996	.57	1980	10.8	8.1	3.2	1.1	1.00	1.41	2.07	2.65	3.24	3.87	4.58	5.42	6.53	8.29	9.95
Jun	4.36	4.05	4.37	1990	17	8.58	2000	.30	1992	9.9	7.1	2.9	1.3	1.07	1.47	2.11	2.68	3.24	3.83	4.49	5.28	6.31	7.94	9.47
Jul	4.39	3.88	4.39	1958	2	13.32	1993	.56	1975	8.3	6.2	3.2	1.3	.58	.93	1.56	2.17	2.81	3.52	4.35	5.37	6.75	9.00	11.18
Aug	4.20	3.55	3.55	1954	26	10.67	1975	.63	1984	8.0	5.9	2.8	1.5	1.10	1.50	2.11	2.64	3.17	3.73	4.34	5.07	6.03	7.53	8.94
Sep	3.64	2.97	3.55	1972	10	9.21	1986	.80	1990	7.7	5.5	2.5	1.2	.90	1.24	1.77	2.24	2.71	3.20	3.75	4.40	5.25	6.59	7.86
Oct	2.74	2.62	2.74	1997	13	6.21	1977	.00	1999	7.0	5.1	1.9	.6	.20	.49	.93	1.34	1.76	2.21	2.74	3.39	4.26	5.67	7.03
Nov	2.28	2.00	6.08	1952	17	8.71	1983	.09	1989	7.2	4.6	1.5	.4	.30	.48	.80	1.12	1.46	1.83	2.26	2.78	3.50	4.67	5.81
Dec	1.13	1.07	1.52	1965	24	3.51	1982	.00	1997	5.6	2.9	.6	.2	.04	.13	.29	.45	.63	.83	1.08	1.39	1.81	2.52	3.22
Ann	35.09	33.57	6.08	Nov 1952	17	13.32	Jul 1993	.00+	Oct 1999	91.2	62.4	23.2	9.4	24.07	26.17	28.89	30.96	32.81	34.61	36.47	38.53	41.03	44.69	47.86

+ Also occurred on an earlier date(s)

Denotes amounts of a trace

@ Denotes mean number of days greater than 0 but less than .05

** Statistics not computed because less than six years out of thirty had measurable precipitation

(1) From the 1971-2000 Monthly Normals

(2) Derived from station's available digital record: 1948-2001

(3) Derived from 1971-2000 serially complete daily data

Complete documentation available from:
www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Climatography of the United States

No. 20 1971-2000

National Climatic Data Center
Federal Building
151 Patton Avenue
Asheville, North Carolina 28801
www.ncdc.noaa.gov

Station: KNOXVILLE, IA

COOP ID: 134502

Climate Division: IA 8

NWS Call Sign:

Elevation: 920 Feet

Lat: 41°20N

Lon: 93°07W

Snow (inches)																							
Snow Totals															Mean Number of Days (1)								
Means/Medians (1)					Extremes (2)										Snow Fall >= Thresholds					Snow Depth >= Thresholds			
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	6.1	6.0	3	2	12.0	1996	27	18.1	1996	17	1979	31	11	1979	3.1	2.6	.7	.1	@	-9.9	-9.9	-9.9	-9.9
Feb	6.8	4.5	3	1	13.0	1983	2	17.5	1978	19	1979	10	13	1979	2.3	2.1	.8	.2	.1	11.1	6.5	4.0	2.0
Mar	1.9	1.0	1	#	6.0	1983	26	11.0	1983	15	1998	12	6	1998	1.0	.8	.3	@	.0	2.4	1.2	.8	.2
Apr	1.2	.0	#	0	12.0	1973	9	15.0	1973	6+	1997	11	#+	1997	.2	.2	.2	.1	@	.2	.2	@	.0
May	.0	.0	0	0	1.0	1994	1	1.0	1994	0	0	0	0	0	@	@	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	#	.0	#	0	#	1987	21	#	1987	3	1980	28	#	1980	.0	.0	.0	.0	.0	.0	.0	.0	.0
Nov	2.5	.0	#	0	7.0	1992	26	9.5	1974	6	1974	30	1	1995	.7	.5	.4	.1	.0	1.0	.5	.1	.0
Dec	6.5	4.0	1	#	10.0	1985	1	25.0	1985	10	1985	1	10	1985	1.8	1.4	.6	.2	.1	5.1	2.0	1.0	.0
Ann	25.0	15.5	N/A	N/A	13.0	Feb 1983	2	25.0	Dec 1985	19	Feb 1979	10	13	Feb 1979	9.1	7.6	3.0	.7	.2	-9.9	-9.9	-9.9	-9.9

+ Also occurred on an earlier date(s) #Denotes trace amounts

@ Denotes mean number of days greater than 0 but less than .05

-9/-9.9 represents missing values

Annual statistics for Mean/Median snow depths are not appropriate

(1) Derived from Snow Climatology and 1971-2000 daily data

(2) Derived from 1971-2000 daily data

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normal/usnormals.html

**Climatography
of the United States
No. 20
1971-2000**

Station: KNOXVILLE, IA

COOP ID: 134502

Climate Division: IA 8

NWS Call Sign:

Elevation: 920 Feet

Lat: 41°20N

Lon: 93°07W

Freeze Data									
Spring Freeze Dates (Month/Day)									
Temp (F)	Probability of later date in spring (thru Jul 31) than indicated(*)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	5/10	5/06	5/03	5/01	4/28	4/26	4/24	4/21	4/17
32	5/05	4/29	4/26	4/22	4/19	4/16	4/13	4/09	4/04
28	4/18	4/15	4/12	4/10	4/08	4/05	4/03	3/31	3/28
24	4/12	4/08	4/04	4/02	3/30	3/27	3/24	3/21	3/17
20	4/08	4/02	3/29	3/25	3/22	3/19	3/15	3/11	3/05
16	3/30	3/23	3/19	3/15	3/11	3/08	3/04	2/27	2/21
Fall Freeze Dates (Month/Day)									
Temp (F)	Probability of earlier date in fall (beginning Aug 1) than indicated(*)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	9/20	9/25	9/28	10/01	10/03	10/06	10/09	10/12	10/16
32	9/26	10/02	10/05	10/09	10/12	10/15	10/18	10/22	10/27
28	10/09	10/15	10/18	10/22	10/25	10/28	10/31	11/04	11/09
24	10/19	10/25	10/29	11/01	11/05	11/08	11/11	11/16	11/21
20	10/27	11/01	11/06	11/09	11/13	11/16	11/20	11/24	11/30
16	11/07	11/13	11/17	11/20	11/24	11/27	11/30	12/04	12/10
Freeze Free Period									
Temp (F)	Probability of longer than indicated freeze free period (Days)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	171	166	163	160	157	154	151	148	143
32	193	187	182	178	175	171	167	163	157
28	217	211	207	203	199	196	192	188	181
24	240	233	228	223	219	215	210	205	198
20	262	253	246	240	235	229	224	217	207
16	283	274	267	262	257	251	246	239	231

* Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Derived from 1971-2000 serially complete daily data

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normal/usnormals.html

**Climatography
of the United States
No. 20
1971-2000**

Station: KNOXVILLE, IA

COOP ID: 134502

Climate Division: IA 8

NWS Call Sign:

Elevation: 920 Feet

Lat: 41°20N

Lon: 93°07W

Degree Days to Selected Base Temperatures (°F)													
Base	Heating Degree Days (1)												
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	1395	1091	850	468	178	19	1	18	100	383	814	1237	6554
60	1240	951	695	331	94	3	0	4	39	252	664	1082	5355
57	1147	870	609	257	59	1	0	0	19	186	576	989	4713
55	1085	818	551	213	41	0	0	0	10	147	519	927	4311
50	933	688	411	121	13	0	0	0	2	74	384	782	3408
32	441	292	86	3	0	0	0	0	0	1	70	320	1213

Base	Cooling Degree Days (1)												
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	69	126	259	529	906	1154	1338	1268	977	649	246	105	7626
55	0	8	11	49	233	464	625	555	298	83	6	0	2332
57	0	4	8	33	189	404	563	494	246	59	3	0	2003
60	0	0	0	18	132	317	470	404	176	33	0	0	1550
65	0	0	0	4	61	183	316	263	87	9	0	0	923
70	0	0	0	0	21	80	176	148	33	1	0	0	459

Growing Degree Units (2)																								
Base	Growing Degree Units (Monthly)												Growing Degree Units (Accumulated Monthly)											
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	7	33	135	378	713	966	1132	1064	783	450	119	14	7	40	175	553	1266	2232	3364	4428	5211	5661	5780	5794
45	0	12	75	256	558	816	977	909	634	311	63	5	0	12	87	343	901	1717	2694	3603	4237	4548	4611	4616
50	0	1	40	153	408	666	822	754	488	193	24	1	0	1	41	194	602	1268	2090	2844	3332	3525	3549	3550
55	0	0	16	81	269	516	667	599	346	104	6	0	0	0	16	97	366	882	1549	2148	2494	2598	2604	2604
60	0	0	4	37	155	369	513	444	223	48	1	0	0	0	4	41	196	565	1078	1522	1745	1793	1794	1794
Base	Growing Degree Units for Corn (Monthly)												Growing Degree Units for Corn (Accumulated Monthly)											
50/86	1	23	90	226	433	646	774	720	502	266	68	8	1	24	114	340	773	1419	2193	2913	3415	3681	3749	3757

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
- c. Only observed validated values were used to select the extreme daily values.
- d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.
Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.
- e. Degree Days were derived using the same techniques as the 1971-2000 normals.
Complete documentation for the 1971-2000 Normals is available on the internet from:
www.ncdc.noaa.gov/oa/climate/normal/usnormals.html
- f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set.
Documentation of the serially complete data set is available from the link below:
- g. Snowfall and snow depth statistics were derived from the Snow Climatology.
Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- | | |
|---|---|
| <ol style="list-style-type: none">a. Temperature/ Precipitation Tables<ol style="list-style-type: none">1. 1971-2000 Monthly Normals2. Cooperative Summary of the Day3. National Weather Service station records4. 1971-2000 serially complete daily datab. Degree Day Table<ol style="list-style-type: none">1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data | <ol style="list-style-type: none">c. Snow Tables<ol style="list-style-type: none">1. Snow Climatology2. Cooperative Summary of the Dayd. Freeze Data Table
1971-2000 serially complete daily data |
|---|---|

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normal.html
U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normal/usnormalsprods.html
Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html
Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,
www1.ncdc.noaa.gov/pub/data/special/serialcomplete_jam_0900.pdf