Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 283181

Station: FREEHOLD MARLBORO, NJ

Climate Division: NJ 2 NWS Call Sign: Elevation: 194 Feet Lat: 40°19N Lon: 74°15W

									ŗ	Гетре	eratur	re (°F)									
	Mea	n (1)						Extr	emes					Degree Base To	-		Mean	Numb	er of I	Days (3)	
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	39.3	20.8	30.1	73	1950	26	39.3	1998	-14	1935	28	18.9	1977	1083	0	.0	.0	4.8	7.7	26.2	.8
Feb	41.5	22.8	32.2	76	1954	16	38.8	1984	-20	1934	9	20.7	1979	919	0	.0	.0	5.5	6.7	23.7	.4
Mar	50.6	30.7	40.7	87	1945	17	46.3	2000	-2	1967	19	34.1	1984	756	0	.0	.0	15.7	.9	18.9	.0
Apr	61.3	40.1	50.7	92	1941	20	54.2	1994	17	1982	7	46.2	1975	428	0	.0	.2	25.7	@	8.1	.0
May	71.7	49.8	60.8	96	1941	22	66.5	1991	29+	1947	10	57.2	1997	164	32	.0	1.0	30.9	.0	.1	.0
Jun	80.0	59.1	69.6	100	1934	29	73.0	1994	35	1938	1	65.9	1982	19	156	.0	3.6	30.0	.0	.0	.0
Jul	84.9	64.4	74.7	106	1936	9	79.8	1999	46+	1945	12	71.8	1976	0	299	.3	7.0	31.0	.0	.0	.0
Aug	83.0	62.4	72.7	102	1955	2	76.1	1988	41	1976	31	69.6	1992	1	239	.0	4.6	31.0	.0	.0	.0
Sep	76.2	54.6	65.4	99	1953	2	68.3	1998	32+	1947	27	61.4	1975	56	67	.0	1.1	30.0	.0	.0	.0
Oct	65.5	43.0	54.3	94	1941	5	59.6	1971	20	1969	24	49.2	1976	343	8	.0	.0	30.4	.0	2.9	.0
Nov	55.1	35.0	45.1	83+	1950	1	49.4	1999	7	1938	26	39.2	1976	599	0	.0	.0	20.7	.1	11.7	.0
Dec	44.2	26.5	35.4	76	1998	8	41.7	1998	-5+	1933	30	23.1	1989	919	0	.0	.0	8.5	3.9	22.7	.1
Ann	62.8	42.4	52.6	106	Jul 1936	9	79.8	Jul 1999	-20	Feb 1934	9	18.9	Jan 1977	5287	801	.3	17.5	264.2	19.3	114.3	1.3

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 010-A

[@] Denotes mean number of days greater than 0 but less than .05

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1931-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: FREEHOLD MARLBORO, NJ COOP ID: 283181

Climate Division: NJ 2 NWS Call Sign: Elevation: 194 Feet Lat: 40°19N Lon: 74°15W

										Pı	recipi	tation	(incl	nes)										
		ans/	P	recipi	tatio	on Total					ean N of D	ays (3)	Proba	ability th	M	nonthly/	indic	precipita ated am	ation wi nount vs Proba	ll be equ	els		ın the
	Medi	ans(1)											<u>.</u>		Th	ese value	s were de	termined	from the i	incomplet	e gamma	distributi	ion	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	3.96	3.52	2.84	1999	4	8.94	1979	.46	1981	10.1	6.9	2.6	.7	1.18	1.55	2.12	2.60	3.07	3.57	4.11	4.75	5.57	6.86	8.06
Feb	3.08	2.91	2.40	1966	13	5.82	1972	.80	2000	9.4	6.1	2.1	.8	1.22	1.51	1.91	2.25	2.56	2.88	3.23	3.63	4.13	4.91	5.62
Mar	4.22									9.9	6.8	3.0	1.1	1.60	1.99	2.55	3.02	3.47	3.92	4.42	4.99	5.72	6.84	7.86
Apr	3.80	3.80 3.44 2.55 1971 7 8.39 1983 1.25								11.5	6.8	2.8	.9	1.50	1.85	2.35	2.77	3.16	3.55	3.98	4.48	5.11	6.07	6.95
May	3.87	3.56	4.54	1968	29	11.13	1984	1.02	1986	12.8	7.6	2.4	.9	1.23	1.60	2.14	2.61	3.06	3.52	4.03	4.63	5.40	6.59	7.70
Jun	3.61	3.08	4.30	1938	27	8.15	1975	1.07	1986	12.0	7.0	2.3	.9	1.08	1.42	1.93	2.38	2.81	3.26	3.75	4.33	5.08	6.26	7.35
Jul	4.26	4.13	5.15	1961	29	8.20	1984	1.17	1983	10.1	7.2	2.9	1.4	1.56	1.96	2.53	3.02	3.48	3.95	4.46	5.05	5.81	6.98	8.06
Aug	4.48	4.36	7.18	1971	28	11.43	1971	.97	1973	9.5	6.4	2.6	1.0	1.32	1.75	2.38	2.94	3.48	4.04	4.65	5.38	6.32	7.79	9.16
Sep	3.95	3.40	5.68	1938	21	10.35	1971	1.25	1976	9.1	5.8	2.8	1.1	1.09	1.46	2.03	2.53	3.02	3.53	4.09	4.76	5.63	6.99	8.26
Oct	3.65	3.67	4.18	1973	30	8.65	1995	.56	2000	8.7	5.7	2.1	1.1	.96	1.31	1.84	2.30	2.76	3.24	3.77	4.40	5.22	6.52	7.73
Nov	4.04	4.04 3.34 5.51 1977 8 10.53 1977 .44							1976	9.7	6.0	2.5	1.0	.97	1.35	1.94	2.47	2.99	3.54	4.16	4.89	5.85	7.38	8.81
Dec	3.85 3.56 2.68 1946 21 9.15 1983 .45 1							1989	10.5	6.5	2.5	.9	.82	1.17	1.74	2.25	2.76	3.31	3.93	4.67	5.65	7.21	8.69	
Ann	46.77	46.77 46.21 7.18 Aug 1971 28 11.43 Aug 1971 .44								123.3	78.8	30.6	11.8	34.90	37.24	40.21	42.46	44.44	46.35	48.31	50.47	53.07	56.83	60.07

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1931-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 283181

Station: FREEHOLD MARLBORO, NJ

Climate Division: NJ 2 NWS Call Sign: Elevation: 194 Feet Lat: 40°19N Lon: 74°15W

										Snov	v (incl	hes)											
						Sno	ow To	tals									Mea	n Nu	mber	of Day	ys (1)		
	Mean	s/Medi	ans (1)	1					Extre	mes (2)							ow Fa				Snow Depth = Thresholds		
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	6.9	6.1	1	#	6.5	1977	15	16.3	1977	9+	1982	15	6	1977	3.1	2.0	.4	.2	.0	-9.9	-9.9	-9.9	-9.9
Feb	5.4	1.8	2	1	16.0	1987	23	23.5	1987	16	1987	23	9	1978	2.2	1.5	.6	.3	.1	-9.9	-9.9	-9.9	-9.9
Mar	3.8	2.0	#	#	7.0	1978	4	14.5	1984	14	1978	4	5	1978	1.3	1.1	.5	.3	.0	1.2	.5	.2	.0
Apr	.3	.0	#	0	2.5	1971	7	2.5	1971	3	1971	7	#+	2000	.1	.1	.0	.0	.0	.1	.1	.0	.0
May	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	#	.0	0	0	#	1979	11	#	1979	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Nov	.0	.0	#	0	.5	1977	28	.5	1977	#+	1977	28	#+	1977	.1	.0	.0	.0	.0	.0	.0	.0	.0
Dec	2.0	1.0	#	#	8.0	2000	30	8.0	2000	12	2000	31	1+	2000	1.5	.9	.3	.1	.0	2.0	1.1	.5	.0
Ann	18.4	10.9	N/A	N/A	16.0	Feb 1987	23	23.5	Feb 1987	16	Feb 1987	23	9	Feb 1978	8.3	5.6	1.8	.9	.1	-9.9	-9.9	-9.9	-9.9

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

- (1) Derived from Snow Climatology and 1971-2000 daily data
- (2) Derived from 1971-2000 daily data

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

Climatography
of the United States
No. 20
1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 283181

Station: FREEHOLD MARLBORO, NJ

Climate Division: NJ 2 NWS Call Sign: Elevation: 194 Feet Lat: 40°19N Lon: 74°15W

				Freez	e Data				
			Spri	ng Freeze D	ates (Month/	(Day)			
Temp (F)		P	robability of	later date i	n spring (thr	u Jul 31) tha	n indicated	(*)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	5/15	5/12	5/09	5/07	5/05	5/03	5/01	4/29	4/25
32	5/03	4/29	4/26	4/24	4/22	4/20	4/18	4/15	4/12
28	4/29	4/24	4/20	4/17	4/14	4/11	4/08	4/04	3/30
24	4/18	4/12	4/08	4/04	4/01	3/28	3/25	3/21	3/15
20	4/05	3/30	3/25	3/22	3/18	3/14	3/10	3/06	2/27
16	3/25	3/18	3/13	3/09	3/05	3/01	2/25	2/20	2/14
			Fal	ll Freeze Da	tes (Month/D	ay)			
Temp (F)		Pro	bability of ea	arlier date ii	n fall (beginn	ing Aug 1) t	han indicate	ed(*)	
remp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	9/23	9/29	10/03	10/06	10/09	10/13	10/16	10/20	10/26
32	10/07	10/12	10/16	10/19	10/22	10/25	10/28	11/01	11/06
28	10/19	10/24	10/28	10/31	11/03	11/06	11/09	11/13	11/18
24	11/05	11/10	11/14	11/18	11/21	11/24	11/27	12/01	12/07
20	11/15	11/21	11/26	11/30	12/04	12/07	12/11	12/16	12/22
16	11/28	12/06	12/11	12/16	12/21	12/25	12/30	1/05	1/13
		•		Freeze F	ree Period	•		1	•
Tomp (F)			Probability	of longer th	an indicated	freeze free p	eriod (Days))	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	175	169	164	160	156	153	149	144	138
32	200	194	189	186	182	179	175	170	164
28	220	214	210	206	203	199	195	191	185
24	259	250	244	238	233	228	223	217	208
20	285	276	270	265	260	255	250	243	235
16	313	305	299	294	290	285	280	274	266

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Complete documentation available from:

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 283181

Station: FREEHOLD MARLBORO, NJ

Climate Division: NJ 2 NWS Call Sign: Elevation: 194 Feet Lat: 40°19N Lon: 74°15W

				Deg	ree Days t	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree l	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	1083	919	756	428	164	19	0	1	56	343	599	919	5287
60	928	779	601	282	71	3	0	0	14	213	449	764	4104
57	835	695	508	201	36	0	0	0	5	149	361	671	3461
55	773	639	447	153	21	0	0	0	2	114	305	611	3065
50	628	506	304	61	3	0	0	0	0	49	180	468	2199
32	197	126	22	0	0	0	0	0	0	0	3	99	447

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	137	131	289	562	891	1127	1322	1261	1002	689	395	203	8009
55	0	0	1	24	199	437	609	548	314	89	7	2	2230
57	0	0	0	12	152	377	547	486	256	63	3	0	1896
60	0	0	0	3	94	289	454	393	176	34	0	0	1443
65	0	0	0	0	32	156	299	239	67	8	0	0	801
70	0	0	0	0	6	60	156	106	12	1	0	0	341

										Gro	wing	Degre	e Uni	ts (2)										
Base					Growing	g Degree	Units (M	(Ionthly)					Growing Degree Units (Accumulated Monthly)											
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov De												Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	31	33	125	280	655	894	1080	1033	775	462	209	57	31	64	189	469	1124	2018	3098	4131	4906	5368	5577	5634
45	9	12	63	162	501	744	925	878	625	317	117	25	9	21	84	246	747	1491	2416	3294	3919	4236	4353	4378
50	0	1	28	83	349	594	770	723	475	187	58	6	0	1	29	112	461	1055	1825	2548	3023	3210	3268	3274
55	0	0	8	35	211	444	615	568	331	94	22	1	0	0	8	43	254	698	1313	1881	2212	2306	2328	2329
60	0	0	3	16	110	300	460	413	202	38	4	0	0	0	3	19	129	429	889	1302	1504	1542	1546	1546
Base	se Growing Degree Units for Corn (Monthly)													Gr	owing D	egree Ur	its for C	orn (Acc	umulate	d Month	ly)			
50/86	0/86 19 22 82 165 387 588 741 704 497 269 112 3											32	19	41	123	288	675	1263	2004	2708	3205	3474	3586	3618

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf