CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Station Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971 - 2000



22 MISSISSIPPI

NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL ENVIRONMENTAL SATELLITE, DATA, AND INFORMATION SERVICE
NATIONAL CLIMATIC DATA CENTER
ASHEVILLE, NC



(This Page Intentionally Left Blank)



MISSISSIPPI

NOTES

Product Description:
This Climatography includes 1971-2000 normals of monthly and annual maximum, minimum, and mean temperature (degrees F), monthly and annual total precipitation (inches), and heating and cooling degree days (base 65 degrees F). Normals stations include both National Weather Service Cooperative Network and Principal Observation (First-Order) locations in the 50 states, Puerto Rico, the Virgin Islands, and Pacific Islands.

Abbreviations:

No. = Station Number in State Map
COOP ID = Cooperative Network ID (1:2=State ID, 3:6=Station Index)
WBAN ID = Weather Bureau Army Navy ID, if assigned
Elements = Input Elements (X=Maximum Temperature, N=Minimum Temperature, P=Precipitation)
Call = 3-Letter Station Call Sign, if assigned
MAX = Normal Maximum Temperature (degrees Fahrenheit)
MEAN = Average of MAX and MIN (degrees Fahrenheit)
MIN = Normal Minimum Temperature (degrees Fahrenheit)
HDD = Total Heating Degree Days (base 65 degrees Fahrenheit)
CDD = Total Cooling Degree Days (base 65 degrees Fahrenheit)
Latitude = Latitude in degrees, minutes, and hemisphere (N=North, S=South)
Longitude = Longitude in degrees, minutes, and hemisphere (W=West, E=East)
Elev = Elevation in feet above mean sea level
Flag 1 = * if a published *Local Climatological Data* station
Flag 2 = + if WMO Fully Qualified (see *Note* below)

HIGHEST MEAN/YEAR = Maximum Mean Monthly Value/Year, 1971-2000
MEDIAN = Median Mean Monthly Value/Year, 1971-2000
LOWEST MEAN/YEAR = Minimum Mean Monthly Value/Year, 1971-2000
MAX OBS TIME ADJUSTMENT = Add to MAX to Get Midnight Obs. Schedule
MIN OBS TIME ADJUSTMENT = Add to MIN to Get Midnight Obs. Schedule

Note: In 1989, the World Meteorological Organization (WMO) prescribed standards of data completeness for the 1961-1990 WMO Standard Normals. For full qualification, no more than three consecutive year-month values can be missing for a given month or no more than five overall values can be missing for a given month (out of 30 values). Stations meeting these standards are indicated with a '+' sign in Flag 2. Otherwise, stations are included in the normals if they have at least 10 year-month values for each month and have been active since January 1999 or were a previous normals station.

Map Legend: Numbers correspond to 'No.' in Station Inventory; Shaded Circles indicate Temperature and Precipitation Stations, Triangles (Point Up) indicate Precipitation-Only Stations, Triangles (Point Down) indicate Temperature-Only Stations, and Hexagons indicate stations with Flag 1 = *.

Computational Procedures:

A climate normal is defined, by convention, as the arithmetic mean of a climatological element computed over three consecutive decades (WMO,1989). Ideally, the data record for such a 30-year period should be free of any inconsistencies in observational practices (*e.g.*, changes in station location, instrumentation, time of observation, *etc*.) and be serially complete (*i.e*., no missing values). When present, inconsistencies can lead to a non-climatic bias in one period of a station's record relative to another, yielding an "inhomogeneous" data record. Adjustments and estimations can make a climate record "homogeneous" and serially complete, and allow a climate normal to be calculated simply as the average of the 30 monthly values.

The methodology employed to generate the 1971-2000 normals is not the same as in previous normals, as it addresses inhomogeneity and missing data value problems using several steps. The technique developed by Karl *et al.* (1986) is used to adjust monthly maximum and minimum temperature observations of conterminous U.S. stations to a consistent midnight-to-midnight schedule. All monthly temperature averages and precipitation totals are cross-checked against archived daily observations to ensure internal consistency. Each monthly observation is evaluated using a modified quality control procedure (Peterson *et al*.,1998), where station observation departures are computed, compared with neighboring stations, and then flagged and estimated where large differences with neighboring values exist. Missing or discarded temperature and precipitation observations are replaced using a weighting function derived from the observed relationship between a candidate's monthly observations and those of up to 20 neighboring stations whose observations are most strongly correlated with the candidate site. For temperature estimates, neighboring stations were selected from the U.S. Historical Climatology Network (USHCN; Karl *et al.* 1990). For precipitation estimates, all available stations were potential neighbors, maximizing station density for estimating the more spatially variable precipitation values.

Peterson and Easterling (1994) and Easterling and Peterson (1995) outline the method for adjusting temperature inhomogeneities. This technique involves comparing the record of the candidate station with a reference series generated from neighboring data. The reference series is reconstructed using a weighted average of first difference observations (the difference from one year to the next) for neighboring stations with the highest correlation with the candidate. The underlying assumption behind this methodology is that temperatures over a region have similar tendencies in variation. If this assumption is violated, the potential discontinuity is evaluated for statistical significance. Where significant discontinuities are detected, the difference in average annual temperatures before and after the inhomogeneity is applied to adjust the mean of the earlier block with the mean of the latter block of data. Such an evaluation requires a minimum of five years between discontinuities. Consequently, if multiple changes occur within five years or if a change occurs very near the end of the normals period (*e.g.,* after 1995), the discontinuity may not be detectable using this methodology.

The monthly normals for maximum and minimum temperature and precipitation are computed simply by averaging the appropriate 30 values from the 1971-2000 record. The monthly average temperature normals are computed by averaging the corresponding monthly maximum and minimum normals. The annual temperature normals are calculated by taking the average of the 12 monthly normals. The annual precipitation and degree day normals are the sum of the 12 monthly normals. Trace precipitation totals are shown as zero. Precipitation totals include rain and the liquid equivalent of frozen and freezing precipitation (*e.g*., snow, sleet, freezing rain, and hail). For many NWS locations, indicated with an '*' next to 'HDD' and 'CDD' in the degree day table, degree day normals are computed directly from daily values for the 1971-2000 period. For all other stations, estimated degree day totals are based on a modification of the rational conversion formula developed by Thom (1966), using daily spline-fit means and standard deviations of average temperature as inputs.

References:

Easterling, D.R, and T.C. Peterson, 1995: A new method for detecting and adjusting for undocumented discontinuities in climatological time series. *Intl. J. Clim*., **15**, 369-377.
Karl, T.R., C.N. Williams, Jr., P.J. Young, and W.M. Wendland,1986: A model to estimate the time of observation bias associated with monthly mean maximum, minimum, and mean temperatures for the United States, *J. Clim. Appl. Met*., **25**, 145-160.
Peterson, T.C., and D.R. Easterling, 1994: Creation of homogeneous composite climatological reference series. *Intl. J. Clim*., **14**, 671-679.
Peterson,T.C., R. Vose, R. Schmoyer, and V. Razuvaev, 1998: Global Historical Climatology Network (GHCN) quality control of monthly temperature data. *Intl. J. Clim*., **18**, 1169-1179.
Thom, H.C.S., 1966: Normal degree days above any base by the universal truncation coefficient, *Month. Wea. Rev*., **94**, 461-465.
World Meteorological Organization, 1989: Calculation of Monthly and Annual 30-Year Standard Normals, WCDP-No. 10, WMO-TD/No. 341, Geneva: World Meteorological Organization.

Release Date: Revised 02/2002* **National Climatic Data Center/NESDIS/NOAA, Asheville, North Carolina**

22 - MISSISSIPPI





MISSISSIPPI

STATION INVENTORY

No.	COOP ID	WBAN ID	Elements	Station Name	Call	Latitude	Longitude	Elev	Flag 1	Flag 2
1	220008		P	ABBEVILLE		34 30 N	89 31 W	440		+
2	220021		XNP	ABERDEEN		33 50 N	88 31 W	198		+
3	220039		P	ACKERMAN		33 18 N	89 10 W	552		+
4	220237		P	ARKABUTLA DAM		34 45 N	90 08 W	240		+
5	220290		P	ASHLAND 2 SW		34 49 N	89 11 W	630		+
6	220378		P	BALDWYN		34 31 N	88 38 W	395		+
7	220488		XNP	BATESVILLE 2 SW		34 18 N	89 59 W	220		+
8	220521	93868	XNP	BAY ST LOUIS NASA		30 22 N	89 35 W	30		
9	220523		XNP	BAY SPRINGS 4 S		31 56 N	89 18 W	480		
10	220656		P	BELMONT 1 NW		34 31 N	88 13 W	535		
11	220660		XNP	BELZONI		33 12 N	90 29 W	110		+
12	220792		XNP	BILOXI		30 23 N	88 59 W	10		
13	220841		P	BLACK HAWK		33 20 N	90 01 W	259		
14	220891		P	BLUFF LAKE		33 17 N	88 48 W	230		+
15	220955		XNP	BOONEVILLE		34 40 N	88 34 W	490		+
16	221094		XNP	BROOKHAVEN CITY		31 33 N	90 27 W	435		+
17	221111		P	BROOKSVILLE EXP STN		33 16 N	88 34 W	292		+
18	221152		P	BRUCE 2 W		34 00 N	89 22 W	270		+
19	221174		P	BUCKATUNNA 1 NE		31 32 N	88 31 W	150		+
20	221262		P	BYHALIA		34 52 N	89 41 W	320		
21	221314		XNP	CALHOUN CITY 2 NW		33 52 N	89 21 W	268		+
22	221389		XNP	CANTON 4 N		32 40 N	90 02 W	250		
23	221460		P	CARROLLTON 5 E		33 32 N	89 50 W	300		
24	221489		XNP	CARTHAGE 3 SW		32 44 N	89 33 W	370		+
25	221578		P	CENTREVILLE		31 06 N	91 04 W	370		+
26	221606		XNP	CHARLESTON 1 N		34 01 N	90 03 W	240		
27	221707		XNP	CLARKSDALE		34 12 N	90 34 W	173		+
28	221738		XNP	CLEVELAND		33 44 N	90 44 W	140		
29	221743		XNP	CLEVELAND 3 N		33 48 N	90 43 W	140		
30	221804		P	COFFEEVILLE		33 59 N	89 40 W	241		+
31	221852		XNP	COLLINS		31 38 N	89 33 W	290		+
32	221860		P	COLLINSVILLE 7 SE		32 25 N	88 46 W	310		+
33	221865		XNP	COLUMBIA		31 15 N	89 50 W	155		+
34	221880		XNP	COLUMBUS LUXAPALLILA		33 31 N	88 24 W	145		
35	221962		XNP	CORINTH CITY		34 55 N	88 31 W	385		+
36	222034		P	CRANDALL 8 N		32 05 N	88 32 W	380		+
37	222046		P	CRAWFORD 5 W		33 17 N	88 42 W	253		+
38	222094		XNP	CRYSTAL SPRINGS EXP STN		31 58 N	90 22 W	487		
39	222160		P	DANCY		33 40 N	89 03 W	290		
40	222385		XNP	D LO 2 SW		31 57 N	89 56 W	335		+
41	222658		P	EDINBURG		32 48 N	89 20 W	377		+
42	222722		P	ELLIOTT 1 SW		33 41 N	89 46 W	290		+
43	222773		P	ENID DAM		34 09 N	89 55 W	300		+
44	222795		P	ENTERPRISE		32 11 N	88 49 W	248		
45	222896		XNP	EUPORA 2 E		33 33 N	89 14 W	440		+
46	223107		XNP	FOREST 3 S		32 19 N	89 29 W	480		+
47	223208		XNP	FULTON 3 W		34 16 N	88 27 W	350		+
48	223340		P	GHOLSON 8 W		32 56 N	88 51 W	500		+
49	223516		P	GOSHEN SPRINGS 3 NW		32 31 N	89 55 W	320		
50	223605		XNP	GREENVILLE		33 23 N	91 01 W	132		+
51	223627	13978	XNP	GREENWOOD LEFLORE AP	GWO	33 30 N	90 05 W	155		+
52	223645		XNP	GRENADA 5 NNE		33 53 N	89 47 W	280		+
53	223671		XNP	GULFPORT NAVAL CENTER		30 23 N	89 08 W	35		+
54	223700		P	GUNTOWN 3 NW		34 29 N	88 42 W	430		
55	223887		XNP	HATTIESBURG 5 SW		31 15 N	89 20 W	385		+
56	223920		XNP	HAZLEHURST 5 SW		31 49 N	90 27 W	600		
57	223975		XNP	HERNANDO 5 S		34 45 N	89 59 W	380		+
58	224001		XNP	HICKORY FLAT		34 37 N	89 11 W	400		+
59	224173		XNP	HOLLY SPRINGS 4 N		34 49 N	89 26 W	483		+
60	224265		XNP	HOUSTON		33 55 N	89 00 W	270		+
61	224377		XNP	INDEPENDENCE 1 W		34 42 N	89 49 W	345		+
62	224455		XNP	IUKA 5S		34 44 N	88 11 W	470		
63	224472	03940	XNP	JACKSON THOMPSON AP	JAN	32 19 N	90 05 W	310	*	+
64	224702		XNP	KIPLING 3 NW		32 43 N	88 40 W	377		
65	224776		XNP	KOSCIUSKO		33 03 N	89 36 W	410		+
66	224816		P	LAFAYETTE SPRINGS		34 18 N	89 15 W	450		+
67	224842		P	LAKE CORMORANT 3 E		34 54 N	90 10 W	218		+
68	224869		P	LAMBERT 1 W		34 12 N	90 18 W	155		+
69	224939		XNP	LAUREL		31 41 N	89 07 W	225		+
70	224966		P	LEAKESVILLE		31 09 N	88 33 W	105		+



MISSISSIPPI

STATION INVENTORY

No.	COOP ID	WBAN ID	Elements	Station Name	Call	Latitude	Longitude	Elev	Flag 1	Flag 2
71	225062		XNP	LEXINGTON 2 NNW		33 08 N	90 04 W	315		+
72	225070		XNP	LIBERTY 5 W		31 10 N	90 54 W	345		+
73	225247		XNP	LOUISVILLE		33 08 N	89 04 W	581		+
74	225361		XNP	MACON 3 N		33 09 N	88 34 W	252		
75	225614	93919	XNP	MCCOMB PIKE CO AP	MCB	31 11 N	90 28 W	413		+
76	225704		XNP	MEADVILLE		31 28 N	90 53 W	345		
77	803866	03866	XNP	MERIDIAN NAAS		32 33 N	88 34 W	271		+
78	225776	13865	XNP	MERIDIAN KEY AP	MEI	32 20 N	88 45 W	294	*	+
79	225789		XNP	MERRILL		30 59 N	88 43 W	50		+
80	225897		XNP	MINTER CITY 2 SE		33 43 N	90 16 W	140		+
81	225943		P	MIZE 3 SW		31 50 N	89 36 W	400		+
82	225987		XNP	MONTICELLO		31 36 N	90 08 W	205		+
83	226009		XNP	MOORHEAD		33 27 N	90 31 W	117		+
84	226084		P	MOUNT PLEASANT 4 SW		34 54 N	89 33 W	430		+
85	226177		XNP	NATCHEZ		31 33 N	91 23 W	195		+
86	226256		P	NEW ALBANY		34 28 N	89 00 W	380		+
87	226308		XNP	NEWTON EXP STN		32 20 N	89 05 W	349		+
88	226476		XNP	OAKLEY EXP STA		32 12 N	90 31 W	205		+
89	226493		P	OFAHOMA		32 46 N	89 42 W	400		+
90	226515		P	OKOLONA		34 00 N	88 45 W	322		
91	226562		XNP	ONWARD		32 45 N	90 56 W	102		
92	226718		XNP	PASCAGOULA 3 NE		30 24 N	88 29 W	11		+
93	226750		P	PAULDING		32 00 N	89 04 W	510		+
94	226811		XNP	PELAHATCHIE		32 19 N	89 47 W	370		
95	226894		XNP	PHILADELPHIA 1 WSW		32 46 N	89 08 W	413		+
96	226921		XNP	PICAYUNE		30 31 N	89 42 W	59		+
97	226926		XNP	PICKENS		32 53 N	89 58 W	238		
98	227066		P	PLEASANT HILL		34 54 N	89 54 W	395		+
99	227106		P	PONTOTOC		34 16 N	89 00 W	493		
100	227111		XNP	PONTOTOC EXP STN		34 09 N	89 00 W	405		+
101	227128		XNP	POPLARVILLE EXP STN		30 51 N	89 33 W	313		+
102	227132		XNP	PORT GIBSON 3 NE		32 00 N	90 57 W	120		+
103	227172		P	PRENTISS		31 36 N	89 52 W	340		
104	227220		P	PURVIS 2 N		31 09 N	89 24 W	378		+
105	227252		XNP	QUITMAN 1 N		32 04 N	88 43 W	300		+
106	227444		XNP	RICHTON 3 SSE		31 18 N	88 54 W	165		+
107	227467		XNP	RIPLEY		34 44 N	88 57 W	520		+
108	227537		P	ROCKPORT		31 48 N	90 09 W	200		+
109	227560		XNP	ROLLING FORK		32 54 N	90 53 W	105		+
110	227582		XNP	ROSEDALE		33 51 N	91 01 W	151		
111	227701		XNP	RUSSELL		32 24 N	88 36 W	390		
112	227807		P	SARAH 3 SE		34 32 N	90 11 W	335		+
113	227815		P	SARDIS DAM		34 24 N	89 48 W	230		+
114	227840		XNP	SAUCIER EXP FOREST		30 38 N	89 03 W	229		+
115	227921		P	SENATOBIA		34 38 N	89 58 W	240		+
116	228053		P	SHUBUTA		31 52 N	88 42 W	200		+
117	228062		P	SHUQUALAK		32 59 N	88 34 W	220		
118	228145		P	SLEDGE 2 N		34 26 N	90 13 W	165		+
119	228352		P	STANDARD		30 32 N	89 22 W	140		
120	228374		XNP	STATE UNIVERSITY		33 28 N	88 47 W	185		+
121	228445		XNP	STONEVILLE EXP STN		33 27 N	90 55 W	127		+
122	228556		P	SUMRALL		31 25 N	89 32 W	290		+
123	228591		P	SWAN LAKE		33 51 N	90 19 W	145		
124	228792		P	TIBBEE		33 32 N	88 38 W	210		+
125	228998		XNP	TUNICA 2		34 41 N	90 23 W	199		+
126	229003	93862	XNP	TUPELO RGNL AP	TUP	34 16 N	88 46 W	361	*	+
127	229048		XNP	TYLERTOWN 2 WNW		31 07 N	90 10 W	440		+
128	229072		P	UNION CHURCH		31 41 N	90 47 W	498		
129	229079		XNP	UNIVERSITY		34 23 N	89 32 W	380		+
130	229114		P	VAIDEN 1 SSW		33 19 N	89 45 W	389		+
131	229157		P	VANCLEAVE		30 29 N	88 39 W	10		+
132	229159		P	VAN VLEET 1 SE		33 59 N	88 53 W	330		+
133	229173		XNP	VERONA EXPERIMENT STN		34 12 N	88 43 W	325		
134	229216		XNP	VICKSBURG MILITARY PARK		32 21 N	90 51 W	255		+
135	229326		P	WALNUT GROVE 2 S		32 34 N	89 28 W	360		+
136	229400		XNP	WATER VALLEY 1 NNE		34 10 N	89 38 W	376		+
137	229426		XNP	WAVELAND		30 18 N	89 23 W	8		
138	229439		XNP	WAYNESBORO 2 W		31 41 N	88 40 W	200		+
139	229597		P	WHITE OAK 1 N		32 05 N	89 41 W	450		+
140	229639		XNP	WIGGINS		30 52 N	89 08 W	160		



MISSISSIPPI

STATION INVENTORY

No.	COOP ID	WBAN ID	Elements	Station Name	Call	Latitude	Longitude	Elev	Flag 1	Flag 2
141	229743		XNP	WINONA 5 E		33 29 N	89 38 W	390		+
142	229793		XNP	WOODVILLE 4 ESE		31 06 N	91 14 W	400		+
143	229860		XNP	YAZOO CITY 5 NNE		32 54 N	90 23 W	107		+



MISSISSIPPI

TEMPERATURE NORMALS (Degrees Fahrenheit)

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
002	ABERDEEN	MAX	51.4	56.7	65.6	73.7	80.8	87.5	91.1	90.3	84.4	74.8	64.1	55.3	73.0
		MEAN	41.3	45.4	53.2	61.2	69.3	76.5	80.4	79.4	73.4	62.2	52.2	44.6	61.6
		MIN	31.1	34.0	40.8	48.6	57.7	65.5	69.7	68.5	62.3	49.5	40.3	33.9	50.2
007	BATESVILLE 2 SW	MAX	49.8	55.3	64.1	72.8	80.6	87.8	91.1	90.6	85.5	75.7	63.4	53.4	72.5
		MEAN	39.5	43.8	52.2	60.5	69.2	76.9	80.2	78.7	72.8	61.9	51.4	42.9	60.8
		MIN	29.2	32.2	40.3	48.2	57.8	65.9	69.3	66.8	60.1	48.0	39.4	32.3	49.1
008	BAY ST LOUIS NASA	MAX	61.2	65.0	71.4	77.4	84.4	89.8	92.1	91.9	88.0	80.4	71.2	63.7	78.0
		MEAN	50.1	53.2	60.1	66.0	73.5	79.5	82.0	81.7	77.6	67.8	59.5	52.2	66.9
		MIN	38.9	41.4	48.7	54.6	62.6	69.1	71.9	71.4	67.1	55.1	47.7	40.6	55.8
009	BAY SPRINGS 4 S	MAX	58.8	63.6	71.3	77.3	83.5	89.7	92.1	91.5	87.2	78.6	68.7	61.1	77.0
		MEAN	47.5	51.4	58.2	63.8	71.1	78.2	81.0	80.4	75.7	65.3	56.4	49.8	64.9
		MIN	36.1	39.2	45.0	50.2	58.7	66.6	69.8	69.2	64.2	52.0	44.1	38.5	52.8
011	BELZONI	MAX	51.9	58.1	66.6	75.2	83.3	90.2	93.0	92.7	87.7	77.9	65.7	55.7	74.8
		MEAN	42.5	47.5	55.5	63.3	72.0	79.0	81.9	80.9	75.3	64.6	54.3	45.8	63.6
		MIN	33.1	36.9	44.4	51.4	60.6	67.8	70.8	69.0	62.9	51.2	42.8	35.9	52.2
012	BILOXI	MAX	57.9	61.5	67.4	74.2	81.1	86.4	88.5	88.4	84.9	77.1	68.0	60.6	74.7
		MEAN	50.7	54.0	60.1	66.6	74.2	79.8	81.7	81.5	77.8	68.8	60.0	53.3	67.4
		MIN	43.5	46.5	52.7	59.0	67.2	73.2	74.9	74.5	70.6	60.5	52.0	46.0	60.1
015	BOONEVILLE	MAX	48.0	53.7	63.1	71.6	78.8	85.9	89.4	88.9	83.0	72.8	61.3	51.6	70.7
		MEAN	38.4	43.0	51.7	59.9	68.2	75.7	79.5	78.4	72.0	60.6	50.6	41.9	60.0
		MIN	28.8	32.2	40.3	48.1	57.5	65.5	69.5	67.9	60.9	48.4	39.8	32.2	49.3
016	BROOKHAVEN CITY	MAX	57.3	61.8	69.5	76.0	82.7	88.8	91.2	91.4	87.0	78.1	68.0	60.3	76.0
		MEAN	46.0	49.7	57.3	63.5	71.3	77.9	80.5	80.1	75.2	64.8	55.7	48.7	64.2
		MIN	34.7	37.6	45.0	51.0	59.8	66.9	69.7	68.7	63.3	51.5	43.3	37.0	52.4
021	CALHOUN CITY 2 NW	MAX	51.5	57.1	65.9	74.0	81.2	87.9	91.7	91.1	85.6	76.5	64.2	55.0	73.5
		MEAN	40.2	44.5	53.0	61.2	69.3	76.4	80.4	79.4	73.2	62.3	51.6	43.8	61.3
		MIN	28.9	31.8	40.1	48.3	57.3	64.8	69.0	67.7	60.7	48.1	38.9	32.5	49.0
022	CANTON 4 N	MAX	55.4	60.4	68.6	75.9	83.0	89.8	92.6	92.1	87.0	77.4	66.7	58.0	75.6
		MEAN	45.1	49.4	57.1	64.1	72.1	79.0	81.9	80.9	75.4	64.3	55.0	47.3	64.3
		MIN	34.8	38.3	45.6	52.3	61.2	68.2	71.1	69.7	63.8	51.2	43.2	36.5	53.0
024	CARTHAGE 3 SW	MAX	55.0	60.1	68.3	75.5	82.4	89.0	92.1	91.8	87.0	77.3	66.9	58.0	75.3
		MEAN	43.8	47.8	55.8	62.4	70.5	77.4	80.8	80.0	74.7	63.3	54.1	46.4	63.1
		MIN	32.6	35.5	43.2	49.3	58.5	65.7	69.4	68.2	62.3	49.3	41.2	34.8	50.8
026	CHARLESTON 1 N	MAX	50.1	56.2	65.0	73.8	80.8	87.6	91.4	90.7	85.2	75.3	63.0	53.7	72.7
		MEAN	39.8	44.7	53.2	61.6	69.8	77.0	81.0	79.6	73.4	62.3	51.6	43.2	61.4
		MIN	29.5	33.1	41.3	49.3	58.7	66.3	70.5	68.5	61.6	49.2	40.2	32.6	50.1
027	CLARKSDALE	MAX	48.5	54.4	63.4	72.7	81.5	89.0	91.6	90.3	85.0	75.2	62.2	52.0	72.2
		MEAN	40.5	45.6	53.6	62.5	71.5	79.1	82.0	80.3	74.5	63.7	52.7	43.8	62.5
		MIN	32.4	36.7	43.8	52.2	61.4	69.1	72.3	70.2	64.0	52.2	43.2	35.5	52.8
028	CLEVELAND	MAX	50.9	56.6	65.5	74.1	82.3	89.2	92.7	91.8	86.1	76.6	63.3	54.1	73.6
		MEAN	42.3	47.1	55.4	63.4	72.2	79.7	83.1	81.7	75.6	65.1	53.9	45.5	63.8
		MIN	33.7	37.6	45.3	52.7	62.1	70.1	73.5	71.5	65.1	53.6	44.4	36.8	53.9
029	CLEVELAND 3 N	MAX	49.2	54.9	63.6	72.7	81.7	88.8	92.1	91.6	86.1	76.4	63.6	53.3	72.8
		MEAN	40.0	44.6	53.2	61.6	71.3	78.8	82.1	80.6	74.4	63.7	53.0	43.9	62.3
		MIN	30.8	34.2	42.8	50.5	60.9	68.7	72.0	69.6	62.7	51.0	42.4	34.5	51.7
031	COLLINS	MAX	58.0	62.4	69.6	75.7	81.8	87.9	90.5	90.3	85.6	76.8	67.6	60.4	75.6
		MEAN	46.4	49.9	57.2	64.0	71.2	77.7	80.7	80.2	75.2	64.7	56.0	49.1	64.4
		MIN	34.8	37.4	44.7	52.2	60.6	67.4	70.8	70.1	64.8	52.6	44.4	37.7	53.1
033	COLUMBIA	MAX	58.8	63.2	70.6	76.8	84.0	90.0	91.9	91.8	87.2	78.8	68.9	61.2	76.9
		MEAN	47.8	51.5	58.8	65.0	73.0	79.2	81.6	81.2	76.3	66.0	56.9	50.0	65.6
		MIN	36.7	39.7	47.0	53.1	62.0	68.4	71.3	70.6	65.3	53.1	44.9	38.7	54.2
034	COLUMBUS LUXAPALLILA	MAX	53.5	58.7	67.2	75.0	82.4	89.0	92.3	91.6	86.4	76.9	66.1	56.7	74.7
		MEAN	42.9	47.0	55.1	62.7	71.1	78.0	81.5	80.6	75.1	63.9	53.9	45.7	63.1
		MIN	32.2	35.2	43.0	50.4	59.7	67.0	70.6	69.6	63.7	50.9	41.6	34.7	51.6
035	CORINTH CITY	MAX	49.3	54.8	64.4	73.5	80.5	87.9	92.0	91.1	84.9	75.3	63.1	52.7	72.5
		MEAN	40.9	45.4	54.2	62.3	70.3	77.7	81.5	80.1	73.8	62.8	52.7	44.0	62.1
		MIN	32.5	36.0	43.9	51.1	60.0	67.4	70.9	69.0	62.7	50.2	42.3	35.2	51.8
038	CRYSTAL SPRINGS EXP STN	MAX	57.0	61.7	69.2	76.4	83.2	89.8	92.0	91.8	87.2	78.7	68.7	60.3	76.3
		MEAN	46.5	50.4	58.0	64.7	72.3	79.0	81.6	81.0	75.9	66.1	56.8	49.0	65.1
		MIN	35.9	39.0	46.7	52.9	61.4	68.2	71.2	70.1	64.6	53.5	44.8	37.7	53.8
040	D LO 2 SW	MAX	57.1	61.7	69.6	76.3	83.0	89.4	91.9	91.8	87.3	78.3	68.5	60.1	76.3
		MEAN	44.9	48.6	56.2	62.7	70.7	77.4	80.4	79.8	74.6	63.5	54.6	47.4	63.4
		MIN	32.7	35.4	42.7	49.0	58.3	65.4	68.9	67.7	61.9	48.6	40.6	34.6	50.5
045	EUPORA 2 E	MAX	52.2	57.8	66.2	73.9	81.1	87.8	91.0	90.6	85.1	75.5	64.5	55.2	73.4
		MEAN	41.1	45.2	53.4	61.1	69.3	76.4	79.7	78.8	72.8	61.8	52.0	44.1	61.3
		MIN	29.9	32.6	40.6	48.2	57.5	64.9	68.4	67.0	60.5	48.0	39.5	32.9	49.2
046	FOREST 3 S	MAX	56.8	62.5	70.2	76.5	82.8	88.8	91.1	91.0	86.7	77.7	67.5	59.4	75.9
		MEAN	45.4	49.7	56.9	63.2	70.7	77.1	80.2	79.6	74.8	64.1	55.0	48.0	63.7
		MIN	33.9	36.9	43.6	49.9	58.6	65.4	69.2	68.1	62.8	50.5	42.4	36.6	51.5



MISSISSIPPI

TEMPERATURE NORMALS (Degrees Fahrenheit)

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
047	FULTON 3 W	MAX	52.1	58.2	67.0	75.2	81.9	88.6	91.8	91.6	85.8	75.9	64.2	55.2	74.0
		MEAN	42.4	46.9	55.0	62.4	70.3	77.5	81.3	80.4	74.6	63.5	53.6	45.7	62.8
		MIN	32.7	35.6	42.9	49.5	58.7	66.4	70.7	69.2	63.3	51.0	42.9	36.1	51.6
050	GREENVILLE	MAX	51.6	57.6	65.7	74.5	82.7	89.8	92.6	91.8	86.5	77.1	64.4	55.1	74.1
		MEAN	42.3	47.2	55.2	63.4	72.3	79.7	82.6	81.3	75.2	64.5	53.6	45.5	63.6
		MIN	33.0	36.8	44.7	52.3	61.9	69.5	72.5	70.7	63.8	51.9	42.8	35.8	53.0
051	GREENWOOD LEFLORE AP	MAX	53.3	59.0	67.1	75.1	83.0	90.1	92.7	92.2	87.0	77.2	65.6	56.5	74.9
		MEAN	43.9	48.4	56.3	63.7	72.4	79.5	82.4	81.4	75.7	64.9	54.6	46.8	64.2
		MIN	34.5	37.8	45.4	52.3	61.8	68.9	72.1	70.5	64.3	52.6	43.6	37.1	53.4
052	GRENADA 5 NNE	MAX	51.6	57.0	65.8	73.8	80.7	87.7	91.3	90.6	85.4	75.7	64.3	55.1	73.3
		MEAN	40.8	45.1	53.4	61.2	69.2	76.7	80.4	79.1	73.2	62.1	52.1	44.1	61.5
		MIN	30.0	33.1	41.0	48.5	57.7	65.7	69.4	67.6	61.0	48.4	39.8	33.0	49.6
053	GULFPORT NAVAL CENTER	MAX	60.6	64.0	70.3	76.5	83.6	88.9	91.3	90.7	87.0	79.2	69.9	62.9	77.1
		MEAN	51.6	54.9	61.4	67.6	75.0	80.4	82.6	82.3	78.6	69.4	60.5	54.0	68.2
		MIN	42.6	45.8	52.5	58.6	66.4	71.8	73.9	73.8	70.1	59.6	51.1	45.0	59.3
055	HATTIESBURG 5 SW	MAX	59.7	64.1	71.4	77.6	84.2	89.9	92.1	92.2	88.2	79.8	70.1	62.3	77.6
		MEAN	47.9	51.5	58.8	65.3	72.8	79.0	81.7	81.5	76.9	66.4	57.5	50.3	65.8
		MIN	36.0	38.9	46.2	53.0	61.4	68.1	71.3	70.8	65.6	53.0	44.8	38.2	53.9
056	HAZLEHURST 5 SW	MAX	58.8	64.0	71.7	77.8	83.8	89.8	91.8	91.7	87.7	79.3	69.2	61.0	77.2
		MEAN	47.8	51.9	58.9	65.0	72.2	78.6	80.9	80.5	76.0	66.5	57.3	50.1	65.5
		MIN	36.8	39.7	46.1	52.1	60.6	67.4	70.0	69.2	64.3	53.6	45.3	39.1	53.7
057	HERNANDO 5 S	MAX	47.9	53.4	62.7	71.8	79.2	86.5	90.3	89.4	83.3	73.7	60.7	51.4	70.9
		MEAN	37.9	42.6	51.7	60.8	69.0	76.5	80.4	79.0	72.3	61.8	50.0	41.6	60.3
		MIN	27.8	31.7	40.7	49.8	58.7	66.5	70.4	68.5	61.2	49.8	39.3	31.7	49.7
058	HICKORY FLAT	MAX	48.6	54.1	63.1	71.9	79.2	86.2	90.0	89.8	83.9	74.0	61.6	52.3	71.2
		MEAN	38.0	42.3	50.9	59.5	67.9	75.3	79.2	78.3	71.9	60.6	49.8	41.8	59.6
		MIN	27.4	30.5	38.7	47.0	56.6	64.4	68.4	66.7	59.8	47.1	37.9	31.3	48.0
059	HOLLY SPRINGS 4 N	MAX	47.7	53.4	62.4	71.3	78.8	86.1	89.9	89.1	83.5	73.6	61.7	51.6	70.8
		MEAN	37.5	42.0	50.3	58.4	67.0	74.9	78.9	77.3	71.0	59.7	49.9	41.0	59.0
		MIN	27.3	30.6	38.2	45.4	55.1	63.7	67.9	65.5	58.5	45.8	38.0	30.4	47.2
060	HOUSTON	MAX	50.5	56.1	65.0	73.1	80.4	87.4	90.6	90.0	84.3	74.5	63.4	54.1	72.5
		MEAN	40.2	44.2	52.6	60.1	68.4	75.9	79.4	78.1	72.1	60.6	51.1	43.0	60.5
		MIN	29.9	32.3	40.2	47.0	56.4	64.3	68.1	66.1	59.9	46.7	38.7	31.9	48.5
061	INDEPENDENCE 1 W	MAX	47.8	53.5	62.4	71.7	79.5	87.2	91.1	90.3	84.4	74.1	61.6	51.5	71.3
		MEAN	38.5	42.9	51.5	59.9	68.4	76.4	80.2	78.8	72.5	61.1	50.7	41.9	60.2
		MIN	29.1	32.3	40.6	48.1	57.3	65.5	69.3	67.2	60.5	48.0	39.7	32.3	49.2
062	IUKA 5S	MAX	46.9	51.9	61.4	70.7	77.7	84.8	88.5	88.2	82.5	72.4	61.0	50.6	69.7
		MEAN	36.7	40.4	49.2	57.4	65.6	73.4	77.4	76.3	70.0	58.3	48.9	40.0	57.8
		MIN	26.4	28.9	37.0	44.0	53.5	62.0	66.3	64.4	57.5	44.2	36.7	29.3	45.9
063	JACKSON THOMPSON AP	MAX	55.1	60.3	68.1	75.0	82.1	88.9	91.4	91.4	86.4	76.8	66.3	57.9	75.0
		MEAN	45.0	49.2	56.8	63.4	71.5	78.5	81.4	80.9	75.5	64.4	54.8	47.6	64.1
		MIN	35.0	38.2	45.4	51.7	61.0	68.1	71.4	70.3	64.6	52.0	43.4	37.3	53.2
064	KIPLING 3 NW	MAX	55.0	59.8	68.1	75.3	82.2	88.8	91.3	91.4	86.4	77.0	66.9	58.1	75.0
		MEAN	43.4	47.0	54.7	62.0	70.1	77.0	80.3	79.8	74.2	63.1	53.8	46.3	62.6
		MIN	31.7	34.1	41.3	48.7	57.9	65.2	69.2	68.2	62.0	49.1	40.7	34.5	50.2
065	KOSCIUSKO	MAX	53.8	59.2	67.6	75.0	81.8	88.8	91.7	91.7	86.6	76.8	65.9	56.7	74.6
		MEAN	43.3	47.3	54.8	62.0	70.2	77.6	81.0	80.4	74.8	63.5	53.7	46.1	62.9
		MIN	32.7	35.4	41.9	48.9	58.6	66.3	70.2	69.1	62.9	50.1	41.5	35.5	51.1
069	LAUREL	MAX	57.2	61.5	69.2	75.9	82.6	88.8	91.2	90.8	86.2	77.3	67.9	59.7	75.7
		MEAN	46.5	50.0	57.4	64.0	71.6	78.3	81.2	80.6	75.6	64.7	55.8	48.6	64.5
		MIN	35.7	38.5	45.6	52.0	60.6	67.7	71.1	70.4	64.9	52.0	43.7	37.5	53.3
071	LEXINGTON 2 NNW	MAX	54.1	59.9	67.9	74.9	81.7	88.1	90.8	90.9	86.0	76.8	65.9	56.9	74.5
		MEAN	43.4	48.0	55.6	62.0	69.7	76.5	79.8	79.2	73.9	63.3	53.5	46.0	62.6
		MIN	32.7	36.0	43.2	49.0	57.7	64.9	68.7	67.5	61.7	49.7	41.1	35.1	50.6
072	LIBERTY 5 W	MAX	58.0	62.3	69.9	76.0	82.9	89.0	90.9	91.1	87.2	79.0	69.3	61.2	76.4
		MEAN	46.4	49.9	57.2	63.2	71.0	77.6	80.0	79.6	75.0	64.9	56.2	49.0	64.2
		MIN	34.8	37.4	44.5	50.3	59.1	66.2	69.1	68.0	62.8	50.8	43.0	36.8	51.9
073	LOUISVILLE	MAX	52.7	57.8	66.3	73.6	80.3	86.8	89.5	89.2	84.1	75.0	64.8	56.0	73.0
		MEAN	42.0	46.1	54.2	61.2	69.2	76.1	79.2	78.6	73.2	62.7	53.5	45.1	61.8
		MIN	31.3	34.3	42.0	48.8	58.0	65.4	68.8	68.0	62.3	50.4	42.1	34.2	50.5
074	MACON 3 N	MAX	52.6	58.4	67.0	74.3	82.2	88.8	91.9	91.7	86.4	76.9	66.0	56.3	74.4
		MEAN	41.8	46.1	54.4	61.6	70.2	77.7	80.9	80.2	74.3	62.9	53.3	44.6	62.3
		MIN	30.9	33.7	41.7	48.9	58.1	66.6	69.9	68.6	62.2	48.9	40.6	32.9	50.3
075	MCCOMB PIKE CO AP	MAX	59.2	63.6	71.0	77.2	83.8	89.9	91.8	91.7	87.2	78.8	69.0	61.7	77.1
		MEAN	48.8	52.4	59.2	65.3	72.8	78.9	81.4	81.0	76.5	66.7	57.6	51.1	66.0
		MIN	38.3	41.1	47.4	53.3	61.7	67.9	70.9	70.3	65.8	54.6	46.2	40.5	54.8
076	MEADVILLE	MAX	58.1	63.4	71.6	77.5	83.8	89.8	91.9	91.7	87.8	79.3	68.7	60.7	77.0
		MEAN	46.5	50.4	57.9	63.9	71.7	78.0	80.7	80.0	75.4	65.4	55.8	48.6	64.5
		MIN	34.8	37.3	44.1	50.2	59.5	66.2	69.4	68.3	62.9	51.5	42.8	36.5	52.0



MISSISSIPPI

TEMPERATURE NORMALS (Degrees Fahrenheit)

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
077	MERIDIAN NAAS	MAX	55.8	61.1	69.2	76.4	83.1	89.4	92.1	91.8	86.7	77.1	66.9	58.6	75.7
		MEAN	45.0	49.1	56.5	63.2	71.1	78.0	81.2	80.7	75.2	63.9	54.6	47.6	63.8
		MIN	34.1	37.0	43.8	50.0	59.0	66.6	70.3	69.5	63.6	50.6	42.2	36.5	51.9
078	MERIDIAN KEY AP	MAX	57.5	62.6	70.3	77.1	83.9	90.1	92.9	92.9	88.0	78.3	68.5	60.5	76.9
		MEAN	46.1	50.2	57.3	63.8	71.7	78.5	81.7	81.4	76.1	64.8	55.7	48.9	64.7
		MIN	34.7	37.7	44.3	50.4	59.5	66.8	70.5	69.8	64.2	51.3	42.8	37.2	52.4
079	MERRILL	MAX	60.3	65.0	72.3	78.6	85.4	90.8	92.7	92.4	88.7	80.3	70.6	62.6	78.3
		MEAN	47.9	51.5	58.9	64.7	72.0	78.1	80.7	80.1	75.8	65.1	56.4	49.6	65.1
		MIN	35.5	37.9	45.4	50.7	58.6	65.3	68.6	67.7	62.9	49.9	42.1	36.6	51.8
080	MINTER CITY 2 SE	MAX	50.2	56.1	65.1	73.5	81.3	88.3	91.8	90.9	85.6	75.9	63.6	53.6	73.0
		MEAN	41.4	46.4	54.4	62.3	70.5	77.9	81.4	80.1	74.2	63.5	53.1	44.4	62.5
		MIN	32.5	36.6	43.7	51.0	59.7	67.5	70.9	69.3	62.8	51.0	42.6	35.1	51.9
082	MONTICELLO	MAX	58.0	62.9	70.9	77.3	84.2	90.5	92.7	92.5	87.8	78.4	68.6	60.6	77.0
		MEAN	46.3	50.0	57.7	64.1	71.9	78.5	81.2	80.8	75.8	64.5	55.4	48.5	64.6
		MIN	34.5	37.1	44.4	50.8	59.5	66.5	69.7	69.0	63.8	50.6	42.2	36.3	52.0
083	MOORHEAD	MAX	51.6	57.4	65.8	74.2	81.9	88.7	91.6	91.2	86.2	76.7	64.2	54.9	73.7
		MEAN	43.2	48.1	56.0	63.9	72.3	79.2	82.2	81.3	75.7	65.5	54.5	46.3	64.0
		MIN	34.7	38.7	46.1	53.6	62.6	69.7	72.8	71.3	65.2	54.2	44.7	37.6	54.3
085	NATCHEZ	MAX	58.3	63.0	70.4	76.7	83.1	88.6	91.0	90.8	86.7	78.6	68.4	60.8	76.4
		MEAN	48.6	52.5	59.6	65.6	72.9	78.9	81.6	81.1	76.4	66.8	57.8	50.8	66.1
		MIN	38.8	41.9	48.7	54.5	62.7	69.1	72.1	71.3	66.1	55.0	47.1	40.8	55.7
087	NEWTON EXP STN	MAX	55.4	60.2	68.1	75.0	82.0	88.8	91.8	91.3	86.6	77.0	66.9	58.3	75.1
		MEAN	44.0	47.8	55.3	62.0	70.2	77.1	80.4	79.6	74.3	62.9	53.9	46.6	62.8
		MIN	32.5	35.3	42.5	49.0	58.3	65.4	69.0	67.9	61.9	48.8	40.9	34.9	50.5
088	OAKLEY EXP STA	MAX	55.6	60.7	68.5	75.5	82.7	89.1	92.0	91.9	87.2	78.0	67.2	58.6	75.6
		MEAN	44.7	49.0	56.6	63.3	71.5	78.0	81.0	80.2	75.0	64.2	54.7	47.4	63.8
		MIN	33.8	37.2	44.7	51.1	60.3	66.9	70.0	68.5	62.7	50.3	42.2	36.1	52.0
091	ONWARD	MAX	53.8	59.2	67.6	75.7	82.3	88.7	91.4	90.8	85.9	76.6	65.8	56.8	74.6
		MEAN	45.0	49.6	57.0	64.4	71.7	78.2	81.2	80.0	74.6	64.1	55.4	47.5	64.1
		MIN	36.1	39.9	46.4	53.0	61.1	67.6	70.9	69.2	63.3	51.5	44.9	38.1	53.5
092	PASCAGOULA 3 NE	MAX	59.6	62.9	68.7	75.4	82.3	87.6	89.7	89.7	86.7	78.7	70.0	62.5	76.2
		MEAN	49.4	52.4	58.5	65.1	72.4	78.4	80.6	80.8	77.3	67.6	59.1	52.1	66.1
		MIN	39.1	41.9	48.2	54.8	62.4	69.1	71.5	71.8	67.8	56.4	48.1	41.6	56.1
094	PELAHATCHIE	MAX	57.5	62.8	69.8	76.1	82.3	88.1	90.8	90.6	86.3	77.8	67.5	60.0	75.8
		MEAN	46.4	50.4	57.5	63.6	70.9	77.1	80.3	79.6	74.8	64.3	55.2	48.8	64.1
		MIN	35.3	37.9	45.1	51.0	59.4	66.1	69.8	68.6	63.3	50.8	42.9	37.5	52.3
095	PHILADELPHIA 1 WSW	MAX	54.6	59.7	68.1	75.1	81.7	88.5	91.1	90.8	86.1	76.6	66.5	57.7	74.7
		MEAN	44.2	48.3	56.2	63.0	70.7	77.7	80.8	80.1	74.8	63.5	54.5	47.0	63.4
		MIN	33.7	36.9	44.3	50.9	59.6	66.9	70.4	69.4	63.5	50.3	42.5	36.2	52.1
096	PICAYUNE	MAX	61.0	64.8	71.3	77.3	84.0	89.5	91.3	91.1	87.4	79.8	70.6	63.7	77.7
		MEAN	49.6	52.9	59.8	65.7	73.4	79.2	81.5	81.2	76.9	67.3	58.6	52.0	66.5
		MIN	38.2	41.0	48.2	54.1	62.7	68.9	71.6	71.2	66.3	54.8	46.6	40.2	55.3
097	PICKENS	MAX	54.6	60.2	68.1	75.2	82.0	88.2	90.4	90.6	85.6	76.7	65.9	57.0	74.5
		MEAN	43.9	48.4	55.9	62.4	70.1	76.8	79.5	78.8	73.7	63.1	53.7	46.1	62.7
		MIN	33.2	36.5	43.6	49.6	58.2	65.4	68.6	67.0	61.7	49.5	41.4	35.1	50.8
100	PONTOTOC EXP STN	MAX	49.8	55.0	63.9	72.3	80.1	87.0	90.6	90.2	84.5	74.5	62.9	53.2	72.0
		MEAN	40.3	44.6	52.9	60.9	69.6	76.9	80.7	79.7	73.7	62.7	52.6	43.8	61.5
		MIN	30.8	34.1	41.9	49.4	59.0	66.8	70.7	69.1	62.8	50.8	42.3	34.3	51.0
101	POPLARVILLE EXP STN	MAX	59.9	63.7	70.6	76.9	84.2	90.1	92.0	92.1	88.0	79.9	70.2	62.6	77.5
		MEAN	49.1	52.4	59.3	65.5	73.5	79.6	81.7	81.5	77.1	67.6	58.6	51.6	66.5
		MIN	38.2	41.0	47.9	54.0	62.7	69.0	71.3	70.8	66.1	55.2	46.9	40.6	55.3
102	PORT GIBSON 3 NE	MAX	55.1	60.0	67.9	74.6	81.5	87.9	90.5	90.6	86.0	76.6	66.1	57.6	74.5
		MEAN	43.9	48.0	55.5	62.2	70.5	77.1	80.1	79.6	74.3	63.1	53.8	46.3	62.9
		MIN	32.6	36.0	43.0	49.8	59.4	66.3	69.6	68.5	62.6	49.5	41.5	34.9	51.1
105	QUITMAN 1 N	MAX	56.0	61.1	69.2	76.1	82.4	88.2	90.1	89.8	85.2	76.2	66.7	58.7	75.0
		MEAN	44.8	48.7	56.3	62.8	70.5	77.0	79.6	78.9	73.9	62.8	54.3	47.5	63.1
		MIN	33.6	36.3	43.4	49.4	58.6	65.7	69.0	67.9	62.5	49.4	41.9	36.2	51.2
106	RICHTON 3 SSE	MAX	59.4	63.7	71.0	77.4	83.9	89.6	91.8	91.6	87.8	79.4	69.7	61.8	77.3
		MEAN	47.1	50.4	57.6	63.6	71.2	77.5	80.2	79.7	75.4	64.7	55.9	49.1	64.4
		MIN	34.8	37.0	44.1	49.7	58.5	65.4	68.6	67.8	62.9	50.0	42.1	36.3	51.4
107	RIPLEY	MAX	47.7	53.3	62.6	71.8	79.4	86.8	90.4	89.8	83.7	73.0	61.1	51.2	70.9
		MEAN	37.7	42.1	50.8	59.1	67.7	75.4	79.3	78.0	71.5	59.7	49.5	40.9	59.3
		MIN	27.7	30.9	39.0	46.4	56.0	64.0	68.1	66.2	59.2	46.3	37.9	30.6	47.7
109	ROLLING FORK	MAX	52.9	58.5	66.9	75.1	83.0	89.7	92.4	92.3	87.2	78.0	65.9	56.4	74.9
		MEAN	43.0	47.3	55.5	63.4	72.0	79.0	81.9	80.8	75.1	64.7	54.2	46.0	63.6
		MIN	33.0	36.1	44.0	51.7	61.0	68.2	71.4	69.3	63.0	51.3	42.5	35.5	52.3
110	ROSEDALE	MAX	49.9	55.8	64.7	73.8	82.1	89.5	92.6	91.6	85.9	76.3	63.7	53.8	73.3
		MEAN	40.8	45.6	54.3	62.5	71.2	78.9	82.2	80.4	74.1	63.2	52.9	44.3	62.5
		MIN	31.7	35.3	43.8	51.2	60.2	68.3	71.8	69.2	62.3	50.0	42.0	34.8	51.7



MISSISSIPPI

TEMPERATURE NORMALS (Degrees Fahrenheit)

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
111	RUSSELL	MAX	56.7	62.0	70.0	76.4	82.8	88.6	91.0	90.6	86.0	77.0	67.4	59.5	75.7
		MEAN	46.3	50.5	58.1	64.1	71.7	77.9	80.9	80.1	75.1	64.8	56.1	49.1	64.6
		MIN	35.9	39.0	46.1	51.8	60.5	67.2	70.8	69.5	64.2	52.5	44.7	38.6	53.4
114	SAUCIER EXP FOREST	MAX	62.0	65.9	72.6	78.3	84.7	89.9	91.6	91.0	87.2	79.9	70.8	64.3	78.2
		MEAN	51.3	54.6	61.2	66.8	73.8	79.3	81.3	80.9	77.1	68.4	59.9	53.6	67.4
		MIN	40.6	43.3	49.7	55.2	62.8	68.6	71.0	70.8	67.0	56.9	48.9	42.8	56.5
120	STATE UNIVERSITY	MAX	51.9	57.2	65.8	73.9	81.3	88.1	91.3	90.8	85.3	75.6	64.6	55.3	73.4
		MEAN	41.7	46.1	54.2	61.8	70.2	77.5	81.0	79.8	74.0	63.0	53.4	45.0	62.3
		MIN	31.5	34.9	42.5	49.7	59.0	66.8	70.6	68.8	62.6	50.4	42.2	34.6	51.1
121	STONEVILLE EXP STN	MAX	50.3	56.1	65.2	74.7	83.1	90.1	92.5	91.7	86.4	76.8	63.9	53.8	73.7
		MEAN	41.6	46.4	54.8	63.7	72.6	79.8	82.5	81.0	74.9	64.3	53.5	44.9	63.3
		MIN	32.8	36.6	44.4	52.7	62.1	69.5	72.4	70.2	63.4	51.7	43.1	35.9	52.9
125	TUNICA 2	MAX	47.6	53.2	62.5	72.0	80.6	88.5	91.9	90.6	84.7	74.8	61.6	51.5	71.6
		MEAN	39.3	44.0	53.0	61.7	70.6	78.4	81.8	79.8	73.6	62.8	51.9	43.0	61.7
		MIN	30.9	34.8	43.4	51.4	60.5	68.2	71.7	68.9	62.4	50.7	42.2	34.4	51.6
126	TUPELO RGNL AP	MAX	50.3	56.0	64.8	73.5	81.0	88.0	91.4	90.9	84.9	74.9	63.0	53.6	72.7
		MEAN	40.4	44.8	53.1	60.9	69.4	76.9	80.6	79.6	73.3	61.9	51.5	43.4	61.3
		MIN	30.5	33.5	41.4	48.2	57.7	65.7	69.8	68.2	61.7	48.8	40.0	33.2	49.9
127	TYLERTOWN 2 WNW	MAX	60.1	64.3	71.3	76.9	83.4	89.2	91.2	91.3	87.5	79.5	69.5	62.4	77.2
		MEAN	49.5	53.0	59.7	65.3	72.6	78.6	80.9	80.7	76.7	67.2	58.3	51.8	66.2
		MIN	38.8	41.6	48.0	53.6	61.8	67.9	70.6	70.1	65.9	54.9	47.0	41.1	55.1
129	UNIVERSITY	MAX	49.8	55.2	64.2	72.9	80.4	87.7	91.1	90.3	84.7	74.8	63.0	53.5	72.3
		MEAN	38.9	43.2	51.7	59.9	68.5	76.3	80.1	78.7	72.4	60.9	51.0	42.4	60.3
		MIN	28.0	31.2	39.2	46.9	56.5	64.9	69.1	67.1	60.0	46.9	39.0	31.2	48.3
133	VERONA EXPERIMENT STN	MAX	49.9	55.1	64.3	72.7	80.6	87.7	91.3	91.0	85.4	75.3	63.0	53.4	72.5
		MEAN	40.1	44.6	53.1	60.9	69.7	77.2	80.9	79.9	73.8	62.0	52.0	43.6	61.5
		MIN	30.2	34.1	41.8	49.1	58.7	66.6	70.5	68.7	62.1	48.7	41.0	33.8	50.4
134	VICKSBURG MILITARY PARK	MAX	58.8	64.0	71.6	77.8	84.2	90.0	92.3	92.1	87.8	79.4	69.1	61.0	77.3
		MEAN	47.2	51.4	58.4	65.1	72.4	78.8	81.7	81.1	76.4	66.5	57.0	49.8	65.5
		MIN	35.5	38.7	45.2	52.3	60.6	67.6	71.0	70.1	64.9	53.6	44.9	38.5	53.6
136	WATER VALLEY 1 NNE	MAX	49.9	55.6	64.8	73.2	80.2	87.3	90.7	90.7	85.4	75.4	63.3	53.3	72.5
		MEAN	39.7	44.2	52.9	60.7	69.0	76.7	80.3	79.3	73.3	61.9	51.6	42.8	61.0
		MIN	29.5	32.7	40.9	48.2	57.8	66.1	69.9	67.9	61.2	48.4	39.9	32.3	49.6
137	WAVELAND	MAX	59.0	62.8	68.8	75.3	82.7	87.8	90.1	90.0	86.0	78.1	69.0	61.8	76.0
		MEAN	49.5	52.7	59.2	65.8	73.8	79.1	81.4	81.3	77.2	67.6	58.9	51.8	66.5
		MIN	40.0	42.5	49.5	56.3	64.8	70.4	72.6	72.5	68.4	57.0	48.8	41.8	57.1
138	WAYNESBORO 2 W	MAX	57.6	62.6	70.4	77.1	83.7	89.8	91.9	91.7	86.8	78.0	68.1	60.0	76.5
		MEAN	45.7	49.4	56.8	63.7	71.0	77.6	80.4	79.9	74.7	63.8	54.9	47.8	63.8
		MIN	33.8	36.1	43.1	50.2	58.2	65.3	68.9	68.0	62.5	49.5	41.6	35.6	51.1
140	WIGGINS	MAX	60.4	64.6	71.8	77.9	84.5	90.0	91.9	91.8	88.1	80.2	70.5	63.2	77.9
		MEAN	48.8	51.8	59.3	65.6	72.8	78.9	81.1	81.0	76.8	67.2	58.2	51.2	66.1
		MIN	37.1	39.0	46.8	53.2	61.1	67.7	70.3	70.2	65.5	54.1	45.8	39.2	54.2
141	WINONA 5 E	MAX	51.4	56.6	64.8	72.0	78.6	85.3	88.6	88.5	83.4	74.2	63.6	54.6	71.8
		MEAN	40.0	43.9	51.7	58.6	66.8	74.1	77.8	76.8	71.0	59.9	50.4	42.8	59.5
		MIN	28.5	31.2	38.5	45.1	55.0	62.9	67.0	65.0	58.5	45.5	37.2	30.9	47.1
142	WOODVILLE 4 ESE	MAX	59.3	63.4	70.7	77.1	83.8	89.5	91.6	91.8	87.9	79.8	69.7	62.3	77.2
		MEAN	48.2	51.6	59.1	65.3	73.0	78.8	81.5	81.2	76.9	67.8	58.0	51.0	66.0
		MIN	37.0	39.8	47.5	53.4	62.1	68.1	71.3	70.6	65.8	55.7	46.3	39.6	54.8
143	YAZOO CITY 5 NNE	MAX	54.5	59.8	67.8	75.5	82.7	89.5	91.9	91.7	86.6	77.1	66.1	57.4	75.1
		MEAN	44.9	49.4	57.0	64.3	72.4	79.3	82.1	81.4	76.0	65.5	55.3	47.6	64.6
		MIN	35.3	38.9	46.1	53.0	62.0	69.0	72.2	71.0	65.3	53.8	44.5	37.8	54.1



CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days

1971-2000

MISSISSIPPI

PRECIPITATION NORMALS (Total in Inches)

No.	Station Name	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
001	ABBEVILLE	5.41	4.56	6.28	5.32	5.74	4.63	4.05	3.24	3.73	3.41	5.69	5.75	57.81
002	ABERDEEN	5.37	4.66	6.19	5.32	5.42	4.30	3.87	2.88	3.70	3.75	4.74	5.28	55.48
003	ACKERMAN	5.89	4.53	6.17	5.47	5.06	4.43	4.38	3.27	3.67	3.51	4.96	5.43	56.77
004	ARKABUTLA DAM	4.70	4.35	5.57	6.12	5.71	4.94	4.13	3.10	3.15	3.50	5.35	5.52	56.14
005	ASHLAND 2 SW	5.13	4.59	6.24	5.45	5.99	4.91	4.30	3.32	4.02	3.58	5.58	5.91	59.02
006	BALDWYN	5.21	4.66	6.31	5.20	5.77	4.85	3.73	3.16	3.74	3.84	5.41	6.35	58.23
007	BATESVILLE 2 SW	4.76	4.28	5.88	5.19	5.52	5.14	4.18	2.81	3.23	3.48	5.58	5.88	55.93
008	BAY ST LOUIS NASA	6.40	5.35	6.76	5.43	5.58	4.68	7.32	6.10	5.31	3.30	5.14	4.60	65.97
009	BAY SPRINGS 4 S	6.20	5.22	7.10	6.16	5.37	4.49	5.35	3.51	3.72	3.27	4.79	5.11	60.29
010	BELMONT 1 NW	4.81	3.92	6.53	4.90	5.25	3.93	4.19	3.31	3.57	3.07	4.97	5.95	54.40
011	BELZONI	5.84	4.35	6.40	5.79	6.17	3.99	5.12	3.05	2.84	3.78	5.19	5.74	58.26
012	BILOXI	6.08	5.48	6.16	4.82	5.37	5.03	7.40	5.80	5.67	3.30	4.84	4.89	64.84
013	BLACK HAWK	5.26	4.36	6.22	5.03	5.13	4.02	4.80	2.80	3.22	3.71	5.24	5.53	55.32
014	BLUFF LAKE	5.91	4.91	6.12	5.61	4.67	3.76	4.13	3.57	3.74	3.53	4.76	5.66	56.37
015	BOONEVILLE	5.39	4.47	6.25	5.28	6.23	4.49	4.12	3.42	3.66	3.41	5.58	6.34	58.64
016	BROOKHAVEN CITY	6.58	5.75	6.27	6.33	5.47	4.08	4.58	4.37	3.81	3.30	4.78	5.99	61.31
017	BROOKSVILLE EXP STN	5.98	4.59	5.71	5.66	4.71	4.10	3.78	3.45	3.59	3.12	4.60	4.91	54.20
018	BRUCE 2 W	5.68	4.85	6.13	5.93	5.31	4.88	4.04	3.21	3.61	3.24	5.29	6.13	58.30
019	BUCKATUNNA 1 NE	7.15	5.08	7.23	5.00	5.59	4.53	5.59	3.96	4.71	3.04	5.98	5.38	63.24
020	BYHALIA	4.29	4.20	5.63	6.10	5.28	4.04	3.57	2.89	3.52	3.19	5.15	5.17	53.03
021	CALHOUN CITY 2 NW	5.39	4.45	5.74	5.70	5.41	4.57	4.20	3.21	3.44	2.99	4.84	5.92	55.86
022	CANTON 4 N	6.12	4.86	6.09	5.84	5.69	3.33	3.71	3.10	2.98	3.49	5.28	5.29	55.78
023	CARROLLTON 5 E	5.76	4.47	6.53	5.21	5.35	4.21	4.85	2.80	3.63	3.58	5.49	6.00	57.88
024	CARTHAGE 3 SW	5.96	4.89	6.13	5.83	5.39	3.44	4.44	3.61	3.49	3.36	5.28	5.44	57.26
025	CENTREVILLE	6.84	5.57	6.47	5.73	5.21	4.92	5.27	4.88	4.83	3.82	5.45	6.02	65.01
026	CHARLESTON 1 N	5.39	4.64	6.02	5.82	5.50	5.13	4.40	3.27	3.23	3.03	5.81	5.47	57.71
027	CLARKSDALE	5.16	4.78	5.45	5.11	5.17	4.99	4.11	2.53	2.93	3.12	5.53	5.36	54.24
028	CLEVELAND	4.74	4.58	6.09	5.77	5.58	4.94	4.04	2.61	3.14	3.33	5.25	5.07	55.14
029	CLEVELAND 3 N	5.25	4.37	5.47	5.25	5.07	4.83	3.18	1.54	2.63	2.58	5.80	5.00	50.97
030	COFFEEVILLE	5.33	4.83	6.36	5.81	5.76	4.72	4.46	3.09	3.70	3.40	5.54	6.02	59.02
031	COLLINS	6.21	4.79	6.50	5.58	5.79	4.05	4.84	4.07	4.14	3.58	4.85	5.21	59.61
032	COLLINSVILLE 7 SE	6.02	5.06	6.65	5.96	4.45	4.33	4.84	3.81	3.29	3.65	4.56	5.40	58.02
033	COLUMBIA	7.12	5.41	6.51	5.93	5.58	4.93	5.55	4.56	4.13	3.47	4.93	5.81	63.93
034	COLUMBUS LUXAPALLILA	6.21	4.98	5.36	5.50	4.23	4.72	4.36	3.64	3.63	3.22	5.10	4.96	55.91
035	CORINTH CITY	4.92	4.39	5.99	5.23	5.72	4.14	4.25	3.16	4.15	3.35	5.67	5.70	56.67
036	CRANDALL 8 N	6.82	5.46	6.84	5.49	5.59	4.80	5.61	3.56	4.32	3.91	5.76	5.50	63.66
037	CRAWFORD 5 W	5.72	4.91	6.02	5.82	4.58	3.79	4.45	3.30	3.53	3.35	4.71	5.17	55.35
038	CRYSTAL SPRINGS EXP STN	5.77	5.62	6.12	5.98	4.93	5.43	4.36	3.63	4.39	3.33	4.65	6.11	60.32
039	DANCY	5.76	4.61	6.32	4.90	5.23	3.84	4.04	2.87	3.67	3.45	4.68	4.94	54.31
040	D LO 2 SW	5.88	5.23	6.25	6.08	5.29	4.25	5.12	4.17	3.63	3.28	5.12	5.88	60.18
041	EDINBURG	5.73	4.86	6.04	5.64	5.05	3.03	4.51	3.20	3.32	3.28	5.23	5.13	55.02
042	ELLIOTT 1 SW	5.29	4.51	6.32	5.61	5.31	4.71	4.24	3.06	3.32	3.26	5.34	6.08	57.05
043	ENID DAM	4.92	4.34	5.84	5.36	5.25	4.52	3.78	2.85	3.10	3.17	5.27	5.58	53.98
044	ENTERPRISE	6.04	5.19	6.82	5.33	4.73	4.36	5.56	3.71	3.85	2.38	4.61	5.29	57.87
045	EUPORA 2 E	5.72	4.53	6.60	5.54	5.16	4.17	4.06	2.99	3.79	3.65	5.21	5.91	57.33
046	FOREST 3 S	6.18	5.56	6.54	5.87	4.83	4.38	5.59	4.27	3.74	3.74	5.42	5.82	61.94
047	FULTON 3 W	5.50	5.03	6.58	5.38	6.32	4.49	4.45	3.60	4.11	3.49	5.28	6.23	60.46
048	GHOLSON 8 W	6.07	4.95	6.06	5.87	4.83	3.39	5.35	3.30	3.47	3.43	5.31	5.40	57.43
049	GOSHEN SPRINGS 3 NW	5.63	4.61	5.91	5.64	4.94	3.59	4.56	2.96	3.24	3.03	5.33	5.50	54.94
050	GREENVILLE	5.32	4.70	5.81	5.40	5.33	4.51	3.95	2.20	2.74	3.39	5.60	5.25	54.20
051	GREENWOOD LEFLORE AP	5.25	4.20	5.79	5.66	5.35	4.50	4.19	2.44	3.25	3.56	4.85	5.41	54.45
052	GRENADA 5 NNE	5.65	4.81	6.21	5.72	5.09	5.15	4.67	2.95	4.04	3.41	5.43	5.93	59.06
053	GULFPORT NAVAL CENTER	6.49	5.52	6.03	5.06	5.68	5.04	6.92	5.79	6.17	2.85	4.81	4.84	65.20
054	GUNTOWN 3 NW	5.03	4.73	5.80	5.06	6.08	4.38	3.82	3.31	3.37	3.54	5.18	6.48	56.78
055	HATTIESBURG 5 SW	7.04	5.07	6.31	5.57	5.29	4.34	5.64	4.84	4.26	3.57	5.29	5.25	62.47
056	HAZLEHURST 5 SW	5.90	5.06	6.03	5.99	5.86	4.20	4.66	4.01	3.02	3.81	4.99	5.97	59.50
057	HERNANDO 5 S	4.55	4.29	5.58	6.02	5.51	4.93	3.68	3.15	3.29	3.34	5.11	5.61	55.06
058	HICKORY FLAT	5.28	4.63	6.07	5.46	5.52	4.70	4.56	3.63	3.88	3.37	5.61	6.13	58.84
059	HOLLY SPRINGS 4 N	4.79	4.19	5.98	5.31	5.49	4.85	4.60	3.42	3.60	3.77	5.45	5.57	57.02
060	HOUSTON	5.30	4.80	6.50	5.32	5.55	5.18	4.03	3.05	3.91	3.27	5.30	6.05	58.26
061	INDEPENDENCE 1 W	4.43	4.00	5.17	4.90	5.45	4.80	3.88	3.04	3.43	3.09	4.87	5.09	52.15
062	IUKA 5S	5.30	4.83	6.72	5.22	6.10	3.99	4.57	3.86	4.14	3.51	5.74	6.70	60.68
063	JACKSON THOMPSON AP	5.67	4.50	5.74	5.98	4.86	3.82	4.69	3.66	3.23	3.42	5.04	5.34	55.95
064	KIPLING 3 NW	5.70	4.98	6.47	5.67	4.88	4.10	4.76	3.01	3.31	3.16	4.48	5.11	55.63
065	KOSCIUSKO	6.29	4.94	6.68	5.79	5.36	3.69	5.45	3.55	3.55	3.71	5.58	5.79	60.38
066	LAFAYETTE SPRINGS	5.19	4.45	6.13	5.58	5.69	5.00	4.23	3.08	3.62	3.44	5.42	5.77	57.60
067	LAKE CORMORANT 3 E	4.09	3.91	5.40	5.25	5.05	4.63	3.80	2.62	2.66	3.02	5.40	5.38	51.21
068	LAMBERT 1 W	5.12	4.53	5.64	4.85	5.83	5.04	3.64	3.00	3.21	3.09	5.17	5.50	54.62
069	LAUREL	6.32	4.59	6.10	5.19	5.23	3.96	5.42	4.16	4.28	3.28	4.83	5.24	58.60



MISSISSIPPI

PRECIPITATION NORMALS (Total in Inches)

No.	Station Name	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
070	LEAKESVILLE	6.17	5.57	7.13	5.45	5.55	5.33	7.05	4.86	5.07	3.34	5.05	5.46	66.03
071	LEXINGTON 2 NNW	5.78	4.79	6.13	5.56	5.21	4.30	3.77	2.89	2.97	3.55	5.42	5.86	56.23
072	LIBERTY 5 W	6.80	5.54	6.80	5.46	5.24	4.97	4.97	4.66	4.59	3.30	4.93	5.86	63.12
073	LOUISVILLE	6.11	5.03	6.57	5.83	5.13	3.91	5.32	3.23	3.70	3.55	4.92	5.56	58.86
074	MACON 3 N	6.10	4.74	5.79	5.65	4.51	4.41	4.59	3.70	3.58	3.11	5.33	4.84	56.35
075	MCCOMB PIKE CO AP	6.72	5.53	6.59	5.78	5.40	4.86	5.51	5.19	4.68	3.40	5.06	5.80	64.52
076	MEADVILLE	6.22	5.39	6.23	5.56	5.70	4.69	4.95	4.39	4.00	3.86	4.85	5.83	61.67
077	MERIDIAN NAAS	5.88	5.28	6.72	5.87	4.49	3.99	5.11	3.47	3.39	3.40	4.49	4.97	57.06
078	MERIDIAN KEY AP	5.92	5.35	6.93	5.62	4.87	3.99	5.45	3.34	3.64	3.28	4.95	5.31	58.65
079	MERRILL	6.86	5.76	7.05	5.02	6.15	4.72	6.72	4.66	4.92	2.93	5.32	5.11	65.22
080	MINTER CITY 2 SE	5.49	4.91	6.20	5.63	5.88	5.05	4.54	2.56	3.28	3.31	5.80	6.00	58.65
081	MIZE 3 SW	5.94	5.20	6.45	6.19	4.81	4.14	4.58	4.01	3.54	3.33	4.92	5.51	58.62
082	MONTICELLO	6.42	5.48	6.75	6.15	5.99	4.58	4.68	3.99	3.76	3.54	4.97	5.74	62.05
083	MOORHEAD	5.41	4.60	5.98	5.61	5.27	4.35	4.75	2.50	3.36	3.36	5.25	5.91	56.35
084	MOUNT PLEASANT 4 SW	4.38	4.32	5.67	5.30	5.32	4.11	4.49	2.86	3.58	3.36	5.24	5.62	54.25
085	NATCHEZ	6.44	5.03	6.74	6.07	5.49	4.68	4.03	3.89	3.73	3.97	5.58	6.44	62.09
086	NEW ALBANY	5.35	4.21	6.13	5.26	5.63	4.84	3.86	3.18	3.78	3.14	5.32	6.09	56.79
087	NEWTON EXP STN	5.85	5.23	6.44	5.93	4.17	3.84	4.87	3.84	3.55	3.47	5.16	5.16	57.51
088	OAKLEY EXP STA	6.24	4.80	6.36	5.94	4.81	4.67	3.84	3.77	3.02	3.46	5.15	5.39	57.45
089	OFAHOMA	5.97	4.86	5.90	5.74	5.25	3.11	4.43	3.46	3.17	3.28	5.33	5.56	56.06
090	OKOLONA	5.07	4.81	6.55	5.28	5.04	4.32	4.48	3.06	3.70	3.17	4.89	5.49	55.86
091	ONWARD	5.81	5.09	6.29	4.98	5.92	4.19	4.26	2.95	3.15	4.18	5.12	5.90	57.84
092	PASCAGOULA 3 NE	6.17	5.30	6.22	4.57	5.91	5.42	7.29	6.47	6.52	3.70	5.13	4.31	67.01
093	PAULDING	5.92	4.93	6.62	5.59	4.54	3.93	5.48	3.52	3.40	3.21	4.70	5.00	56.84
094	PELAHATCHIE	6.33	5.23	6.53	5.77	5.30	4.08	4.97	3.76	3.70	3.57	5.25	6.17	60.66
095	PHILADELPHIA 1 WSW	6.35	5.29	6.30	5.67	5.21	3.99	4.77	3.68	3.24	3.47	5.44	5.37	58.78
096	PICAYUNE	6.10	5.35	6.48	5.19	5.13	4.85	6.59	5.34	5.21	3.21	4.91	5.12	63.48
097	PICKENS	6.37	4.77	6.31	5.86	5.80	3.81	4.22	3.13	2.94	3.67	5.23	5.30	57.41
098	PLEASANT HILL	4.77	4.31	5.80	5.96	5.26	4.64	4.25	2.67	3.34	3.44	5.38	5.76	55.58
099	PONTOTOC	5.52	5.06	6.36	5.56	5.66	5.09	3.93	3.37	3.95	3.40	5.21	6.50	59.61
100	PONTOTOC EXP STN	5.33	4.80	6.19	5.60	5.34	4.99	4.54	3.21	4.08	3.37	4.86	6.15	58.46
101	POPLARVILLE EXP STN	6.00	5.72	6.56	5.43	5.55	4.63	6.56	5.06	4.24	3.47	4.75	5.18	63.15
102	PORT GIBSON 3 NE	6.40	4.82	6.44	5.84	5.57	4.64	4.16	3.12	3.42	3.62	5.05	5.84	58.92
103	PRENTISS	6.29	5.10	6.76	6.01	4.81	3.99	4.28	3.36	3.81	3.79	4.84	5.59	58.63
104	PURVIS 2 N	6.63	5.25	6.35	5.58	5.60	4.24	5.84	4.61	4.18	4.02	5.42	4.90	62.62
105	QUITMAN 1 N	6.38	4.94	6.83	5.35	4.30	4.15	4.79	3.23	3.68	3.19	4.52	5.01	56.37
106	RICHTON 3 SSE	6.71	5.12	6.44	5.07	4.96	3.91	6.07	3.80	4.63	2.92	5.11	4.99	59.73
107	RIPLEY	5.17	4.69	6.08	5.52	5.42	4.69	4.67	3.00	3.73	3.38	5.70	6.22	58.27
108	ROCKPORT	6.19	5.71	6.35	6.14	5.81	3.79	4.77	3.88	3.35	3.71	5.05	6.12	60.87
109	ROLLING FORK	5.76	4.64	6.17	5.62	5.26	4.30	4.03	2.67	3.00	3.92	4.88	5.67	55.92
110	ROSEDALE	4.65	4.62	5.38	5.64	4.89	4.11	3.53	2.25	3.19	3.49	5.21	4.96	51.92
111	RUSSELL	5.61	5.10	6.73	5.47	4.22	3.81	5.27	3.72	3.29	3.13	4.40	5.12	55.87
112	SARAH 3 SE	4.79	4.61	5.64	5.43	5.99	4.96	4.40	3.04	2.65	3.60	5.37	5.52	56.00
113	SARDIS DAM	5.15	4.56	5.90	5.11	5.48	4.93	3.89	3.12	3.32	3.64	5.63	5.66	56.39
114	SAUCIER EXP FOREST	6.61	5.61	7.12	5.18	6.45	5.35	7.40	6.73	6.17	3.03	5.28	5.24	70.17
115	SENATOBIA	4.61	4.28	5.73	5.27	5.89	4.77	4.39	3.54	2.92	3.50	5.20	5.42	55.52
116	SHUBUTA	6.25	4.58	6.88	5.27	4.27	4.26	5.35	3.44	4.32	3.39	4.86	5.43	58.30
117	SHUQUALAK	5.75	4.51	6.31	5.61	4.12	3.52	4.64	2.91	4.14	3.20	4.22	4.68	53.61
118	SLEDGE 2 N	4.54	4.48	5.47	5.37	5.67	5.06	4.23	2.95	2.73	3.41	5.05	5.29	54.25
119	STANDARD	6.43	5.60	6.70	4.80	5.60	5.81	6.11	6.67	6.22	2.99	4.98	5.41	67.32
120	STATE UNIVERSITY	5.70	4.85	6.07	5.62	4.88	4.03	4.35	3.33	3.48	3.35	4.66	5.13	55.45
121	STONEVILLE EXP STN	5.42	4.46	5.63	5.44	5.25	4.02	3.86	2.05	3.19	3.32	5.20	5.45	53.29
122	SUMRALL	6.91	5.21	6.45	5.53	5.57	4.62	4.95	4.34	3.77	3.80	5.13	5.92	62.20
123	SWAN LAKE	5.12	4.30	5.71	5.31	4.72	5.05	4.14	2.55	2.99	3.31	5.44	5.46	54.10
124	TIBBEE	5.98	4.95	6.44	5.70	5.26	3.83	4.82	3.59	3.58	3.51	5.04	5.29	57.99
125	TUNICA 2	4.61	4.05	5.57	5.74	5.76	5.25	3.77	2.46	2.67	3.35	5.41	5.54	54.18
126	TUPELO RGNL AP	5.14	4.68	6.30	4.94	5.80	4.82	3.65	2.67	3.35	3.38	5.01	6.12	55.86
127	TYLERTOWN 2 WNW	6.76	5.44	6.24	5.67	5.71	4.99	5.93	4.76	4.05	3.86	4.85	5.48	63.74
128	UNION CHURCH	5.69	4.99	6.13	5.54	5.40	4.46	4.33	3.93	3.59	3.68	4.92	6.42	59.08
129	UNIVERSITY	5.32	4.58	5.87	5.19	5.66	4.60	4.05	3.50	3.66	3.80	5.43	5.99	57.65
130	VAIDEN 1 SSW	5.99	4.77	6.35	5.77	5.39	4.48	4.20	3.24	3.67	3.52	5.31	5.88	58.57
131	VANCLEAVE	6.58	5.33	6.69	4.75	6.21	6.33	8.54	7.38	7.10	3.25	5.06	4.88	72.10
132	VAN VLEET 1 SE	5.16	4.86	6.15	5.26	5.35	4.62	4.40	2.99	3.94	3.16	5.19	5.90	56.98
133	VERONA EXPERIMENT STN	4.98	4.88	6.01	5.20	4.84	4.56	3.58	3.80	4.09	3.07	4.75	5.90	55.66
134	VICKSBURG MILITARY PARK	6.28	4.75	6.40	5.60	5.44	4.26	4.25	3.12	3.36	3.80	5.03	5.70	57.99
135	WALNUT GROVE 2 S	6.55	5.35	6.73	6.13	5.19	3.66	4.72	3.87	3.26	3.43	5.49	5.59	59.97
136	WATER VALLEY 1 NNE	5.25	4.56	6.23	5.57	5.57	4.92	4.41	3.34	3.27	3.56	5.60	6.08	58.36
137	WAVELAND	6.77	4.84	6.67	5.76	5.40	5.21	6.57	5.68	6.42	2.76	5.14	4.30	65.52
138	WAYNESBORO 2 W	6.44	4.68	6.14	4.64	5.00	4.44	5.21	3.47	4.45	2.97	5.16	5.41	58.01



MISSISSIPPI

PRECIPITATION NORMALS (Total in Inches)

No.	Station Name	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
139	WHITE OAK 1 N	6.04	5.42	6.33	6.15	4.53	3.96	4.91	4.43	3.63	3.63	5.21	5.97	60.21
140	WIGGINS	6.23	5.90	6.78	5.30	5.18	4.44	6.34	5.10	5.68	2.79	5.20	5.52	64.46
141	WINONA 5 E	5.41	4.65	6.36	5.52	5.05	4.27	4.48	3.16	3.62	3.32	5.07	6.13	57.04
142	WOODVILLE 4 ESE	7.15	5.65	7.03	6.15	5.79	5.54	5.62	4.59	5.26	3.71	5.43	6.30	68.22
143	YAZOO CITY 5 NNE	6.30	5.07	6.81	5.97	5.57	4.04	4.18	3.37	2.86	4.12	5.20	6.25	59.74



MISSISSIPPI

DEGREE DAYS (Total)

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
002	ABERDEEN	HDD	737	550	375	152	34	1	0	0	11	150	390	633	3033
		CDD	0	0	9	36	166	345	477	447	262	61	7	0	1810
007	BATESVILLE 2 SW	HDD	791	595	402	172	49	1	0	0	16	161	414	686	3287
		CDD	0	0	5	37	180	356	472	424	251	63	7	0	1795
008	BAY ST LOUIS NASA	HDD	480	337	189	61	4	0	0	0	0	52	214	413	1750
		CDD	3	7	36	90	267	433	526	516	376	137	47	15	2453
009	BAY SPRINGS 4 S	HDD	555	384	237	95	12	0	0	0	3	87	282	479	2134
		CDD	0	2	25	58	201	395	495	475	325	97	24	10	2107
011	BELZONI	HDD	698	496	305	116	17	0	0	0	7	110	339	599	2687
		CDD	1	6	10	66	232	420	524	492	315	96	17	4	2183
012	BILOXI	HDD	460	317	188	52	4	0	0	0	0	45	204	375	1645
		CDD	4	9	33	100	287	444	518	510	383	162	54	13	2517
015	BOONEVILLE	HDD	824	618	420	184	50	1	0	0	18	186	438	717	3456
		CDD	0	0	8	30	146	321	448	416	228	49	3	0	1649
016	BROOKHAVEN CITY	HDD	595	429	263	110	11	0	0	0	6	96	295	518	2323
		CDD	0	1	22	65	204	385	479	467	310	91	15	10	2049
021	CALHOUN CITY 2 NW	HDD	769	575	378	152	35	1	0	0	11	139	411	659	3130
		CDD	0	0	6	38	167	341	476	447	256	55	7	0	1793
022	CANTON 4 N	HDD	623	439	263	100	13	0	0	0	8	112	318	558	2434
		CDD	0	1	18	71	233	420	522	493	320	91	17	8	2194
024	CARTHAGE 3 SW	HDD	663	482	302	126	23	0	0	0	11	129	344	584	2664
		CDD	0	0	15	48	191	371	489	466	301	74	15	6	1976
026	CHARLESTON 1 N	HDD	782	570	375	151	38	2	0	0	10	143	410	678	3159
		CDD	0	0	7	47	185	359	494	452	262	58	8	0	1872
027	CLARKSDALE	HDD	761	545	362	136	27	0	0	0	9	128	377	660	3005
		CDD	0	1	9	60	227	421	527	473	294	87	9	1	2109
028	CLEVELAND	HDD	704	502	312	117	18	0	0	0	5	99	347	610	2714
		CDD	0	2	14	69	241	440	561	517	324	103	13	4	2288
029	CLEVELAND 3 N	HDD	775	572	370	152	24	0	0	0	8	119	370	653	3043
		CDD	0	0	5	51	219	411	528	483	290	78	9	0	2074
031	COLLINS	HDD	585	422	261	88	12	0	0	0	3	101	290	503	2265
		CDD	0	0	18	58	205	379	485	472	308	92	20	9	2046
033	COLUMBIA	HDD	547	382	221	80	6	0	0	0	1	82	271	476	2066
		CDD	0	2	30	79	253	426	515	502	339	111	28	11	2296
034	COLUMBUS LUXAPALLILA	HDD	688	506	322	127	25	0	0	0	6	121	344	601	2740
		CDD	0	1	14	58	211	390	510	484	307	86	10	2	2073
035	CORINTH CITY	HDD	748	549	351	132	29	0	0	0	10	138	379	653	2989
		CDD	0	0	14	51	192	380	510	467	273	68	9	2	1966
038	CRYSTAL SPRINGS EXP STN	HDD	583	411	238	84	8	0	0	0	2	72	270	505	2173
		CDD	0	1	20	74	234	420	515	495	329	106	23	9	2226
040	D LO 2 SW	HDD	631	460	291	119	20	0	0	0	7	126	330	554	2538
		CDD	0	0	17	49	195	373	476	456	293	77	16	8	1960
045	EUPORA 2 E	HDD	743	556	368	152	30	0	0	0	18	160	398	651	3076
		CDD	0	0	7	34	163	341	455	428	251	59	9	0	1747
046	FOREST 3 S	HDD	618	428	269	106	14	0	0	0	5	109	319	534	2402
		CDD	0	0	18	51	190	363	469	451	296	81	18	6	1943
047	FULTON 3 W	HDD	701	506	325	129	25	0	0	0	6	130	356	603	2781
		CDD	0	0	13	49	189	375	505	476	292	82	13	3	1997
050	GREENVILLE	HDD	705	498	316	118	16	0	0	0	6	96	351	609	2715
		CDD	0	0	12	70	243	439	545	504	310	81	9	3	2216
051	GREENWOOD LEFLORE AP	HDD	663	466	287	106	17	0	0	0	7	105	328	573	2552
		CDD	0	1	17	66	245	435	539	507	327	102	16	9	2264
052	GRENADA 5 NNE	HDD	750	559	369	157	41	1	0	0	12	156	395	651	3091
		CDD	0	0	9	42	172	352	475	437	259	63	7	1	1817
053	GULFPORT NAVAL CENTER	HDD	433	289	159	42	1	0	0	0	0	38	193	359	1514
		CDD	3	7	47	117	311	459	545	535	407	174	58	16	2679
055	HATTIESBURG 5 SW	HDD	543	383	219	70	6	0	0	0	1	78	256	468	2024
		CDD	0	6	27	79	247	421	517	511	358	120	30	11	2327
056	HAZLEHURST 5 SW	HDD	544	375	212	81	9	0	0	0	2	62	257	474	2016
		CDD	3	7	22	79	232	407	493	480	332	107	24	11	2197
057	HERNANDO 5 S	HDD	842	629	416	162	38	0	0	0	17	157	454	727	3442
		CDD	0	0	4	35	161	346	476	432	234	56	5	0	1749
058	HICKORY FLAT	HDD	837	636	441	190	53	1	0	0	21	188	460	721	3548
		CDD	0	0	4	24	143	311	442	411	227	50	3	0	1615
059	HOLLY SPRINGS 4 N	HDD	853	644	460	221	78	3	0	1	28	208	457	744	3697
		CDD	0	0	4	22	140	299	430	382	208	43	3	0	1531
060	HOUSTON	HDD	770	583	393	174	47	1	0	0	18	185	425	682	3278
		CDD	0	0	8	27	152	326	444	405	231	48	6	0	1647



MISSISSIPPI

DEGREE DAYS (Total)

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
061	INDEPENDENCE 1 W	HDD	824	619	423	196	51	2	0	1	22	172	438	717	3465
		CDD	0	0	5	43	157	343	470	426	245	49	7	0	1745
062	IUKA 5S	HDD	879	688	491	246	84	5	0	2	33	237	487	777	3929
		CDD	0	0	1	16	103	258	385	351	182	29	2	0	1327
063	JACKSON THOMPSON AP	HDD*	611	440	272	115	11	0	0	0	7	102	315	528	2401
		CDD*	0	8	32	82	228	419	524	505	338	99	25	4	2264
064	KIPLING 3 NW	HDD	675	504	333	126	19	0	0	0	7	134	350	582	2730
		CDD	0	0	13	36	175	359	473	459	283	73	14	3	1888
065	KOSCIUSKO	HDD	675	496	334	142	24	0	0	0	8	121	350	592	2742
		CDD	0	0	15	50	185	375	494	477	300	72	10	5	1983
069	LAUREL	HDD	585	421	256	95	12	0	0	0	4	102	297	518	2290
		CDD	0	1	20	62	216	397	502	483	321	92	21	9	2124
071	LEXINGTON 2 NNW	HDD	674	478	304	136	25	0	0	0	10	133	354	596	2710
		CDD	0	0	12	44	171	346	457	439	274	78	9	7	1837
072	LIBERTY 5 W	HDD	585	427	260	114	18	0	0	0	8	109	289	510	2320
		CDD	0	2	18	58	204	379	466	451	308	106	24	13	2029
073	LOUISVILLE	HDD	714	532	348	150	34	0	0	0	13	135	358	618	2902
		CDD	0	0	11	36	162	333	438	420	258	65	11	1	1735
074	MACON 3 N	HDD	720	530	341	140	25	0	0	0	14	135	360	634	2899
		CDD	0	0	11	43	186	380	491	469	292	69	10	1	1952
075	MCCOMB PIKE CO AP	HDD	516	360	206	74	7	0	0	0	1	68	253	445	1930
		CDD	0	6	26	80	247	417	507	496	346	121	31	14	2291
076	MEADVILLE	HDD	584	411	244	99	10	0	0	0	2	81	299	517	2247
		CDD	0	2	22	64	216	389	485	464	313	94	21	8	2078
077	MERIDIAN NAAS	HDD	630	449	286	103	23	0	0	0	6	127	328	552	2504
		CDD	0	2	21	48	211	389	502	485	311	91	15	10	2085
078	MERIDIAN KEY AP	HDD*	598	434	274	111	14	0	0	0	6	106	303	506	2352
		CDD*	4	6	26	70	213	400	509	495	331	91	20	8	2173
079	MERRILL	HDD	545	383	219	82	6	0	0	0	2	95	278	490	2100
		CDD	0	3	28	71	222	392	486	466	327	98	19	12	2124
080	MINTER CITY 2 SE	HDD	732	524	340	140	32	0	0	0	8	121	367	641	2905
		CDD	0	1	11	57	202	387	506	468	285	72	9	2	2000
082	MONTICELLO	HDD	590	421	252	96	10	0	0	0	4	111	307	523	2314
		CDD	0	1	25	68	222	404	502	489	328	95	19	10	2163
083	MOORHEAD	HDD	679	480	296	107	19	0	0	0	6	92	332	589	2600
		CDD	1	5	16	74	243	426	534	504	327	104	15	7	2256
085	NATCHEZ	HDD	522	357	199	69	5	0	0	0	1	57	247	453	1910
		CDD	0	6	29	87	250	416	513	497	343	111	29	12	2293
087	NEWTON EXP STN	HDD	659	483	314	131	22	0	0	0	7	136	346	572	2670
		CDD	0	0	13	40	181	363	477	453	284	72	13	3	1899
088	OAKLEY EXP STA	HDD	637	451	276	112	17	0	0	0	8	116	328	553	2498
		CDD	0	2	16	61	219	391	497	470	306	89	19	7	2077
091	ONWARD	HDD	624	437	265	98	13	0	0	0	5	100	302	554	2398
		CDD	3	5	18	79	219	395	500	465	292	71	13	10	2070
092	PASCAGOULA 3 NE	HDD	497	357	221	83	7	0	0	0	1	66	221	417	1870
		CDD	0	5	18	86	236	400	483	487	368	146	41	16	2286
094	PELAHATCHIE	HDD	587	412	256	102	16	0	0	0	5	105	310	512	2305
		CDD	0	1	21	58	199	363	475	453	299	83	16	8	1976
095	PHILADELPHIA 1 WSW	HDD	653	468	288	115	23	0	0	0	8	123	329	567	2574
		CDD	0	1	16	54	198	380	489	469	303	74	15	7	2006
096	PICAYUNE	HDD	493	344	195	66	4	0	0	0	1	62	233	421	1819
		CDD	3	6	33	88	263	426	510	500	356	133	41	18	2377
097	PICKENS	HDD	669	473	314	129	37	1	0	0	17	136	353	598	2727
		CDD	0	6	31	51	194	354	449	429	277	77	12	11	1891
100	PONTOTOC EXP STN	HDD	767	572	384	163	36	0	0	0	11	139	382	660	3114
		CDD	0	0	8	39	176	357	485	455	270	67	10	1	1868
101	POPLARVILLE EXP STN	HDD	509	359	202	68	4	0	0	0	0	50	229	430	1851
		CDD	0	5	24	81	266	437	515	510	362	129	36	14	2379
102	PORT GIBSON 3 NE	HDD	659	476	307	132	22	0	0	0	5	121	349	584	2655
		CDD	0	0	11	48	191	363	466	452	284	61	13	2	1891
105	QUITMAN 1 N	HDD	635	456	284	120	19	0	0	0	9	137	338	551	2549
		CDD	0	0	15	52	189	359	452	429	275	68	16	7	1862
106	RICHTON 3 SSE	HDD	566	410	251	99	12	0	0	0	3	106	297	505	2249
		CDD	0	0	21	55	204	375	471	457	313	96	22	9	2023
107	RIPLEY	HDD	846	642	445	206	58	2	0	0	24	210	468	747	3648
		CDD	0	0	4	28	142	314	442	403	218	44	3	0	1598
109	ROLLING FORK	HDD	685	496	308	123	17	0	0	0	6	97	336	596	2664
		CDD	0	0	12	74	233	418	524	489	310	86	11	5	2162



MISSISSIPPI

DEGREE DAYS (Total)

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
110	ROSEDALE	HDD	751	545	342	130	24	0	0	0	9	125	371	642	2939
		CDD	0	0	9	55	215	418	533	478	283	66	7	0	2064
111	RUSSELL	HDD	592	408	238	90	12	0	0	0	4	93	289	503	2229
		CDD	0	3	23	63	219	387	492	467	306	86	19	8	2073
114	SAUCIER EXP FOREST	HDD	444	300	159	47	1	0	0	0	0	39	197	370	1557
		CDD	3	8	38	100	273	428	506	494	363	144	43	15	2415
120	STATE UNIVERSITY	HDD	723	532	346	140	26	0	0	0	10	130	358	623	2888
		CDD	0	0	10	43	185	374	494	458	277	67	11	1	1920
121	STONEVILLE EXP STN	HDD	728	523	326	119	16	0	0	0	7	107	354	626	2806
		CDD	0	0	9	79	251	444	541	495	304	83	8	1	2215
125	TUNICA 2	HDD	797	590	381	153	37	0	0	0	15	134	399	683	3189
		CDD	0	3	7	54	209	402	520	458	271	66	6	0	1996
126	TUPELO RGNL AP	HDD*	750	559	368	160	29	1	0	0	14	150	400	655	3086
		CDD*	0	1	14	50	171	364	488	453	274	60	8	1	1884
127	TYLERTOWN 2 WNW	HDD	496	344	198	71	5	0	0	0	1	60	236	425	1836
		CDD	0	6	33	78	241	407	493	487	351	128	33	14	2271
129	UNIVERSITY	HDD	808	609	421	186	60	4	0	1	21	184	429	701	3424
		CDD	0	0	9	32	168	342	467	425	242	54	10	0	1749
133	VERONA EXPERIMENT STN	HDD	774	571	378	161	40	1	0	0	13	159	397	663	3157
		CDD	0	0	8	38	184	366	494	459	274	66	7	0	1896
134	VICKSBURG MILITARY PARK	HDD	564	389	222	81	7	0	0	0	2	70	270	484	2089
		CDD	0	7	18	81	236	413	516	499	343	116	29	11	2269
136	WATER VALLEY 1 NNE	HDD	783	584	386	166	45	1	0	0	16	157	408	689	3235
		CDD	0	0	8	38	169	350	474	443	265	60	5	0	1812
137	WAVELAND	HDD	493	348	207	67	3	0	0	0	1	60	227	421	1827
		CDD	0	2	25	91	274	423	507	504	366	138	44	12	2386
138	WAYNESBORO 2 W	HDD	608	439	275	100	9	0	0	0	4	118	322	538	2413
		CDD	0	0	19	59	194	376	477	459	294	79	18	5	1980
140	WIGGINS	HDD	517	371	208	70	4	0	0	0	1	61	246	441	1919
		CDD	0	2	32	86	246	416	500	497	354	129	39	12	2313
141	WINONA 5 E	HDD	777	591	418	213	60	2	0	0	21	199	439	690	3410
		CDD	0	0	5	19	117	275	395	365	200	39	2	0	1417
142	WOODVILLE 4 ESE	HDD	531	379	210	71	4	0	0	0	1	54	245	449	1944
		CDD	0	2	27	79	251	414	511	503	356	138	36	12	2329
143	YAZOO CITY 5 NNE	HDD	632	441	268	99	14	0	0	0	5	92	308	549	2408
		CDD	0	3	19	76	241	428	529	507	335	106	17	9	2270



MISSISSIPPI

No.	Station Name	Element	NORMALS STATISTICS JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
002	ABERDEEN	HIGHEST MEAN	49.3	53.2	58.5	67.1	74.0	80.9	84.8	84.2	78.9	67.2	58.4	53.4	84.8
		MEDIAN	41.5	45.3	53.5	60.9	69.1	77.2	80.2	78.7	73.4	62.2	52.1	44.6	61.4
		LOWEST MEAN	30.3	34.9	47.1	55.6	63.5	71.7	77.5	75.4	68.1	56.4	44.4	35.1	30.3
		HIGHEST MEAN YEAR	1974	1990	1973	1999	1996	1998	1980	2000	1998	1984	1985	1984	1980
		LOWEST MEAN YEAR	1977	1978	1978	1983	1976	1974	1972	1992	1974	1976	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	1.4	1.8	2.0	1.0	0.9	0.7	0.4	0.3	0.6	0.8	1.1	1.0	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
007	BATESVILLE 2	HIGHEST MEAN	46.7	51.3	57.8	66.6	74.9	80.4	83.5	83.1	78.7	67.6	57.5	53.4	83.5
		MEDIAN	40.0	43.4	52.1	60.1	68.5	77.5	80.3	78.3	72.2	61.3	52.3	42.7	60.7
		LOWEST MEAN	27.3	33.0	46.2	54.8	62.7	72.3	77.3	73.5	67.3	56.1	42.7	33.1	27.3
		HIGHEST MEAN YEAR	1989	1976	2000	1981	1987	1998	1986	2000	1998	1971	1985	1984	1986
		LOWEST MEAN YEAR	1977	1978	1971	1983	1976	1974	1972	1992	1974	1987	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.5	1.9	1.2	0.0	0.0	0.1	-0.1	-0.2	0.3	0.4	1.2	1.0	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
008	BAY ST LOUIS	HIGHEST MEAN	59.5	59.0	64.8	70.4	77.2	82.1	84.3	84.1	81.3	72.0	66.1	60.6	84.3
		MEDIAN	50.2	53.5	60.1	65.9	74.1	79.4	82.0	81.4	77.4	68.0	59.7	51.6	67.1
		LOWEST MEAN	41.1	43.9	54.7	62.2	69.9	77.3	79.5	79.2	74.1	61.5	51.3	43.9	41.1
		HIGHEST MEAN YEAR	1974	1990	1974	1979	2000	1977	1980	1995	1972	1985	1985	1971	1980
		LOWEST MEAN YEAR	1977	1978	1996	1997	1976	1974	1985	1992	1975	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.7	1.0	-0.1	0.0	-0.2	-0.1	-0.2	-0.3	-0.2	-0.3	-0.4	0.5	
		MAX OBS TIME ADJUSTMENT	0.2	0.3	0.3	0.2	0.2	0.1	0.1	0.0	-0.1	-0.1	0.0	0.1	
009	BAY SPRINGS 4	HIGHEST MEAN	56.5	57.3	63.8	69.6	74.3	81.8	83.8	83.1	80.7	71.0	63.4	58.7	83.8
		MEDIAN	47.5	50.9	58.1	63.2	71.0	78.2	80.9	80.5	75.1	65.4	56.5	49.4	64.9
		LOWEST MEAN	37.3	41.9	52.2	59.5	66.6	74.9	78.5	76.9	72.0	59.6	48.7	40.4	37.3
		HIGHEST MEAN YEAR	1974	1976	1997	1981	2000	1998	1980	2000	1972	1984	1985	1971	1980
		LOWEST MEAN YEAR	1977	1978	1971	1993	1976	1974	1972	1992	1974	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	-1.2	-1.0	-0.9	-0.5	-0.4	-0.3	-0.2	-0.3	-0.4	-0.7	-1.1	-1.2	
		MAX OBS TIME ADJUSTMENT	-2.0	-2.1	-2.1	-1.5	-1.2	-0.9	-0.7	-0.7	-1.1	-1.6	-1.4	-1.8	
011	BELZONI	HIGHEST MEAN	49.3	55.9	60.0	69.8	76.2	82.8	85.6	85.6	81.1	70.4	59.7	55.9	85.6
		MEDIAN	43.0	47.8	55.9	63.3	71.9	79.2	81.7	80.8	74.8	64.4	54.7	45.4	63.5
		LOWEST MEAN	31.7	35.1	50.3	57.0	65.6	74.7	78.9	77.2	69.6	58.0	43.3	36.0	31.7
		HIGHEST MEAN YEAR	1990	1976	1974	1981	1998	1998	1980	2000	1998	1998	1994	1984	1980
		LOWEST MEAN YEAR	1977	1978	1978	1983	1976	1974	1972	1992	1974	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.5	1.8	1.1	1.0	0.0	0.1	0.0	-0.2	0.3	0.4	1.1	1.0	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
012	BILOXI	HIGHEST MEAN	60.8	59.7	65.3	72.6	79.6	83.6	84.9	85.1	81.1	73.5	67.8	61.1	85.1
		MEDIAN	50.6	54.0	60.2	66.2	74.3	79.9	81.4	81.2	77.9	69.0	60.4	52.8	67.3
		LOWEST MEAN	42.9	45.8	53.7	61.9	70.5	76.1	79.6	79.3	74.0	63.3	51.7	44.8	42.9
		HIGHEST MEAN YEAR	1974	1975	2000	1999	2000	1998	1998	1999	1997	1984	1985	1971	1999
		LOWEST MEAN YEAR	1978	1978	1983	1983	1976	1983	1972	1992	1983	1976	1976	1989	1978
		MIN OBS TIME ADJUSTMENT	-0.9	-0.8	-0.8	-0.4	-0.3	-0.2	-0.2	-0.2	-0.3	-0.5	-0.7	-0.9	
		MAX OBS TIME ADJUSTMENT	-0.5	-0.8	-0.6	-0.3	-0.4	-0.3	-0.2	-0.2	-0.4	-0.4	-0.4	-0.5	
015	BOONEVILLE	HIGHEST MEAN	46.0	50.2	58.4	65.7	73.3	79.6	84.3	82.4	77.1	66.4	56.6	50.4	84.3
		MEDIAN	39.0	42.8	51.8	59.5	67.8	76.1	79.2	77.8	71.8	60.6	50.5	41.8	59.7
		LOWEST MEAN	27.3	33.1	45.6	54.2	63.0	71.0	77.0	74.0	66.6	55.0	42.8	31.5	27.3
		HIGHEST MEAN YEAR	1990	1976	1973	1981	1987	1998	1980	1983	1998	1971	1985	1984	1980
		LOWEST MEAN YEAR	1977	1978	1980	1983	1976	1974	1994	1992	1974	1987	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.5	2.0	1.2	0.0	0.0	0.1	0.0	-0.2	0.3	0.4	0.5	1.0	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
016	BROOKHAVEN CI	HIGHEST MEAN	54.2	56.2	64.2	69.5	74.7	82.5	82.8	82.9	81.0	70.7	61.9	58.0	82.9
		MEDIAN	45.6	49.9	57.0	63.6	71.0	77.7	80.6	79.9	74.7	64.6	55.7	48.6	64.3
		LOWEST MEAN	37.3	40.7	51.5	58.8	67.6	75.6	77.7	76.6	68.5	59.2	49.4	39.3	37.3
		HIGHEST MEAN YEAR	1974	1976	1974	1981	1974	1977	1980	1999	1972	1984	1978	1971	1999
		LOWEST MEAN YEAR	1978	1978	1996	1997	1988	1995	1985	1992	1985	1987	1976	1989	1978
		MIN OBS TIME ADJUSTMENT	0.7	1.0	-0.1	0.0	-0.2	-0.1	-0.2	-0.3	-0.2	-0.4	0.5	0.5	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.2	0.2	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
021	CALHOUN CITY	HIGHEST MEAN	46.7	52.1	58.6	66.8	73.3	79.8	84.1	82.9	78.7	67.8	58.9	53.8	84.1
		MEDIAN	41.0	44.5	52.4	61.2	68.9	76.8	80.2	79.6	72.3	62.2	52.2	43.4	61.1
		LOWEST MEAN	29.6	33.8	47.5	56.2	64.3	72.0	77.5	75.7	69.4	57.1	43.2	34.3	29.6
		HIGHEST MEAN YEAR	1989	1990	1974	1981	1987	1998	1980	2000	1998	1984	1985	1984	1980
		LOWEST MEAN YEAR	1977	1978	1971	1983	1976	1992	1972	1994	1975	1987	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	1.5	1.9	1.2	0.0	0.0	0.1	0.0	-0.2	0.3	0.4	1.2	1.0	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
022	CANTON 4 N	HIGHEST MEAN	52.6	56.1	61.6	70.9	76.1	82.2	84.9	84.0	80.7	69.7	62.1	57.2	84.9
		MEDIAN	45.4	49.1	57.1	63.5	71.3	78.7	81.8	80.9	75.3	64.4	55.1	46.9	64.3
		LOWEST MEAN	35.0	39.4	51.9	59.5	67.1	75.7	79.6	77.2	70.5	57.5	45.9	38.3	35.0
		HIGHEST MEAN YEAR	1974	1976	1974	1981	1996	1977	1980	2000	1998	1971	1985	1984	1980
		LOWEST MEAN YEAR	1977	1978	1996	1983	1976	1974	1994	1992	1974	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	



MISSISSIPPI

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
			NORMALS STATISTICS												
024	CARTHAGE 3 SW	HIGHEST MEAN	52.4	54.4	61.0	68.2	74.5	80.4	83.9	83.0	81.7	69.1	61.7	55.8	83.9
		MEDIAN	43.6	47.2	56.0	61.8	70.2	77.4	80.7	79.6	74.2	63.0	53.6	46.4	63.0
		LOWEST MEAN	33.0	37.8	50.1	57.6	65.7	74.0	78.5	76.0	70.6	57.9	45.9	37.2	33.0
		HIGHEST MEAN YEAR	1974	1990	1974	1981	1987	1998	1980	1980	1980	1984	1985	1984	1980
		LOWEST MEAN YEAR	1977	1978	1996	1993	1976	1974	1994	1992	1981	1987	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.7	1.0	-0.1	-0.4	-0.3	-0.2	-0.2	-0.3	-0.3	-0.4	-0.5	0.5	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.2	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
026	CHARLESTON 1	HIGHEST MEAN	46.9	52.6	57.7	68.7	74.4	80.8	84.6	84.0	78.4	67.1	57.7	52.7	84.6
		MEDIAN	40.5	44.7	53.3	61.0	69.0	77.3	80.7	79.2	73.1	62.1	52.0	43.0	61.3
		LOWEST MEAN	28.7	33.0	47.5	56.0	64.8	71.1	78.1	74.5	67.9	57.2	42.6	33.0	28.7
		HIGHEST MEAN YEAR	1990	1976	2000	1981	1987	1977	1980	2000	1998	1998	1985	1984	1980
		LOWEST MEAN YEAR	1977	1978	1971	1983	1971	1982	1972	1992	1974	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.5	1.8	1.2	0.0	0.0	0.1	-0.1	-0.2	0.3	0.4	1.2	1.0	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
027	CLARKSDALE	HIGHEST MEAN	47.6	53.6	60.0	68.9	76.8	82.9	86.2	84.3	80.0	71.0	58.1	53.8	86.2
		MEDIAN	40.4	45.8	53.6	62.3	71.4	79.5	81.8	80.2	74.1	63.3	53.3	44.0	62.4
		LOWEST MEAN	30.0	34.0	48.4	56.5	65.1	74.5	78.3	73.9	68.9	57.6	44.8	33.8	30.0
		HIGHEST MEAN YEAR	1990	1976	1974	1981	1998	1998	1980	1995	1998	1971	1985	1984	1980
		LOWEST MEAN YEAR	1977	1978	1996	1983	1976	1974	1994	1992	1974	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
028	CLEVELAND	HIGHEST MEAN	50.5	55.1	61.2	70.4	77.1	83.1	86.7	85.5	80.8	71.1	60.2	56.5	86.7
		MEDIAN	42.2	47.2	55.8	63.2	72.4	80.0	83.0	81.4	75.2	64.9	54.4	45.2	63.7
		LOWEST MEAN	31.2	35.1	49.1	57.7	67.2	75.5	80.7	76.8	69.9	58.5	45.7	35.7	31.2
		HIGHEST MEAN YEAR	1989	1976	1974	1981	1987	1998	1986	2000	1998	1971	1985	1984	1986
		LOWEST MEAN YEAR	1977	1978	1971	1983	1976	1974	1972	1992	1974	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	-1.2	-1.1	-1.0	-0.6	-0.5	-0.4	-0.3	-0.4	-0.5	-0.7	-1.2	-1.1	
		MAX OBS TIME ADJUSTMENT	-1.5	-1.8	-1.8	-1.9	-1.2	-1.0	-0.8	-0.8	-1.3	-1.3	-1.5	-1.2	
029	CLEVELAND 3 N	HIGHEST MEAN	46.9	52.1	58.6	68.1	76.3	83.9	86.1	85.1	80.0	69.9	58.8	53.5	86.1
		MEDIAN	40.6	44.5	53.5	61.1	71.0	79.0	81.9	80.1	73.7	63.6	53.4	44.2	62.2
		LOWEST MEAN	28.0	32.9	48.5	55.6	66.0	74.5	79.0	75.6	69.3	58.5	44.9	34.6	28.0
		HIGHEST MEAN YEAR	1990	1976	1974	1981	1998	1998	1980	2000	1998	1971	1985	1984	1980
		LOWEST MEAN YEAR	1977	1978	1996	1983	1976	1974	1989	1992	1974	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.5	1.8	1.1	1.0	0.1	0.1	0.0	-0.2	0.3	0.4	1.1	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
031	COLLINS	HIGHEST MEAN	55.2	56.1	62.6	69.1	74.8	82.9	84.3	83.8	79.7	70.8	63.4	57.8	84.3
		MEDIAN	46.7	50.2	57.2	63.8	71.1	77.4	80.7	80.1	74.9	64.8	55.9	48.4	64.3
		LOWEST MEAN	36.2	40.5	51.8	60.2	66.3	74.0	78.0	77.8	71.2	58.5	47.5	40.9	36.2
		HIGHEST MEAN YEAR	1974	1990	1997	1981	2000	1998	2000	2000	1980	1984	1985	1984	2000
		LOWEST MEAN YEAR	1977	1978	1978	1983	1976	1974	1972	1992	1975	1976	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	1.4	1.7	1.1	0.0	0.0	0.1	0.0	-0.1	0.2	0.3	0.4	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.2	0.2	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
033	COLUMBIA	HIGHEST MEAN	56.9	57.6	64.1	71.1	76.7	83.2	83.9	84.6	80.2	72.3	64.3	58.8	84.6
		MEDIAN	47.8	51.3	58.8	65.0	73.0	79.0	81.7	80.8	75.7	66.0	57.0	49.7	65.7
		LOWEST MEAN	38.7	42.6	53.3	60.4	69.0	76.6	78.6	77.7	72.3	60.0	49.0	40.8	38.7
		HIGHEST MEAN YEAR	1974	1990	1974	1981	2000	1998	1980	1999	1980	1984	1985	1984	1999
		LOWEST MEAN YEAR	1977	1978	1983	1983	1976	1976	1972	1992	1975	1987	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.4	1.6	1.1	0.8	0.1	0.1	0.0	-0.1	0.2	0.3	0.4	1.2	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.2	0.2	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
034	COLUMBUS LUXA	HIGHEST MEAN	51.4	54.4	60.5	68.7	76.3	82.8	84.5	84.9	79.5	70.0	59.0	54.3	84.9
		MEDIAN	43.7	46.5	55.4	62.5	70.5	78.4	81.4	80.3	74.9	63.8	53.6	45.8	63.0
		LOWEST MEAN	31.9	36.8	49.9	57.0	65.2	73.7	78.7	76.7	70.2	58.5	45.3	36.7	31.9
		HIGHEST MEAN YEAR	1974	1990	1974	1981	1996	1998	1980	2000	1998	1984	1978	1971	2000
		LOWEST MEAN YEAR	1977	1978	1971	1983	1976	1974	1972	1992	1974	1987	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	1.4	1.8	1.1	0.0	0.0	0.1	0.0	-0.2	0.3	0.4	0.4	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
035	CORINTH CITY	HIGHEST MEAN	47.9	52.6	60.6	68.1	74.7	82.4	86.1	83.9	78.6	69.1	59.0	53.6	86.1
		MEDIAN	41.6	45.1	54.3	62.4	70.0	77.9	81.4	79.8	73.3	62.8	53.1	43.8	61.9
		LOWEST MEAN	29.2	33.8	48.1	56.7	65.1	73.6	78.3	76.3	69.1	57.3	43.7	32.6	29.2
		HIGHEST MEAN YEAR	1989	1990	1974	1981	1987	1998	1980	2000	1998	1984	1985	1984	1980
		LOWEST MEAN YEAR	1977	1978	1996	1983	1976	1974	1972	1992	1974	1976	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	-0.4	-0.1	-0.7	-0.7	-0.5	-0.4	-0.3	-0.4	-0.6	-0.8	-1.1	-0.5	
		MAX OBS TIME ADJUSTMENT	0.2	0.4	0.2	0.1	0.2	0.2	0.0	-0.1	-0.1	-0.2	-0.2	0.1	
038	CRYSTAL SPRIN	HIGHEST MEAN	54.5	56.6	63.1	70.3	75.7	82.5	84.4	84.6	80.4	71.2	62.2	58.4	84.6
		MEDIAN	46.5	50.6	57.9	64.5	72.3	79.1	81.6	80.9	75.4	65.9	57.2	48.7	65.1
		LOWEST MEAN	36.8	40.8	52.9	59.8	68.0	76.0	79.2	77.4	72.1	60.1	49.0	39.5	36.8
		HIGHEST MEAN YEAR	1974	1976	1974	1981	1996	1998	1980	2000	1980	1984	1985	1984	2000
		LOWEST MEAN YEAR	1977	1978	1996	1997	1976	1995	1989	1992	1974	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.8	1.0	-0.1	0.0	-0.3	-0.2	-0.2	-0.3	-0.3	-0.4	0.5	0.5	
		MAX OBS TIME ADJUSTMENT	0.3	0.3	0.3	0.3	0.2	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	



MISSISSIPPI

No.	Station Name	Element	NORMALS STATISTICS JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
040	D LO 2 SW	HIGHEST MEAN	54.7	55.0	61.4	68.7	74.3	80.6	83.1	82.4	80.9	69.7	61.8	57.0	83.1
		MEDIAN	45.1	48.8	56.0	62.2	70.2	77.6	80.3	80.2	73.8	63.3	54.3	46.9	63.5
		LOWEST MEAN	35.2	39.0	50.8	58.3	65.8	74.7	78.2	76.0	71.3	56.7	46.6	38.5	35.2
		HIGHEST MEAN YEAR	1974	1990	1974	1981	1987	1998	1980	1999	1980	1984	1985	1971	1980
		LOWEST MEAN YEAR	1977	1978	1996	1993	1976	1974	1971	1992	1975	1987	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.4	1.7	1.1	0.8	0.1	0.1	0.0	-0.1	0.2	0.3	0.4	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.2	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
045	EUPORA 2 E	HIGHEST MEAN	48.7	52.4	60.3	67.4	72.9	80.4	83.4	83.2	79.0	67.4	58.6	53.8	83.4
		MEDIAN	41.2	45.6	53.2	61.1	69.3	76.5	79.6	78.7	72.2	61.4	52.3	44.1	61.1
		LOWEST MEAN	30.3	35.0	48.7	56.4	64.3	72.6	77.1	75.0	69.0	56.1	44.1	34.7	30.3
		HIGHEST MEAN YEAR	1974	1990	1974	1981	1987	1998	1980	2000	1980	1998	1985	1984	1980
		LOWEST MEAN YEAR	1977	1978	1996	1983	1976	1974	1984	1992	1975	1976	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	1.4	1.8	1.1	0.0	0.0	0.1	0.0	-0.2	0.3	0.4	0.5	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
046	FOREST 3 S	HIGHEST MEAN	54.1	55.5	62.7	68.7	73.6	80.2	83.3	81.7	79.9	70.4	61.9	56.9	83.3
		MEDIAN	45.4	49.7	56.6	63.2	70.5	77.3	80.0	79.7	74.2	64.2	54.7	47.7	63.7
		LOWEST MEAN	35.1	40.5	52.0	59.3	66.2	74.1	78.1	76.2	70.7	58.6	46.5	39.8	35.1
		HIGHEST MEAN YEAR	1974	1990	1974	1981	1996	1977	1980	1999	1980	1984	1985	1984	1980
		LOWEST MEAN YEAR	1977	1978	1996	1983	1976	1974	1994	1992	1975	1987	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	-1.2	-1.0	-0.9	-0.5	-0.4	-0.3	-0.2	-0.3	-0.4	-0.7	-1.0	-1.1	
		MAX OBS TIME ADJUSTMENT	-1.4	-1.7	-1.7	-1.2	-1.0	-0.8	-0.6	-0.6	-1.1	-1.2	-0.9	-1.2	
047	FULTON 3 W	HIGHEST MEAN	50.7	55.3	61.1	68.6	74.2	81.2	86.6	84.7	78.5	70.9	61.5	55.7	86.6
		MEDIAN	42.7	46.6	55.0	62.0	69.8	77.2	80.9	80.2	74.2	63.3	54.3	46.2	62.8
		LOWEST MEAN	31.0	36.7	49.3	57.6	65.6	73.7	79.2	75.6	71.0	58.2	45.2	36.5	31.0
		HIGHEST MEAN YEAR	1990	1990	1974	1981	1987	1998	1980	1980	1978	1984	1985	1984	1980
		LOWEST MEAN YEAR	1977	1978	1971	1983	1976	1974	1994	1992	1974	1988	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	-1.3	-1.1	-1.0	-0.6	-0.5	-0.4	-0.3	-0.4	-0.6	-0.8	-1.1	-1.1	
		MAX OBS TIME ADJUSTMENT	-1.3	-2.0	-1.8	-1.5	-1.3	-1.0	-0.7	-0.7	-1.2	-1.4	-1.0	-1.2	
050	GREENVILLE	HIGHEST MEAN	48.1	54.0	60.8	69.8	77.1	82.7	87.0	85.4	80.3	69.3	59.2	55.9	87.0
		MEDIAN	42.4	47.3	54.9	63.2	72.1	79.9	82.1	81.2	74.5	64.3	54.3	45.4	63.6
		LOWEST MEAN	31.6	36.3	49.9	57.9	67.7	76.1	79.4	76.3	70.1	59.4	46.6	34.8	31.6
		HIGHEST MEAN YEAR	1990	1976	1974	1981	1987	1977	1980	2000	1998	1971	1985	1984	1980
		LOWEST MEAN YEAR	1977	1978	1996	1983	1976	1976	1989	1992	1974	1976	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	1.5	1.8	1.1	1.0	0.0	0.1	0.0	-0.2	0.3	0.4	1.1	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
051	GREENWOOD LEF	HIGHEST MEAN	50.6	55.1	61.8	69.4	77.0	83.7	85.5	85.2	81.2	70.8	60.5	56.7	85.5
		MEDIAN	44.6	48.9	56.4	63.4	71.7	79.4	82.2	81.3	75.3	64.8	55.4	47.0	64.0
		LOWEST MEAN	31.0	37.8	51.4	59.1	66.7	75.1	79.4	78.0	70.2	58.0	43.6	37.1	31.0
		HIGHEST MEAN YEAR	1974	1990	1974	1981	1996	1998	1980	1995	1998	1971	1985	1984	1980
		LOWEST MEAN YEAR	1977	1978	1980	1983	1976	1976	1984	1976	1975	1976	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
052	GRENADA 5 NNE	HIGHEST MEAN	48.3	53.0	59.5	67.4	74.1	80.2	83.4	83.2	78.5	68.5	57.1	53.9	83.4
		MEDIAN	40.7	45.0	52.9	60.9	69.1	77.0	80.0	78.8	72.4	61.9	52.9	43.7	61.1
		LOWEST MEAN	30.8	34.3	48.1	55.9	62.7	71.0	77.4	74.5	68.7	55.3	44.5	34.4	30.8
		HIGHEST MEAN YEAR	1999	1976	1974	1981	1977	1977	1980	2000	1998	1971	1985	1984	1980
		LOWEST MEAN YEAR	1977	1978	1978	1983	1997	1997	1994	1992	1974	1987	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	1.5	1.9	1.2	0.0	0.0	0.1	0.0	-0.2	0.3	0.4	1.2	1.0	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
053	GULFPORT NAVA	HIGHEST MEAN	62.2	60.9	66.3	72.5	78.7	83.4	85.6	85.4	83.5	74.4	66.5	62.5	85.6
		MEDIAN	51.4	54.7	61.2	67.2	75.2	79.9	82.3	82.3	78.5	69.4	60.5	54.0	68.3
		LOWEST MEAN	44.2	47.2	55.9	63.1	71.9	77.7	79.5	78.8	75.9	63.7	52.4	45.8	44.2
		HIGHEST MEAN YEAR	1974	1975	1974	1981	2000	1981	1981	1980	1980	1984	1985	1971	1981
		LOWEST MEAN YEAR	1978	1978	1996	1993	1993	1990	1994	1992	1975	1987	1976	1989	1978
		MIN OBS TIME ADJUSTMENT	-1.1	-0.8	-0.9	-0.4	-0.3	-0.2	-0.2	-0.2	-0.3	-0.6	-0.9	-1.1	
		MAX OBS TIME ADJUSTMENT	-1.4	-1.9	-1.7	-1.0	-0.9	-0.6	-0.5	-0.5	-0.8	-1.0	-1.1	-1.4	
055	HATTIESBURG 5	HIGHEST MEAN	57.8	57.4	63.9	70.4	76.6	82.6	84.2	84.2	81.1	72.5	65.0	59.0	84.2
		MEDIAN	48.2	51.5	58.5	65.2	72.8	79.1	81.8	81.3	76.3	66.5	57.1	49.6	65.6
		LOWEST MEAN	38.0	41.5	53.4	61.2	68.7	76.0	77.5	78.9	73.2	60.6	49.3	41.2	38.0
		HIGHEST MEAN YEAR	1974	1990	1997	1981	2000	1998	2000	1999	1972	1984	1985	1984	2000
		LOWEST MEAN YEAR	1977	1978	1996	1993	1976	1983	1989	1992	1975	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.4	1.6	1.1	0.0	0.1	0.1	0.0	-0.1	0.2	0.3	0.4	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.2	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
056	HAZLEHURST 5	HIGHEST MEAN	55.5	58.7	64.1	71.3	75.7	82.6	85.3	84.0	82.0	71.7	63.3	60.4	85.3
		MEDIAN	47.8	51.9	58.5	64.5	72.4	78.5	80.6	80.3	75.4	66.3	57.6	49.5	65.6
		LOWEST MEAN	36.9	42.7	54.1	60.8	67.3	75.7	78.1	77.0	72.3	61.5	49.0	41.2	36.9
		HIGHEST MEAN YEAR	1974	1976	1997	1981	1987	1998	1980	1999	1980	1984	1973	1984	1980
		LOWEST MEAN YEAR	1977	1978	1996	1996	1976	1983	1989	1992	1974	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	-1.2	-1.0	-0.9	-0.5	-0.4	-0.3	-0.2	-0.3	-0.4	-0.6	-1.1	-1.1	
		MAX OBS TIME ADJUSTMENT	-1.5	-1.7	-1.7	-1.5	-1.0	-0.7	-0.6	-0.6	-1.0	-1.2	-1.4	-1.4	



MISSISSIPPI

No.	Station Name	Element	NORMALS STATISTICS JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
057	HERNANDO 5 S	HIGHEST MEAN	45.2	51.2	57.2	67.1	73.5	80.4	85.0	83.4	77.5	67.6	56.2	51.0	85.0
		MEDIAN	38.5	42.9	51.8	60.6	68.7	76.5	80.2	78.4	71.7	61.4	51.2	42.0	60.5
		LOWEST MEAN	26.9	31.2	46.4	55.7	63.9	72.9	77.8	73.9	67.2	55.9	41.5	31.1	26.9
		HIGHEST MEAN YEAR	1990	1976	1974	1981	1987	1998	1980	1983	1998	1971	1985	1984	1980
		LOWEST MEAN YEAR	1977	1978	1971	1983	1976	1974	1989	1992	1974	1976	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	1.5	2.0	1.2	0.0	0.0	0.1	-0.1	-0.2	0.3	0.4	1.2	1.0	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
058	HICKORY FLAT	HIGHEST MEAN	45.2	50.6	57.5	64.8	73.1	79.9	83.0	81.8	77.0	66.3	56.5	51.5	83.0
		MEDIAN	38.8	42.4	50.5	59.5	67.3	75.7	79.1	77.9	71.3	60.3	50.0	41.9	59.4
		LOWEST MEAN	26.7	31.2	45.0	53.6	62.5	70.7	76.9	74.4	67.5	54.8	40.9	32.2	26.7
		HIGHEST MEAN YEAR	1990	2000	1974	1981	2000	1998	1980	1995	1998	1984	1985	1984	1980
		LOWEST MEAN YEAR	1977	1978	1996	1983	1976	1974	1990	1992	1974	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.5	1.9	1.2	0.0	0.0	0.1	0.0	-0.2	0.3	0.4	1.2	1.0	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
059	HOLLY SPRINGS	HIGHEST MEAN	44.8	49.5	56.4	64.5	72.3	80.1	83.4	81.2	77.1	65.8	56.1	50.9	83.4
		MEDIAN	38.5	42.1	50.5	58.6	66.6	75.4	78.8	76.7	70.8	59.5	50.1	41.0	58.8
		LOWEST MEAN	25.2	30.6	44.4	52.0	60.1	69.5	76.0	73.3	65.0	53.5	40.7	30.2	25.2
		HIGHEST MEAN YEAR	1990	1976	2000	1999	1998	1998	1980	2000	1998	1971	1985	1984	1980
		LOWEST MEAN YEAR	1977	1978	1980	1983	1976	1974	1972	1992	1974	1987	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	1.4	1.8	2.0	1.2	0.9	0.8	0.4	0.3	0.7	0.9	1.1	1.0	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
060	HOUSTON	HIGHEST MEAN	47.7	51.8	58.2	65.9	73.6	79.1	83.0	81.6	77.2	66.8	57.7	52.4	83.0
		MEDIAN	40.4	43.6	52.2	59.7	68.3	76.0	79.2	77.8	71.2	60.6	51.3	43.1	60.5
		LOWEST MEAN	28.8	34.4	47.0	54.3	63.2	71.1	76.1	73.7	67.2	54.6	41.9	33.7	28.8
		HIGHEST MEAN YEAR	1974	1990	1974	1981	1987	1998	1980	1980	1998	1971	1985	1984	1980
		LOWEST MEAN YEAR	1977	1978	1993	1993	1976	1974	1994	1992	1974	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.5	1.9	1.2	0.0	0.0	0.1	-0.1	-0.2	0.3	0.4	0.5	1.0	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
061	INDEPENDENCE	HIGHEST MEAN	45.1	51.2	57.9	67.0	73.8	80.4	86.0	84.4	77.0	67.6	59.1	50.2	86.0
		MEDIAN	39.5	43.1	51.5	59.9	68.7	76.2	80.0	78.7	72.1	60.5	50.2	42.2	60.3
		LOWEST MEAN	27.3	32.2	45.8	52.7	63.1	70.9	77.2	73.4	67.1	55.8	42.8	31.1	27.3
		HIGHEST MEAN YEAR	1990	1976	1974	1981	1977	1998	1980	1980	1980	1971	1985	1971	1980
		LOWEST MEAN YEAR	1977	1978	1996	1983	1976	1982	1982	1992	1974	1987	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.5	1.9	1.2	0.0	0.0	0.1	-0.1	-0.2	0.3	0.4	1.2	1.0	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
062	IUKA 5S	HIGHEST MEAN	44.2	48.7	54.9	64.2	71.6	77.1	82.0	80.6	75.0	64.5	55.5	48.1	82.0
		MEDIAN	37.4	40.3	49.0	56.9	65.3	74.1	77.5	76.0	69.4	58.1	48.9	39.9	57.7
		LOWEST MEAN	24.1	28.5	43.6	51.9	60.0	68.5	74.3	71.4	64.9	51.9	40.7	30.3	24.1
		HIGHEST MEAN YEAR	1990	1990	1973	1981	1987	1981	1980	1980	1990	1984	1985	1971	1980
		LOWEST MEAN YEAR	1977	1978	1996	1983	1976	1974	1994	1992	1974	1987	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.7	1.1	-0.1	-0.5	-0.4	-0.3	-0.3	-0.4	-0.3	-0.4	-0.6	0.4	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
063	JACKSON THOMP	HIGHEST MEAN	53.9	55.6	61.5	70.4	75.7	82.2	85.4	85.0	82.0	70.7	62.0	57.7	85.4
		MEDIAN	45.4	49.3	56.5	63.0	71.0	78.6	81.5	80.8	75.1	64.8	55.2	48.0	64.1
		LOWEST MEAN	34.8	39.1	51.3	59.5	66.8	73.8	78.9	76.9	70.7	58.4	45.7	38.5	34.8
		HIGHEST MEAN YEAR	1974	1976	1982	1981	1996	1998	1980	2000	1980	1984	1985	1984	1980
		LOWEST MEAN YEAR	1977	1978	1971	1983	1971	1974	1994	1992	1974	1976	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
064	KIPLING 3 NW	HIGHEST MEAN	52.8	53.4	61.8	67.6	73.0	79.8	83.1	82.5	79.4	69.9	60.8	55.1	83.1
		MEDIAN	43.3	47.1	54.5	61.6	69.7	77.1	80.2	80.0	73.4	62.9	53.5	46.2	62.8
		LOWEST MEAN	32.9	37.7	49.2	58.1	64.9	73.8	77.6	75.7	70.9	57.6	45.9	37.6	32.9
		HIGHEST MEAN YEAR	1974	1990	1974	1981	1987	1981	1980	1999	1980	1984	1985	1984	1980
		LOWEST MEAN YEAR	1977	1978	1996	1997	1976	1974	1994	1992	1975	1987	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	1.4	1.8	1.1	0.0	0.0	0.1	0.0	-0.1	0.3	0.4	0.5	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.2	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
065	KOSCIUSKO	HIGHEST MEAN	52.2	54.5	61.6	68.4	74.0	80.6	85.3	83.9	80.9	69.1	60.5	55.3	85.3
		MEDIAN	43.1	47.1	54.3	61.9	70.0	77.2	80.9	80.6	74.2	63.3	53.6	45.9	63.0
		LOWEST MEAN	33.7	38.0	48.9	56.4	65.5	73.7	78.5	77.3	69.9	58.3	46.2	35.3	33.7
		HIGHEST MEAN YEAR	1974	1976	1985	1981	1987	1981	1980	1980	1980	1984	1985	1984	1980
		LOWEST MEAN YEAR	1977	1978	1996	1983	1976	1974	1972	1992	1975	1987	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	1.4	1.7	1.9	0.9	0.8	0.6	0.4	0.3	0.6	0.8	1.1	1.0	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
069	LAUREL	HIGHEST MEAN	57.0	55.4	63.0	70.4	75.3	82.1	83.6	83.8	80.5	71.8	63.4	57.4	83.8
		MEDIAN	46.1	49.9	57.5	63.4	71.4	78.0	81.3	80.7	75.3	64.7	55.6	48.1	64.5
		LOWEST MEAN	36.4	40.0	52.2	60.2	66.9	75.4	78.5	77.2	70.2	59.1	47.8	39.6	36.4
		HIGHEST MEAN YEAR	1974	1990	1997	1981	2000	1998	2000	1999	1980	1984	1985	1984	1999
		LOWEST MEAN YEAR	1977	1978	1996	1993	1976	1974	1994	1992	1981	1987	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.4	1.7	1.1	0.0	0.0	0.1	0.0	-0.1	0.2	0.3	0.4	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.2	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	



MISSISSIPPI

No.	Station Name	Element	NORMALS STATISTICS JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
071	LEXINGTON 2 N	HIGHEST MEAN	50.6	55.1	61.3	68.6	74.2	79.9	83.2	83.3	78.6	69.8	59.4	56.7	83.3
		MEDIAN	43.6	48.1	55.5	61.8	69.3	76.8	79.7	79.4	73.0	63.4	53.8	46.3	62.5
		LOWEST MEAN	33.1	37.4	51.2	56.9	65.4	73.0	77.1	74.7	69.2	57.1	44.5	36.3	33.1
		HIGHEST MEAN YEAR	1989	1976	1974	1981	1987	1998	1980	2000	1972	1984	1985	1984	2000
		LOWEST MEAN YEAR	1977	1978	1980	1983	1976	1974	1994	1992	1974	1976	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	-1.1	-1.0	-0.9	-0.5	-0.4	-0.3	-0.3	-0.3	-0.5	-0.6	-1.1	-1.0	
		MAX OBS TIME ADJUSTMENT	-0.9	-1.2	-1.1	-1.3	-0.7	-0.6	-0.5	-0.4	-0.9	-0.8	-0.9	-0.7	
072	LIBERTY 5 W	HIGHEST MEAN	54.8	55.4	62.4	70.0	74.4	81.6	83.1	83.7	80.0	70.9	62.1	58.8	83.7
		MEDIAN	46.2	50.1	56.9	63.0	71.1	77.9	80.1	79.5	74.1	64.9	56.5	47.9	64.4
		LOWEST MEAN	37.8	40.6	51.1	58.3	66.3	72.9	75.1	75.1	69.3	58.6	48.1	38.2	37.8
		HIGHEST MEAN YEAR	1974	1999	2000	1981	2000	1998	1998	1999	1980	1984	1978	1984	1999
		LOWEST MEAN YEAR	1977	1978	1996	1993	1976	1989	1989	1989	1995	1995	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.4	1.7	1.1	0.8	0.1	0.1	0.0	-0.1	0.2	0.3	1.1	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.2	0.2	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
073	LOUISVILLE	HIGHEST MEAN	49.7	52.9	59.3	67.3	73.2	80.0	82.2	81.8	79.3	68.1	59.6	53.6	82.2
		MEDIAN	42.6	45.4	54.3	60.5	68.6	76.4	79.1	78.4	72.8	62.3	53.7	45.0	61.6
		LOWEST MEAN	31.2	35.5	48.6	57.0	63.6	72.8	76.4	75.0	68.0	57.2	45.2	35.8	31.2
		HIGHEST MEAN YEAR	1974	1990	1997	1981	1996	1998	1998	2000	1998	1998	1985	1984	1998
		LOWEST MEAN YEAR	1977	1978	1971	1983	1976	1974	1972	1992	1974	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.7	1.0	-0.1	-0.4	-0.3	-0.2	-0.2	-0.3	-0.3	-0.4	-0.5	0.4	
		MAX OBS TIME ADJUSTMENT	0.2	0.4	0.3	0.3	0.2	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
074	MACON 3 N	HIGHEST MEAN	48.6	54.0	59.4	67.7	74.5	82.7	85.2	84.8	83.1	68.6	59.7	52.8	85.2
		MEDIAN	42.4	46.6	54.5	61.2	69.9	77.7	80.9	80.2	73.6	62.8	53.4	44.5	62.3
		LOWEST MEAN	30.3	34.9	47.9	56.8	65.2	73.6	78.1	76.1	69.3	56.9	43.7	35.7	30.3
		HIGHEST MEAN YEAR	1990	1999	1997	1981	1996	1998	1980	1980	1980	1998	1985	1984	1980
		LOWEST MEAN YEAR	1977	1978	1978	1983	1976	1974	1972	1992	1974	1976	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	1.4	1.8	1.1	0.0	0.1	0.1	0.0	-0.1	0.3	0.3	0.4	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
075	MCCOMB PIKE C	HIGHEST MEAN	56.9	58.5	64.3	70.6	76.9	82.8	83.6	84.2	81.1	72.5	64.8	60.2	84.2
		MEDIAN	49.2	52.1	59.2	65.1	72.8	79.2	81.5	80.6	76.2	66.8	57.9	50.8	65.9
		LOWEST MEAN	38.8	43.1	54.5	60.7	68.4	75.8	78.5	78.4	73.1	60.1	49.1	42.7	38.8
		HIGHEST MEAN YEAR	1974	1990	1974	1981	2000	1998	1980	1999	1980	1984	1985	1971	1999
		LOWEST MEAN YEAR	1977	1978	1996	1983	1976	1983	1972	1992	1975	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
076	MEADVILLE	HIGHEST MEAN	54.2	56.6	62.9	69.3	75.1	82.8	83.2	82.7	79.8	70.1	62.9	57.0	83.2
		MEDIAN	46.4	50.3	57.8	63.8	71.5	78.5	80.5	79.9	74.9	65.3	56.2	47.9	64.4
		LOWEST MEAN	37.2	40.8	51.8	59.0	67.6	75.3	78.3	76.3	72.1	58.6	48.1	39.6	37.2
		HIGHEST MEAN YEAR	1974	1990	1974	1981	2000	1998	1980	1999	1972	1984	1985	1984	1980
		LOWEST MEAN YEAR	1977	1978	1996	1997	1976	1983	1989	1992	1975	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.5	1.7	1.1	0.8	0.1	0.1	0.0	-0.1	0.2	0.3	1.1	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.2	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
077	MERIDIAN NAAS	HIGHEST MEAN	55.8	57.0	63.1	68.3	75.5	81.5	84.1	83.3	80.4	70.6	61.2	57.4	84.1
		MEDIAN	45.6	48.9	56.3	62.8	70.9	77.8	81.2	80.7	75.0	63.9	54.3	47.1	63.8
		LOWEST MEAN	33.8	39.2	50.5	58.8	64.8	74.6	77.9	77.6	71.7	58.1	45.8	37.9	33.8
		HIGHEST MEAN YEAR	1974	1990	1974	1999	1991	1998	1986	1990	1986	1971	1985	1971	1986
		LOWEST MEAN YEAR	1977	1978	1971	1983	1976	1983	1994	1992	1981	1976	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
078	MERIDIAN KEY	HIGHEST MEAN	57.8	56.6	64.9	70.0	76.3	82.6	84.6	83.6	81.3	71.5	62.3	58.2	84.6
		MEDIAN	46.4	50.6	57.2	63.3	71.4	78.8	81.9	81.5	75.8	64.6	55.2	48.3	64.8
		LOWEST MEAN	35.3	39.8	50.7	59.7	65.6	74.4	78.0	78.5	72.3	58.3	47.2	39.1	35.3
		HIGHEST MEAN YEAR	1974	1990	1974	1981	1975	1977	1981	1980	1972	1984	1973	1971	1981
		LOWEST MEAN YEAR	1977	1978	1978	1997	1976	1976	1984	1996	1983	1987	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
079	MERRILL	HIGHEST MEAN	60.9	57.8	64.2	70.3	75.7	81.8	83.2	83.1	80.5	70.2	62.9	59.7	83.2
		MEDIAN	47.7	51.0	58.8	64.4	71.8	78.2	80.6	80.0	75.4	65.1	56.5	48.6	64.9
		LOWEST MEAN	38.7	41.9	53.1	60.2	69.1	74.5	78.6	76.8	71.8	59.8	48.8	40.9	38.7
		HIGHEST MEAN YEAR	1974	1990	1997	1981	2000	1998	2000	1999	1972	1984	1985	1971	2000
		LOWEST MEAN YEAR	1977	1978	1996	1993	1981	1983	1984	1984	1983	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.7	0.9	-0.1	-0.3	-0.2	-0.2	-0.2	-0.3	-0.2	-0.4	-0.5	0.5	
		MAX OBS TIME ADJUSTMENT	0.2	0.3	0.3	0.2	0.2	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
080	MINTER CITY 2	HIGHEST MEAN	48.3	54.1	60.3	69.3	75.0	81.5	85.3	83.6	79.6	69.4	59.2	54.1	85.3
		MEDIAN	41.8	46.4	54.6	61.5	70.1	78.0	81.1	79.9	73.7	63.1	53.5	44.2	62.4
		LOWEST MEAN	29.8	34.9	48.9	56.3	64.2	74.3	78.8	75.4	68.7	59.0	44.8	34.3	29.8
		HIGHEST MEAN YEAR	1989	1976	1974	1981	1987	1981	1980	1995	1998	1971	1985	1984	1980
		LOWEST MEAN YEAR	1977	1978	1971	1983	1976	1974	1972	1992	1974	1988	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	1.4	1.7	1.9	1.6	0.9	0.7	0.5	0.3	0.6	0.8	1.0	1.0	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	



MISSISSIPPI

No.	Station Name	Element	NORMALS STATISTICS JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
082	MONTICELLO	HIGHEST MEAN	56.1	56.2	62.8	69.5	75.5	82.8	83.8	86.0	80.6	70.0	62.2	58.2	86.0
		MEDIAN	46.3	49.8	58.1	63.9	71.8	78.6	81.2	80.3	76.1	64.9	55.2	47.7	64.6
		LOWEST MEAN	36.7	40.1	51.7	58.4	67.0	74.6	79.2	78.1	72.2	58.2	46.8	39.5	36.7
		HIGHEST MEAN YEAR	1974	1990	1974	1981	1996	1998	1995	1999	1972	1984	1985	1971	1999
		LOWEST MEAN YEAR	1977	1978	1998	1997	1976	1997	1984	1984	1981	1987	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.4	1.6	1.1	0.8	0.1	0.1	0.0	-0.1	0.2	0.3	0.4	1.2	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.2	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
083	MOORHEAD	HIGHEST MEAN	50.9	55.6	62.0	70.0	77.4	83.3	86.0	87.5	82.7	70.5	60.7	57.2	87.5
		MEDIAN	43.4	48.4	56.2	63.9	71.8	79.7	81.9	81.0	76.0	65.3	54.7	46.2	63.8
		LOWEST MEAN	32.3	36.5	50.3	57.8	66.6	74.8	78.5	76.9	69.8	59.2	46.0	36.9	32.3
		HIGHEST MEAN YEAR	1999	1976	1974	1981	1998	1998	1986	2000	1998	1998	1985	1984	2000
		LOWEST MEAN YEAR	1977	1978	1971	1983	1976	1974	1972	1992	1974	1976	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	-1.0	-0.9	-0.8	-0.6	-0.4	-0.3	-0.3	-0.3	-0.5	-0.6	-1.0	-0.8	
		MAX OBS TIME ADJUSTMENT	-0.5	-0.6	-0.6	-0.9	-0.4	-0.4	-0.3	-0.3	-0.6	-0.5	-0.6	-0.5	
085	NATCHEZ	HIGHEST MEAN	55.1	58.6	65.5	71.0	76.2	82.6	84.6	83.7	81.4	71.1	64.2	60.3	84.6
		MEDIAN	49.1	52.5	59.4	65.8	73.2	78.9	81.6	81.1	75.8	66.4	58.3	50.7	66.2
		LOWEST MEAN	39.3	43.3	55.4	60.5	69.1	76.4	79.3	78.2	73.0	61.3	49.7	42.3	39.3
		HIGHEST MEAN YEAR	1999	1990	1974	1981	1996	1998	1980	1993	1972	1985	1985	1984	1980
		LOWEST MEAN YEAR	1977	1978	1978	1983	1976	1974	1994	1992	1974	1976	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	-1.2	-1.0	-0.9	-0.5	-0.4	-0.3	-0.2	-0.3	-0.4	-0.6	-1.1	-1.1	
		MAX OBS TIME ADJUSTMENT	-1.5	-1.7	-1.7	-1.5	-1.0	-0.7	-0.5	-0.8	-1.0	-1.1	-1.4	-1.4	
087	NEWTON EXP ST	HIGHEST MEAN	53.8	54.1	60.8	68.0	74.2	81.1	83.0	82.6	79.6	68.9	60.7	55.1	83.0
		MEDIAN	44.0	47.6	55.2	61.5	70.1	77.3	80.5	79.2	73.8	62.9	54.4	45.9	62.8
		LOWEST MEAN	33.5	37.9	50.4	57.8	65.3	72.1	77.7	76.3	70.6	57.3	44.9	38.1	33.5
		HIGHEST MEAN YEAR	1974	1976	1997	1981	1996	1998	1980	1995	1980	1984	1985	1971	1980
		LOWEST MEAN YEAR	1977	1978	1978	1993	1976	1974	1972	1992	1975	1987	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.4	1.8	1.1	0.0	0.0	0.1	0.0	-0.1	0.3	0.3	0.5	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
088	OAKLEY EXP ST	HIGHEST MEAN	51.5	55.4	61.9	69.3	75.5	81.2	84.7	85.4	80.9	69.9	61.7	57.5	85.4
		MEDIAN	44.8	49.3	56.7	63.0	71.0	78.0	81.1	79.8	74.4	64.0	55.6	47.1	63.6
		LOWEST MEAN	34.2	38.4	51.5	58.7	66.3	74.0	78.3	76.8	69.6	57.6	45.8	38.7	34.2
		HIGHEST MEAN YEAR	1974	1976	1985	1981	1996	1998	1998	2000	1998	1984	1985	1984	2000
		LOWEST MEAN YEAR	1977	1978	1996	1997	1976	1974	1994	1992	1974	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.8	1.0	-0.1	0.0	-0.3	-0.2	-0.2	-0.3	-0.3	-0.4	0.5	0.5	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.2	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
091	ONWARD	HIGHEST MEAN	51.1	57.3	62.2	71.5	76.0	82.0	84.5	83.8	79.2	69.4	60.9	58.8	84.5
		MEDIAN	45.3	49.7	56.9	64.2	71.4	78.2	81.0	80.0	74.4	63.9	55.5	47.0	64.2
		LOWEST MEAN	34.7	38.8	52.1	59.2	66.9	74.1	78.5	76.1	69.8	58.3	47.8	37.8	34.7
		HIGHEST MEAN YEAR	1975	1976	1974	1981	1991	1998	1980	2000	1998	1973	1973	1984	1980
		LOWEST MEAN YEAR	1977	1978	1996	1983	1976	1987	1994	1992	1974	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	-1.1	-1.0	-0.9	-0.6	-0.4	-0.3	-0.3	-0.3	-0.5	-0.6	-1.1	-1.0	
		MAX OBS TIME ADJUSTMENT	-0.9	-1.1	-1.1	-1.4	-0.7	-0.6	-0.5	-0.5	-0.9	-0.8	-0.9	-0.7	
092	PASCAGOULA 3	HIGHEST MEAN	56.7	57.9	63.1	71.4	76.1	81.8	84.3	84.1	82.8	72.9	66.1	60.9	84.3
		MEDIAN	49.7	52.4	58.6	65.1	72.2	78.3	80.8	80.6	76.6	67.6	58.6	51.8	65.8
		LOWEST MEAN	39.9	43.5	52.9	61.2	68.6	75.6	76.9	78.1	74.2	60.1	51.3	43.0	39.9
		HIGHEST MEAN YEAR	1989	1990	1997	1981	1975	1981	1981	1980	1972	1971	1978	1971	1981
		LOWEST MEAN YEAR	1977	1978	1996	1997	1988	1997	1973	1992	1983	1987	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.3	1.4	1.7	0.7	0.7	0.5	0.3	0.2	0.3	0.6	1.1	1.0	
		MAX OBS TIME ADJUSTMENT	0.2	0.2	0.3	0.2	0.2	0.1	0.1	0.0	-0.1	-0.1	0.0	0.1	
094	PELAHATCHIE	HIGHEST MEAN	54.5	56.4	63.4	70.0	75.1	81.4	82.7	84.7	79.6	70.4	61.9	58.8	84.7
		MEDIAN	47.2	50.4	57.3	63.3	70.8	77.1	80.3	79.2	74.6	64.1	55.6	48.4	64.1
		LOWEST MEAN	35.7	40.8	52.4	59.1	65.9	73.8	78.0	76.2	70.6	58.1	46.9	40.0	35.7
		HIGHEST MEAN YEAR	1974	1990	1974	1999	2000	1998	2000	1999	1980	1984	1986	1984	1999
		LOWEST MEAN YEAR	1977	1978	1971	1983	1976	1974	1971	1992	1975	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	-1.2	-1.0	-0.9	-0.5	-0.4	-0.3	-0.2	-0.3	-0.4	-0.7	-1.0	-1.1	
		MAX OBS TIME ADJUSTMENT	-1.4	-1.7	-1.7	-1.2	-1.0	-0.8	-0.6	-0.6	-1.1	-1.2	-0.9	-1.2	
095	PHILADELPHIA	HIGHEST MEAN	52.9	55.0	61.4	68.9	74.8	81.4	83.6	84.0	80.3	68.6	60.5	56.4	84.0
		MEDIAN	44.3	47.5	56.7	62.4	70.2	78.2	80.8	79.6	74.5	63.4	54.4	46.8	63.3
		LOWEST MEAN	33.8	38.4	50.9	58.5	65.3	73.7	78.0	76.9	70.3	57.5	45.6	38.4	33.8
		HIGHEST MEAN YEAR	1974	1990	1997	1981	2000	1998	1980	2000	1980	1984	1985	1984	2000
		LOWEST MEAN YEAR	1977	1978	1971	1983	1976	1974	1972	1992	1974	1976	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	0.7	1.0	-0.1	-0.4	-0.3	-0.2	-0.2	-0.3	-0.3	-0.4	-0.5	0.5	
		MAX OBS TIME ADJUSTMENT	0.2	0.4	0.3	0.3	0.2	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
096	PICAYUNE	HIGHEST MEAN	59.2	59.2	64.3	71.3	76.6	82.8	83.8	83.9	80.2	73.4	66.7	61.6	83.9
		MEDIAN	50.1	52.7	59.5	65.6	73.6	79.1	81.5	81.0	76.8	67.5	58.7	51.7	66.7
		LOWEST MEAN	41.6	45.2	54.4	61.6	69.6	76.5	78.3	77.3	72.4	61.2	50.6	43.1	41.6
		HIGHEST MEAN YEAR	1974	1990	1997	1999	2000	1977	1998	1999	1980	1984	1985	1984	1999
		LOWEST MEAN YEAR	1977	1978	1996	1992	1988	1974	1991	1991	1991	1987	1991	1989	1977
		MIN OBS TIME ADJUSTMENT	1.4	1.6	1.1	0.7	0.1	0.1	0.0	-0.1	0.2	0.3	0.5	1.2	
		MAX OBS TIME ADJUSTMENT	0.3	0.3	0.3	0.2	0.2	0.1	0.1	0.0	-0.1	-0.1	0.0	0.1	



MISSISSIPPI

No.	Station Name	Element	NORMALS STATISTICS JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
097	PICKENS	HIGHEST MEAN	53.3	55.9	63.6	68.2	75.0	80.2	82.7	83.1	78.7	68.4	60.6	55.1	83.1
		MEDIAN	44.7	48.5	56.2	62.5	69.9	77.3	79.7	78.5	73.7	63.6	54.5	46.4	63.4
		LOWEST MEAN	32.8	37.9	49.1	55.9	64.0	72.4	74.7	75.0	68.6	56.7	45.9	34.4	32.8
		HIGHEST MEAN YEAR	1974	1990	1974	1999	1996	1998	1980	2000	1998	1973	1973	1971	2000
		LOWEST MEAN YEAR	1984	1978	1981	1983	1976	1983	1984	1984	1983	1980	1976	1983	1984
		MIN OBS TIME ADJUSTMENT	-1.2	-1.0	-1.0	-0.6	-0.4	-0.3	-0.3	-0.3	-0.5	-0.7	-1.2	-1.1	
		MAX OBS TIME ADJUSTMENT	-1.4	-1.8	-1.8	-1.7	-1.1	-0.8	-0.7	-0.6	-1.2	-1.3	-1.5	-1.2	
100	PONTOTOC EXP	HIGHEST MEAN	47.3	51.2	58.4	67.4	74.0	80.1	85.0	83.5	78.5	68.6	58.8	53.4	85.0
		MEDIAN	40.8	44.5	53.3	60.4	69.0	77.4	80.4	79.3	73.2	62.5	52.9	43.7	61.6
		LOWEST MEAN	29.1	33.9	47.1	55.9	64.0	72.4	78.4	76.1	68.5	57.5	44.0	33.8	29.1
		HIGHEST MEAN YEAR	1974	1990	1974	1981	1987	1981	1980	1980	1980	1971	1985	1984	1980
		LOWEST MEAN YEAR	1977	1978	1980	1983	1976	1974	1994	1992	1974	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.5	1.9	1.2	0.0	0.0	0.1	0.0	-0.2	0.3	0.4	0.5	1.0	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
101	POPLARVILLE E	HIGHEST MEAN	58.7	57.7	64.3	70.7	78.1	83.4	84.3	85.5	81.4	72.6	65.2	60.7	85.5
		MEDIAN	49.5	52.7	59.3	65.3	73.3	79.7	81.5	81.2	76.8	67.6	58.6	51.1	66.2
		LOWEST MEAN	39.2	43.1	54.5	61.5	69.4	76.4	79.2	78.7	73.1	62.2	50.6	43.1	39.2
		HIGHEST MEAN YEAR	1974	1990	1997	1999	2000	1998	2000	1999	1980	1984	1985	1984	1999
		LOWEST MEAN YEAR	1978	1978	1996	1983	1976	1983	1975	1992	1975	1976	1976	1989	1978
		MIN OBS TIME ADJUSTMENT	1.4	1.6	1.1	0.8	0.1	0.0	0.0	-0.1	0.2	0.3	0.5	1.2	
		MAX OBS TIME ADJUSTMENT	0.3	0.3	0.3	0.2	0.2	0.1	0.1	0.0	-0.1	-0.1	0.0	0.1	
102	PORT GIBSON 3	HIGHEST MEAN	50.3	54.3	60.4	68.8	74.2	81.3	82.6	83.1	78.7	67.8	60.1	54.5	83.1
		MEDIAN	44.0	47.6	55.4	61.9	70.1	77.0	79.9	79.2	73.9	63.0	54.6	46.1	62.9
		LOWEST MEAN	33.8	38.6	50.5	57.8	65.6	74.2	76.3	76.3	70.7	56.6	45.7	37.2	33.8
		HIGHEST MEAN YEAR	1974	1976	1985	1981	1996	1998	1980	2000	1998	1973	1985	1984	2000
		LOWEST MEAN YEAR	1977	1978	1978	1993	1976	1983	1984	1992	1974	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.5	1.7	1.1	0.8	0.0	0.1	0.0	-0.1	0.2	0.3	1.1	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.2	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
105	QUITMAN 1 N	HIGHEST MEAN	55.0	55.6	61.3	68.7	74.6	80.9	82.8	82.5	79.0	69.1	61.1	56.2	82.8
		MEDIAN	44.4	48.2	56.5	62.6	70.4	76.9	79.4	78.9	73.3	63.1	54.4	46.6	62.9
		LOWEST MEAN	35.3	39.4	50.7	56.9	65.7	73.4	76.8	75.1	69.5	56.8	46.1	38.2	35.3
		HIGHEST MEAN YEAR	1974	2000	1973	1999	2000	1998	2000	2000	1980	1984	1985	1971	2000
		LOWEST MEAN YEAR	1977	1978	1971	1997	1976	1974	1994	1992	1996	1987	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.7	1.0	-0.1	-0.3	-0.3	-0.2	-0.2	-0.3	-0.3	-0.4	-0.5	0.5	
		MAX OBS TIME ADJUSTMENT	0.2	0.4	0.3	0.2	0.2	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
106	RICHTON 3 SSE	HIGHEST MEAN	57.2	55.6	62.9	68.9	74.9	82.0	83.0	82.6	80.7	71.1	63.7	57.9	83.0
		MEDIAN	47.4	50.4	57.5	63.3	71.2	77.3	80.3	79.8	74.9	65.0	55.6	48.4	64.4
		LOWEST MEAN	37.0	41.9	52.0	59.2	67.2	74.9	77.5	76.8	72.1	57.3	48.4	39.9	37.0
		HIGHEST MEAN YEAR	1974	1990	1997	1981	2000	1998	1998	1995	1980	1984	1985	1971	1998
		LOWEST MEAN YEAR	1977	1978	1971	1993	1976	1976	1994	1992	1975	1987	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.4	1.6	1.1	0.0	0.1	0.1	0.0	-0.1	0.2	0.3	0.4	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.3	0.3	0.2	0.2	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
107	RIPLEY	HIGHEST MEAN	44.6	48.9	56.8	65.6	72.9	79.8	83.7	82.8	77.2	65.8	56.4	50.9	83.7
		MEDIAN	38.2	41.9	50.8	58.5	67.3	75.8	78.9	77.5	71.0	59.3	49.6	40.9	59.3
		LOWEST MEAN	26.0	31.2	45.1	54.0	62.2	70.7	76.7	73.1	66.0	53.6	40.7	30.2	26.0
		HIGHEST MEAN YEAR	1974	1990	1974	1981	1987	1998	1980	1980	1998	1984	1985	1984	1980
		LOWEST MEAN YEAR	1977	1978	1971	1983	1976	1974	1972	1992	1974	1987	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.5	2.0	1.2	0.0	0.0	0.1	0.0	-0.2	0.3	0.4	1.2	1.0	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
109	ROLLING FORK	HIGHEST MEAN	49.6	55.7	61.0	70.7	76.3	82.3	85.5	85.3	80.2	69.1	59.9	56.2	85.5
		MEDIAN	42.8	47.3	55.4	62.9	71.5	79.1	82.0	80.3	74.6	64.6	54.4	46.1	63.5
		LOWEST MEAN	32.9	37.2	50.8	57.5	66.8	75.1	79.3	77.2	70.0	59.0	46.5	35.0	32.9
		HIGHEST MEAN YEAR	1989	1976	1974	1981	1996	1998	1980	2000	1998	1973	1978	1984	1980
		LOWEST MEAN YEAR	1977	1978	1971	1983	1976	1974	1972	1992	1974	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.5	1.8	1.1	1.0	0.0	0.1	0.0	-0.2	0.3	0.4	1.1	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
110	ROSEDALE	HIGHEST MEAN	47.2	53.2	59.5	68.6	75.9	83.2	85.9	84.4	79.7	68.5	57.9	54.2	85.9
		MEDIAN	41.0	45.4	54.5	62.4	70.9	79.3	82.1	80.0	73.8	63.2	53.3	44.3	62.4
		LOWEST MEAN	30.6	34.4	48.8	57.1	65.2	74.7	79.2	75.8	68.2	57.7	45.3	34.4	30.6
		HIGHEST MEAN YEAR	1990	1976	1974	1981	1987	1998	1980	2000	1998	1971	1985	1984	1980
		LOWEST MEAN YEAR	1977	1978	1996	1983	1976	1974	1972	1992	1974	1976	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	0.7	1.1	-0.1	0.0	-0.4	-0.2	-0.3	-0.4	-0.3	-0.4	0.5	0.4	
		MAX OBS TIME ADJUSTMENT	0.2	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
111	RUSSELL	HIGHEST MEAN	56.0	57.2	63.6	69.8	75.3	81.8	83.4	82.7	80.4	70.1	61.7	57.5	83.4
		MEDIAN	46.5	50.4	58.0	63.8	71.4	77.9	80.9	79.9	74.4	64.7	56.3	48.8	64.6
		LOWEST MEAN	35.8	41.0	52.8	60.4	66.9	74.8	78.2	76.8	71.9	59.4	48.0	40.5	35.8
		HIGHEST MEAN YEAR	1974	1976	1997	1981	2000	1998	1980	1995	1980	1984	1973	1971	1980
		LOWEST MEAN YEAR	1977	1978	1971	1997	1976	1983	1972	1992	1975	1987	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	-1.2	-1.0	-0.9	-0.5	-0.4	-0.3	-0.3	-0.3	-0.5	-0.7	-1.1	-1.1	
		MAX OBS TIME ADJUSTMENT	-1.4	-1.8	-1.8	-1.3	-1.1	-0.8	-0.7	-0.6	-1.2	-1.2	-0.9	-1.2	



MISSISSIPPI

No.	Station Name	Element	NORMALS STATISTICS JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
114	SAUCIER EXP F	HIGHEST MEAN	61.7	59.9	66.4	72.1	77.0	82.9	84.1	84.6	81.3	73.1	66.1	61.4	84.6
		MEDIAN	51.5	54.6	61.3	66.4	73.8	79.0	81.2	80.6	76.9	68.6	60.2	53.3	67.3
		LOWEST MEAN	42.7	45.9	56.8	62.6	70.5	76.2	79.0	78.9	73.9	63.2	52.0	45.7	42.7
		HIGHEST MEAN YEAR	1974	1990	1997	1999	1998	1998	2000	1999	1980	1984	1985	1971	1999
		LOWEST MEAN YEAR	1978	1978	1996	1993	1976	1983	1972	1992	1975	1976	1976	1989	1978
		MIN OBS TIME ADJUSTMENT	-1.2	-1.0	-0.9	-0.4	-0.4	-0.2	-0.2	-0.3	-0.4	-0.6	-1.0	-1.1	
		MAX OBS TIME ADJUSTMENT	-1.9	-2.0	-2.1	-1.4	-1.1	-0.8	-0.6	-0.7	-1.0	-1.5	-1.6	-1.9	
120	STATE UNIVERS	HIGHEST MEAN	49.0	52.5	60.1	68.3	74.5	81.4	85.2	84.1	79.5	68.9	59.1	53.6	85.2
		MEDIAN	42.1	46.1	54.1	61.2	69.8	77.9	80.8	79.4	73.5	62.6	53.4	44.2	62.4
		LOWEST MEAN	30.7	34.9	48.8	57.9	63.9	72.5	78.1	75.4	68.4	57.4	44.6	35.8	30.7
		HIGHEST MEAN YEAR	1974	1976	1997	1981	1996	1998	1980	2000	1980	1971	1985	1984	1980
		LOWEST MEAN YEAR	1977	1978	1978	1997	1976	1974	1972	1992	1974	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.7	1.0	-0.1	-0.4	-0.3	-0.2	-0.2	-0.3	-0.3	-0.4	-0.5	0.4	
		MAX OBS TIME ADJUSTMENT	0.2	0.4	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
121	STONEVILLE EX	HIGHEST MEAN	48.3	55.0	59.8	70.6	77.4	82.4	86.2	85.2	79.9	69.9	58.3	54.3	86.2
		MEDIAN	41.5	46.4	55.0	63.1	72.6	79.9	82.3	80.7	74.7	64.4	54.2	44.9	63.3
		LOWEST MEAN	31.2	35.5	50.2	57.4	67.1	75.9	80.0	76.0	69.4	58.4	46.1	35.3	31.2
		HIGHEST MEAN YEAR	1989	1976	1973	1981	1996	1971	1993	2000	1998	1971	1985	1984	1993
		LOWEST MEAN YEAR	1977	1978	1978	1983	1976	1974	1984	1992	1974	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.8	1.0	-0.1	0.0	-0.3	-0.2	-0.3	-0.4	-0.3	-0.4	0.5	0.4	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
125	TUNICA 2	HIGHEST MEAN	46.6	52.9	57.7	68.3	76.1	83.3	85.5	86.1	80.8	68.9	57.4	52.3	86.1
		MEDIAN	39.7	44.1	53.0	61.6	70.3	79.3	81.6	79.2	73.7	62.5	52.4	43.2	61.6
		LOWEST MEAN	28.7	31.9	46.9	56.0	65.0	73.8	78.9	74.7	67.3	57.3	43.5	32.7	28.7
		HIGHEST MEAN YEAR	1990	1976	1974	1981	1998	1998	1986	2000	1998	1971	1985	1984	2000
		LOWEST MEAN YEAR	1977	1978	1996	1983	1976	1974	1972	1992	1974	1976	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	0.7	1.1	-0.1	-0.5	-0.4	-0.3	-0.3	-0.4	-0.3	-0.4	0.5	0.4	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
126	TUPELO RGNL A	HIGHEST MEAN	48.2	52.6	58.2	66.6	75.0	81.5	84.6	83.5	78.6	69.0	59.1	53.3	84.6
		MEDIAN	41.1	44.2	52.9	61.1	69.1	77.4	80.6	79.2	72.9	62.0	51.2	42.9	61.1
		LOWEST MEAN	28.9	33.7	46.8	55.3	63.4	72.0	77.2	76.0	68.2	55.7	41.7	33.9	28.9
		HIGHEST MEAN YEAR	1990	1990	1974	1999	1987	1998	1986	2000	1998	1984	1985	1984	1986
		LOWEST MEAN YEAR	1977	1978	1971	1983	1976	1974	1972	1992	1974	1976	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
127	TYLERTOWN 2 W	HIGHEST MEAN	58.0	58.7	65.3	70.9	76.4	83.7	84.0	84.8	81.4	73.3	65.2	61.2	84.8
		MEDIAN	49.3	52.4	59.3	65.4	72.5	78.7	80.8	80.3	76.0	67.2	58.3	51.2	66.3
		LOWEST MEAN	40.0	43.6	54.8	60.7	69.2	76.2	78.5	77.0	73.5	61.6	50.4	43.3	40.0
		HIGHEST MEAN YEAR	1974	1990	1974	1981	2000	1998	1980	1995	1980	1984	1985	1984	1995
		LOWEST MEAN YEAR	1977	1978	1996	1993	1976	1995	1994	1992	1975	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	-1.1	-1.0	-0.9	-0.5	-0.4	-0.2	-0.2	-0.3	-0.4	-0.6	-1.0	-1.1	
		MAX OBS TIME ADJUSTMENT	-1.4	-1.6	-1.7	-1.4	-0.9	-0.6	-0.5	-0.6	-0.9	-1.1	-0.9	-1.4	
129	UNIVERSITY	HIGHEST MEAN	47.3	51.7	57.7	65.3	74.5	81.5	83.0	84.0	78.6	66.3	57.3	51.6	84.0
		MEDIAN	39.7	43.0	51.7	60.2	68.4	76.7	80.2	77.9	72.2	60.8	50.8	41.7	60.2
		LOWEST MEAN	26.4	31.3	45.5	53.4	61.5	71.0	76.8	74.6	66.2	54.1	40.8	33.4	26.4
		HIGHEST MEAN YEAR	1990	1990	2000	1981	1987	1998	1980	1988	1998	1998	1990	1984	1988
		LOWEST MEAN YEAR	1977	1978	1971	1983	1976	1974	1972	1992	1974	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.5	1.9	1.2	0.0	0.0	0.1	-0.1	-0.2	0.3	0.4	1.2	1.0	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
133	VERONA EXPERI	HIGHEST MEAN	47.0	51.4	58.1	66.9	74.4	81.9	84.7	83.7	80.2	67.7	57.8	52.1	84.7
		MEDIAN	40.9	44.3	52.7	60.6	69.0	77.7	80.7	79.3	73.6	62.0	52.0	43.2	61.2
		LOWEST MEAN	27.6	34.0	47.6	54.8	63.6	71.9	77.8	75.9	68.0	55.7	43.1	34.1	27.6
		HIGHEST MEAN YEAR	1990	1990	1973	1999	1998	1998	1980	2000	1998	1998	1985	1984	1980
		LOWEST MEAN YEAR	1977	1978	1971	1983	1976	1974	1972	1992	1974	1987	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.5	1.9	1.1	0.0	0.0	0.1	0.0	-0.2	0.3	0.4	0.5	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
134	VICKSBURG MIL	HIGHEST MEAN	54.1	59.2	63.4	70.8	75.7	82.3	85.0	85.4	81.1	71.4	62.9	60.2	85.4
		MEDIAN	47.9	51.1	58.6	64.7	72.3	78.9	81.6	80.9	75.8	66.3	57.8	50.0	65.5
		LOWEST MEAN	37.1	41.5	54.6	60.5	68.2	75.4	78.7	76.5	72.0	60.4	49.0	41.1	37.1
		HIGHEST MEAN YEAR	1989	1999	1985	1981	1998	1998	2000	2000	1972	1984	1985	1984	2000
		LOWEST MEAN YEAR	1977	1978	1996	1983	1976	1974	1994	1992	1974	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	-1.3	-1.1	-0.9	-0.5	-0.4	-0.3	-0.2	-0.3	-0.4	-0.7	-1.2	-1.2	
		MAX OBS TIME ADJUSTMENT	-2.1	-2.2	-2.2	-1.6	-1.2	-0.9	-0.7	-0.8	-1.2	-1.6	-2.0	-1.8	
136	WATER VALLEY	HIGHEST MEAN	46.5	51.5	58.7	67.1	74.3	80.0	84.1	83.3	78.7	67.8	57.5	52.7	84.1
		MEDIAN	40.4	44.2	52.8	60.4	68.4	76.9	80.1	78.7	72.7	61.6	51.9	42.8	61.0
		LOWEST MEAN	28.1	33.5	47.6	54.5	63.2	72.2	77.7	75.0	68.0	56.8	43.6	33.1	28.1
		HIGHEST MEAN YEAR	1974	1990	1974	1981	1987	1998	1980	2000	1998	1971	1985	1984	1980
		LOWEST MEAN YEAR	1977	1978	1978	1983	1976	1974	1994	1992	1974	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.5	1.9	1.2	0.0	0.0	0.1	0.0	-0.2	0.3	0.4	1.2	1.0	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	



MISSISSIPPI

NORMALS STATISTICS

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
137	WAVELAND	HIGHEST MEAN	59.1	57.2	63.4	71.4	76.9	82.3	83.9	83.8	81.5	73.4	65.6	60.1	83.9
		MEDIAN	49.0	52.4	59.1	65.6	73.8	79.1	81.3	81.3	77.0	67.6	59.0	51.1	66.6
		LOWEST MEAN	40.5	43.8	53.5	61.4	70.3	76.6	79.2	78.8	74.1	61.2	50.6	42.8	40.5
		HIGHEST MEAN YEAR	1974	1990	1997	1981	2000	1998	1980	1999	1980	1984	1985	1971	1980
		LOWEST MEAN YEAR	1977	1978	1996	1993	1993	1974	1972	1992	1983	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.4	1.6	1.0	0.8	0.1	0.0	0.0	-0.1	0.2	0.3	0.5	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.3	0.3	0.3	0.2	0.1	0.1	0.0	-0.1	-0.1	0.0	0.1	
138	WAYNESBORO 2	HIGHEST MEAN	55.6	55.4	62.2	69.9	73.6	81.8	83.8	83.0	79.5	69.5	63.7	56.2	83.8
		MEDIAN	46.2	49.8	56.5	63.4	71.0	77.3	80.3	79.8	74.0	63.5	54.8	47.2	63.8
		LOWEST MEAN	36.0	40.0	51.4	58.9	67.2	74.5	77.7	77.1	71.0	57.3	47.4	39.6	36.0
		HIGHEST MEAN YEAR	1974	1990	1974	1999	2000	1998	1980	1999	1980	1984	1985	1971	1980
		LOWEST MEAN YEAR	1977	1978	1996	1997	1976	1974	1992	1973	1975	1987	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.4	1.7	1.1	0.0	0.0	0.1	0.0	-0.1	0.2	0.3	0.4	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.2	0.2	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
140	WIGGINS	HIGHEST MEAN	60.3	57.4	64.3	70.9	75.6	82.5	84.8	84.2	82.2	73.7	68.8	59.8	84.8
		MEDIAN	48.5	51.7	59.4	65.6	73.0	78.6	81.0	81.3	76.7	66.8	58.2	50.8	66.1
		LOWEST MEAN	40.5	44.7	53.0	61.0	69.6	76.2	79.0	77.9	74.0	61.3	51.7	41.8	40.5
		HIGHEST MEAN YEAR	1974	1990	1974	1981	1998	1977	1980	1999	1980	1984	1985	1971	1980
		LOWEST MEAN YEAR	1977	1978	1996	1993	1971	1983	1994	1992	1975	1987	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.4	1.6	1.1	0.0	0.1	0.1	0.0	-0.1	0.2	0.3	0.5	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.3	0.3	0.2	0.2	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
141	WINONA 5 E	HIGHEST MEAN	47.0	50.3	57.4	64.9	71.3	77.6	81.0	80.9	75.7	66.1	56.6	52.1	81.0
		MEDIAN	40.2	43.1	51.7	58.0	66.2	74.4	77.8	76.6	70.5	59.7	50.1	42.5	59.4
		LOWEST MEAN	29.2	33.9	45.8	53.4	61.1	69.9	74.7	73.3	66.4	54.1	41.9	33.2	29.2
		HIGHEST MEAN YEAR	1974	1976	1974	1981	1987	1998	1980	2000	1998	1984	1985	1984	1980
		LOWEST MEAN YEAR	1977	1978	1971	1983	1976	1974	1972	1992	1974	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.4	1.7	1.9	1.0	0.9	0.7	0.4	0.3	0.6	0.8	1.0	1.0	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
142	WOODVILLE 4 E	HIGHEST MEAN	55.3	58.2	64.9	71.1	76.5	82.7	84.2	84.9	82.2	72.9	64.2	60.4	84.9
		MEDIAN	48.9	51.4	58.7	65.4	73.2	78.6	81.5	81.2	76.3	67.7	58.4	50.4	66.1
		LOWEST MEAN	38.7	42.9	53.2	61.0	69.4	76.4	78.7	78.0	72.8	61.4	49.3	41.8	38.7
		HIGHEST MEAN YEAR	1974	1976	1974	1981	1996	1998	1980	1999	1980	1984	1973	1984	1999
		LOWEST MEAN YEAR	1977	1978	1996	1983	1976	1989	1989	1992	1999	1976	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	0.8	1.0	-0.1	0.0	-0.3	-0.2	-0.2	-0.1	-0.2	-0.3	0.5	0.5	
		MAX OBS TIME ADJUSTMENT	0.3	0.3	0.3	0.2	0.2	0.1	0.1	0.0	-0.1	-0.1	0.0	0.1	
143	YAZOO CITY 5	HIGHEST MEAN	52.8	56.4	62.1	71.4	77.3	83.4	85.9	84.6	81.6	71.0	61.3	58.6	85.9
		MEDIAN	45.2	49.7	57.5	64.0	71.5	79.5	82.1	81.0	75.4	65.5	55.7	47.8	64.6
		LOWEST MEAN	34.0	38.8	52.3	58.9	66.8	75.1	79.7	77.3	70.5	58.8	46.9	37.1	34.0
		HIGHEST MEAN YEAR	1999	1976	1997	1981	1996	1998	1980	2000	1998	1984	1973	1984	1980
		LOWEST MEAN YEAR	1977	1978	1971	1983	1976	1974	1989	1992	1974	1976	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	