Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: SPENCER, IN 1971-2000 COOP ID: 128290

Climate Division: IN 4 NWS Call Sign: Elevation: 550 Feet Lat: 39°17N Lon: 86°46W

									ŗ	Гетре	eratur	re (°F)									
	Mea	n (1)						Extr	emes					Degree Base To	-		Mean	Numb	er of I	Days (3)	
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	34.5	15.3	24.9	73	1950	26	36.6	1990	-33	1994	19	8.1	1977	1243	0	.0	.0	4.3	13.0	28.0	4.5
Feb	39.9	18.5	29.2	75	2000	26	38.1	1998	-23+	1951	2	14.1	1978	1002	0	.0	.0	7.4	7.9	24.2	3.1
Mar	50.7	27.6	39.2	83	1986	31	46.0	1973	-12	1980	3	31.4	1978	801	0	.0	.0	17.0	1.9	20.8	.2
Apr	62.0	36.9	49.5	89	1952	29	54.9	1981	15	1982	7	44.2	1982	468	1	.0	.0	26.2	.0	9.6	.0
May	72.1	47.3	59.7	95	1953	27	65.9	1991	26	1963	1	54.4	1997	217	54	.0	.2	30.8	.0	.9	.0
Jun	80.5	57.2	68.9	104+	1953	21	72.7	1984	34	1992	22	64.3	1972	31	146	@	3.2	30.0	.0	.0	.0
Jul	84.2	61.3	72.8	107+	1954	15	76.2	1983	46+	1972	6	68.5	1971	4	243	.1	6.8	31.0	.0	.0	.0
Aug	82.4	58.9	70.7	102	1956	5	76.6	1995	40	1986	29	66.7	1992	20	195	@	4.2	31.0	.0	.0	.0
Sep	76.3	50.3	63.3	104	1954	6	67.7	1998	28	1995	23	57.9	1974	108	57	.0	1.6	30.0	.0	.4	.0
Oct	65.1	37.8	51.5	93	1953	3	58.1	1984	14	1952	21	44.5	1987	429	9	.0	@	29.4	.0	8.8	.0
Nov	51.7	29.9	40.8	84	1950	1	46.1	1994	-4	1958	30	31.7	1976	727	0	.0	.0	17.1	.9	18.0	.0
Dec	39.6	20.6	30.1	76	1982	3	39.6	1982	-24+	1989	22	16.0	1989	1082	0	.0	.0	6.6	7.5	25.6	2.1
Ann	61.6	38.5	50.1	107+	Jul 1954	15	76.6	Aug 1995	-33	Jan 1994	19	8.1	Jan 1977	6132	705	.1	16.0	260.8	31.2	136.3	9.9

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 058-A

[@] Denotes mean number of days greater than 0 but less than .05

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1948-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: SPENCER, IN COOP ID: 128290

Climate Division: IN 4 NWS Call Sign: Elevation: 550 Feet Lat: 39°17N Lon: 86°46W

										Pı	recipi	tation	(incl	nes)										
	Me	ans/	P	recip	itatio	on Total						ays (3)	Proba	ability th		nonthly/	annual j indic	precipita ated am	ount			less tha	n the
	Medi	ans(1)				Extremes	•			"	aily Pre	приано	n		Th	ese value	s were det	ermined	from the i	incomplet	te gamma	distributi	on	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	2.56	2.30	2.96	1950	4	7.27	1982	.47	1986	11.1	5.9	1.6	.3	.61	.85	1.23	1.56	1.89	2.24	2.63	3.10	3.71	4.68	5.58
Feb	2.59	2.31	2.45	1965	10	6.29	1999	.47	1978	9.2	5.4	1.8	.5	.64	.88	1.26	1.59	1.93	2.28	2.67	3.13	3.74	4.70	5.60
Mar	3.74	3.58	2.86	1985	31	7.61	1985	1.11	1994	11.5	7.3	2.5	.8	1.35	1.70	2.21	2.63	3.04	3.45	3.90	4.43	5.10	6.14	7.09
Apr	4.46	4.01	3.35	1996	29	9.02	1996	.96	1971	12.3	8.1	2.8	1.1	1.59	2.01	2.62	3.13	3.61	4.12	4.66	5.30	6.11	7.36	8.51
May	4.97	4.06	3.59	1961	8	11.37	1974	1.44	1988	11.6	8.2	3.6	1.5	1.72	2.19	2.87	3.45	4.00	4.57	5.19	5.92	6.84	8.28	9.60
Jun	4.66	4.29	6.12	1998	29	14.86	1998	.50	1988	10.4	7.3	3.4	1.4	1.10	1.53	2.21	2.82	3.43	4.07	4.79	5.64	6.77	8.55	10.22
Jul	4.63	3.70	5.21	1979	13	14.67	1979	.84	1974	9.3	6.6	3.3	1.3	1.17	1.61	2.28	2.88	3.47	4.09	4.78	5.60	6.67	8.37	9.96
Aug	4.53	4.48	5.26	1995	8	9.55	1989	.80	1987	9.0	6.2	3.1	1.2	1.08	1.50	2.16	2.75	3.34	3.96	4.66	5.49	6.58	8.30	9.93
Sep	3.26	2.93	3.21	1993	3	8.27	1993	.43	1998	8.3	5.0	2.2	.9	.40	.66	1.11	1.57	2.05	2.59	3.21	3.98	5.02	6.74	8.41
Oct	3.16	2.77	4.48	2000	5	7.19	1991	.80	1994	8.9	5.2	2.1	.8	.99	1.29	1.74	2.12	2.49	2.87	3.29	3.78	4.42	5.40	6.32
Nov	4.07	3.78	3.05	1955	16	10.90	1985	.94	1999	10.7	6.8	2.9	1.0	1.04	1.43	2.02	2.54	3.06	3.60	4.20	4.92	5.85	7.33	8.71
Dec	3.31	3.02	2.65	1990	30	8.45	1990	.42	1976	11.3	6.4	2.5	.6	.87	1.18	1.66	2.08	2.50	2.93	3.42	4.00	4.75	5.93	7.04
Ann	45.94	44.73	6.12	Jun 1998	29	14.86	Jun 1998	.42	Dec 1976	123.6	78.4	31.8	11.4	32.98	35.50	38.72	41.16	43.33	45.42	47.58	49.96	52.85	57.03	60.65

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1948-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: SPENCER, IN

Climate Division: IN 4 NWS Call Sign:

Elevati

Elevation: 550 Feet

Lat: 39°17N

Lon: 86°46W

COOP ID: 128290

										Snov	w (incl	hes)											
						Sno	ow To	tals									Mea	ın Nu	mber	of Day	ys (1)		
	Mean	s/Medi	ians (1)	1					Extre	mes (2)						-	ow Fa					Depth esholo	
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	4.6	2.8	1	1	9.0	1994	17	13.3	1994	12+	1996	9	6	1977	3.4	2.3	.4	.1	.0	7.5	3.9	1.5	.2
Feb	4.9	2.9	1	#	8.0	1984	28	23.4	1985	9	1978	24	8	1978	2.5	1.4	.5	.3	.0	5.7	3.3	1.5	.0
Mar	2.3	.5	#	#	8.0	1996	20	10.0	1978	11	1978	8	3	1978	1.0	.7	.3	.2	.0	1.3	.6	.4	.0
Apr	.3	.0	#	0	4.0	1973	10	4.0	1973	3	1977	6	#+	1997	.1	.1	.1	.0	.0	.1	.1	.0	.0
May	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.1	.0	#	0	1.5	1989	19	1.5	1989	2	1993	30	#+	2000	.1	@	.0	.0	.0	.0	.0	.0	.0
Nov	.5	.0	#	#	4.0	1997	14	5.0	1997	4	1997	14	#+	2000	.4	.2	.1	.0	.0	.4	.1	.0	.0
Dec	2.6	1.3	1	#	12.0	1973	20	19.1	1973	12	1973	20	3	2000	1.9	1.1	.4	.2	@	2.2	.9	.5	.1
Ann	15.3	7.5	N/A	N/A	12.0	Dec 1973	20	23.4	Feb 1985	12+	Jan 1996	9	8	Feb 1978	9.4	5.8	1.8	.8	@	17.2	8.9	3.9	.3

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Lon: 86°46W

1971-2000 COOP ID: 128290

Elevation: 550 Feet

Lat: 39°17N

Station: SPENCER, IN

Climate Division: IN 4

NWS Call Sign:

				Freez	e Data				
			Spri	ng Freeze D	ates (Month/	Day)			
Temp (F)		P	robability of	later date i	n spring (thr	u Jul 31) tha	an indicated	(*)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	5/27	5/21	5/17	5/13	5/10	5/06	5/02	4/28	4/22
32	5/14	5/09	5/05	5/02	4/29	4/26	4/23	4/20	4/15
28	4/30	4/25	4/22	4/19	4/17	4/14	4/11	4/08	4/04
24	4/18	4/14	4/11	4/08	4/05	4/03	3/31	3/28	3/23
20	4/09	4/03	3/30	3/27	3/24	3/21	3/17	3/13	3/08
16	3/28	3/22	3/18	3/14	3/11	3/08	3/04	2/28	2/23
<u>.</u>			Fa	ll Freeze Da	tes (Month/D	ay)		•	
To (E)		Pro	bability of e	arlier date i	n fall (beginn	ing Aug 1) t	than indicate	ed(*)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	9/23	9/26	9/28	9/30	10/02	10/04	10/06	10/08	10/12
32	9/26	9/30	10/03	10/06	10/08	10/11	10/13	10/16	10/21
28	10/05	10/11	10/15	10/19	10/22	10/25	10/29	11/02	11/07
24	10/17	10/22	10/26	10/29	11/01	11/04	11/08	11/11	11/17
20	10/29	11/03	11/08	11/11	11/14	11/18	11/21	11/25	12/01
16	11/11	11/17	11/21	11/24	11/28	12/01	12/05	12/09	12/15
<u>.</u>				Freeze F	ree Period				
Tomp (F)			Probability	of longer th	an indicated	freeze free p	eriod (Days)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	165	158	153	149	145	141	137	132	125
32	180	173	169	165	162	158	154	150	143
28	208	201	196	192	188	184	179	174	167
24	230	223	218	213	209	205	201	196	189
20	256	249	243	239	235	231	226	221	214
16	284	276	270	265	261	256	251	246	238

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Derived from 1971-2000 serially complete daily data

Complete documentation available from:

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: SPENCER, IN

COOP ID: 128290

Climate Division: IN 4 NWS Call Sign: Elevation: 550 Feet Lat: 39°17N Lon: 86°46W

				Deg	ree Days t	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree 1	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	1243	1002	801	468	217	31	4	20	108	429	727	1082	6132
60	1088	862	646	324	124	7	0	3	42	295	577	927	4895
57	995	778	558	245	82	3	0	0	20	225	488	834	4228
55	933	724	500	196	59	1	0	0	11	184	430	778	3816
50	788	594	360	98	22	0	0	0	2	101	295	634	2894
32	320	208	57	0	0	0	0	0	0	1	26	219	831

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	100	130	279	523	859	1105	1263	1198	939	604	289	160	7449
55	0	2	9	29	206	416	550	485	260	74	4	6	2041
57	0	0	6	17	166	357	488	423	209	53	2	0	1721
60	0	0	0	7	116	272	395	333	141	29	0	0	1293
65	0	0	0	1	54	146	243	195	57	9	0	0	705
70	0	0	0	0	19	56	112	93	15	1	0	0	296

										Gro	wing l	Degre	e Uni	ts (2)										
Base														Growing Degree Units (Accumulated Monthly)										
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec													Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	26 42 144 339 656 906 1060 998 748 411 165													68	212	551	1207	2113	3173	4171	4919	5330	5495	5541
45	9 18 83 222 503 756 905 843 598 277 95												9	27	110	332	835	1591	2496	3339	3937	4214	4309	4329
50	1	5	43	128	353	606	750	688	450	163	47	7	1	6	49	177	530	1136	1886	2574	3024	3187	3234	3241
55	0	1	18	68	224	459	595	533	310	88	21	2	0	1	19	87	311	770	1365	1898	2208	2296	2317	2319
60	0	0	4	27	121	313	440	378	190	38	3	0	0	0	4	31	152	465	905	1283	1473	1511	1514	1514
Base	Growing Degree Units for Corn (Monthly)													Gr	owing D	egree Un	its for C	orn (Acc	umulate	d Month	ly)			
50/86	50/86 15 36 104 221 411 602 723 676 483 275 105 31												15	51	155	376	787	1389	2112	2788	3271	3546	3651	3682

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf