

# Climatology of the United States

No. 20

1971-2000

Station: MYTON, UT

COOP ID: 425969

Climate Division: UT 6

NWS Call Sign:

Elevation: 5,080 Feet Lat: 40° 12N

Lon: 110° 04W

## Temperature (°F)

Mean (1)				Extremes										Degree Days (1) Base Temp 65		Mean Number of Days (3)					
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	31.1	3.9	17.5	62	1975	27	29.8	2000	-39+	1937	23	.8	1973	1472	0	.0	.0	1.0	16.7	31.0	11.1
Feb	37.9	9.8	23.9	70	1986	27	35.5	1995	-39	1989	7	8.0	1973	1153	0	.0	.0	4.2	9.4	28.2	6.1
Mar	52.9	23.1	38.0	77+	1986	29	45.5	1986	-15	1962	1	29.7	1984	837	0	.0	.0	19.4	1.0	28.2	.2
Apr	63.5	31.2	47.4	87+	1992	28	54.8	1992	1	1975	2	41.4	1975	529	0	.0	.0	27.3	.0	16.6	.0
May	72.5	40.0	56.3	100	1958	27	61.0	1992	17	1972	1	51.3	1995	278	7	.0	.2	30.8	.0	4.0	.0
Jun	83.2	47.9	65.6	102	1961	22	71.1	1977	26	1953	26	60.4	1975	81	97	.1	7.5	30.0	.0	.2	.0
Jul	89.6	54.2	71.9	104+	1958	8	74.8	1989	33	1958	1	66.6	1993	6	220	.3	17.5	31.0	.0	.0	.0
Aug	87.5	52.7	70.1	103	1958	12	73.5	2000	34	1928	27	66.3	1975	12	169	.0	12.4	31.0	.0	.0	.0
Sep	78.3	43.5	60.9	97	1958	2	65.7	1990	22+	1945	29	55.9	1971	155	32	.0	2.0	29.9	.0	2.1	.0
Oct	64.8	31.9	48.4	86+	1928	4	54.1	1988	3	1971	30	43.6	1982	516	0	.0	.0	28.9	.2	16.2	.0
Nov	47.2	19.7	33.5	71+	1958	9	38.6	1999	-13+	1931	24	24.6	1971	948	0	.0	.0	12.9	2.5	28.9	.3
Dec	34.5	7.9	21.2	68	1977	8	31.3	1980	-34	1932	13	6.5	1978	1358	0	.0	.0	1.4	11.8	30.9	6.1
Ann	61.9	30.5	46.2	104+	Jul 1958	8	74.8	Jul 1989	-39+	Feb 1989	7	.8	Jan 1973	7345	525	.4	39.6	247.8	41.6	186.3	23.8

+ Also occurred on an earlier date(s)

@ Denotes mean number of days greater than 0 but less than .05

Complete documentation available from: [www.ncdc.noaa.gov/oa/climate/normal/usnormals.html](http://www.ncdc.noaa.gov/oa/climate/normal/usnormals.html)

Issue Date: February 2004

(1) From the 1971-2000 Monthly Normals

(2) Derived from station's available digital record: 1928-2001

(3) Derived from 1971-2000 serially complete daily data

072-A

# Climatography of the United States

## No. 20 1971-2000

National Climatic Data Center  
Federal Building  
151 Patton Avenue  
Asheville, North Carolina 28801  
www.ncdc.noaa.gov

**Station: MYTON, UT**

**COOP ID: 425969**

**Climate Division: UT 6**

**NWS Call Sign:**

**Elevation: 5,080 Feet Lat: 40°12N**

**Lon: 110°04W**

Precipitation (inches)																								
	Precipitation Totals									Mean Number of Days (3)				Precipitation Probabilities (1) Probability that the monthly/annual precipitation will be equal to or less than the indicated amount										
	Means/ Medians(1)		Extremes							Daily Precipitation				Monthly/Annual Precipitation vs Probability Levels These values were determined from the incomplete gamma distribution										
Month	Mean	Med-ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	.34	.20	.80	1969	26	1.28	1980	.00+	1994	3.5	1.3	@	.0	.00	.00	.04	.08	.14	.21	.29	.41	.56	.84	1.11
Feb	.34	.32	.60	1983	28	.91	1990	.00+	1974	2.9	1.4	.1	.0	.00	.03	.08	.13	.19	.25	.33	.42	.54	.75	.95
Mar	.50	.40	1.00	1979	29	1.88	1978	.00+	1999	3.7	1.7	@	@	.00	.00	.08	.16	.25	.35	.47	.62	.83	1.18	1.53
Apr	.72	.50	1.17	1973	18	2.03	1999	.00	1992	3.4	2.1	.3	@	.02	.06	.15	.25	.36	.50	.66	.87	1.17	1.67	2.17
May	.93	.77	.95	1983	2	2.92	1995	.00	1974	5.2	2.7	.4	.0	.05	.13	.27	.41	.56	.72	.91	1.15	1.47	2.01	2.53
Jun	.55	.37	1.65	1998	17	2.38	1998	.00+	1988	2.9	1.5	.2	@	.00	.00	.00	.16	.28	.41	.55	.72	.95	1.33	1.69
Jul	.61	.43	1.39	1975	17	1.70	1987	.00+	1994	4.0	1.9	.2	@	.00	.00	.13	.24	.35	.46	.60	.77	1.00	1.38	1.75
Aug	.72	.64	1.84	1955	25	1.73	1983	.00	1974	4.7	2.2	.2	.0	.07	.15	.27	.38	.49	.60	.73	.89	1.11	1.45	1.78
Sep	.79	.53	1.08	1959	23	3.12	1997	.00+	1979	4.4	2.4	.3	.0	.00	.06	.19	.31	.44	.59	.77	.98	1.28	1.78	2.28
Oct	.88	.61	1.20	1971	29	3.12	1994	.00+	1999	4.2	2.4	.4	.1	.00	.08	.23	.37	.52	.68	.87	1.10	1.42	1.94	2.45
Nov	.41	.38	2.00	1964	14	1.25	1983	.00	1999	2.8	1.3	.1	.0	.02	.05	.11	.17	.24	.31	.40	.50	.65	.89	1.13
Dec	.25	.20	2.00	1964	12	.92	1972	.00	1980	2.6	1.0	@	.0	.00	.02	.05	.08	.12	.17	.23	.31	.42	.60	.79
Ann	7.04+	7.26+	2.00+	Dec 1964	12	3.12+	Sep 1997	.00+	Nov 1999	44.3	21.9	2.2	.1	3.48	4.07	4.89	5.55	6.15	6.76	7.40	8.13	9.05	10.43	11.66

+ Also occurred on an earlier date(s)

# Denotes amounts of a trace

@ Denotes mean number of days greater than 0 but less than .05

\*\* Statistics not computed because less than six years out of thirty had measurable precipitation

(1) From the 1971-2000 Monthly Normals

(2) Derived from station's available digital record: 1928-2001

(3) Derived from 1971-2000 serially complete daily data

Complete documentation available from:

[www.ncdc.noaa.gov/oa/climate/normals/usnormals.html](http://www.ncdc.noaa.gov/oa/climate/normals/usnormals.html)

# Climatography of the United States

## No. 20 1971-2000

National Climatic Data Center  
Federal Building  
151 Patton Avenue  
Asheville, North Carolina 28801  
[www.ncdc.noaa.gov](http://www.ncdc.noaa.gov)

**Station: MYTON, UT**

**COOP ID: 425969**

**Climate Division: UT 6**

**NWS Call Sign:**

**Elevation: 5,080 Feet**

**Lat: 40° 12N**

**Lon: 110° 04W**

Snow (inches)																							
Snow Totals															Mean Number of Days (1)								
Means/Medians (1)					Extremes (2)										Snow Fall >= Thresholds					Snow Depth >= Thresholds			
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	3.7	3.7	1	0	4.0	1978	11	11.3	1978	12	1988	22	9	1988	2.2	1.6	.3	.0	.0	-9.9	-9.9	-9.9	-9.9
Feb	2.7	1.0	1	0	8.5	1989	4	14.1	1989	11	1989	5	8	1988	1.5	1.0	.3	.2	.0	-9.9	-9.9	-9.9	-9.9
Mar	2.1	1.8	#	0	4.0	1976	3	5.8	1976	5	1988	1	1	1988	1.1	.9	.3	.0	.0	.6	.2	.1	.0
Apr	.2	.0	0	0	2.0	1975	2	2.0	1975	0	0	0	0	0	.2	.1	.0	.0	.0	.0	.0	.0	.0
May	#	.0	0	0	#	1977	18	#	1977	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.6	.0	0	0	12.0	1971	29	13.0	1971	0	0	0	0	0	.1	.1	@	@	@	.0	.0	.0	.0
Nov	1.7	.3	#	0	6.0	1978	12	6.5	1975	2	1972	20	#+	1996	.8	.7	.3	.1	.0	.0	.0	.0	.0
Dec	3.2	2.6	#	0	11.0	1987	23	14.0	1973	11	1987	24	2	1987	1.5	1.1	.4	.1	@	-9.9	-9.9	-9.9	-9.9
Ann	14.2	9.4	N/A	N/A	12.0	Oct 1971	29	14.1	Feb 1989	12	Jan 1988	22	9	Jan 1988	7.4	5.5	1.6	.4	@	-9.9	-9.9	-9.9	-9.9

+ Also occurred on an earlier date(s) #Denotes trace amounts

@ Denotes mean number of days greater than 0 but less than .05

-9/-9.9 represents missing values

Annual statistics for Mean/Median snow depths are not appropriate

(1) Derived from Snow Climatology and 1971-2000 daily data

(2) Derived from 1971-2000 daily data

Complete documentation available from:

[www.ncdc.noaa.gov/oa/climate/normal/usnormals.html](http://www.ncdc.noaa.gov/oa/climate/normal/usnormals.html)

# Climatography of the United States

## No. 20 1971-2000

**Station: MYTON, UT**

**COOP ID: 425969**

**Climate Division: UT 6**

**NWS Call Sign:**

**Elevation: 5,080 Feet**

**Lat: 40° 12N**

**Lon: 110° 04W**

Freeze Data									
Spring Freeze Dates (Month/Day)									
Temp (F)	Probability of later date in spring (thru Jul 31) than indicated(*)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	6/22	6/15	6/10	6/06	6/02	5/29	5/25	5/20	5/13
32	6/07	6/01	5/28	5/24	5/20	5/16	5/12	5/08	5/02
28	5/23	5/17	5/13	5/09	5/05	5/02	4/28	4/24	4/18
24	5/03	4/28	4/25	4/21	4/19	4/16	4/13	4/09	4/04
20	4/28	4/22	4/17	4/13	4/09	4/05	4/01	3/27	3/21
16	4/18	4/10	4/05	3/31	3/27	3/22	3/18	3/12	3/05
Fall Freeze Dates (Month/Day)									
Temp (F)	Probability of earlier date in fall (beginning Aug 1) than indicated(*)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	9/09	9/13	9/15	9/18	9/20	9/22	9/25	9/28	10/02
32	9/16	9/20	9/23	9/25	9/27	9/29	10/02	10/04	10/08
28	9/24	9/29	10/03	10/06	10/09	10/12	10/15	10/19	10/24
24	10/07	10/12	10/16	10/19	10/21	10/24	10/27	10/31	11/04
20	10/17	10/22	10/25	10/27	10/30	11/01	11/04	11/07	11/11
16	10/28	11/01	11/04	11/07	11/09	11/12	11/14	11/18	11/22
Freeze Free Period									
Temp (F)	Probability of longer than indicated freeze free period (Days)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	134	125	119	114	109	105	99	93	85
32	151	144	138	134	130	125	121	115	108
28	179	171	165	161	156	152	147	141	134
24	204	198	193	189	185	181	177	172	166
20	228	220	213	208	203	198	193	187	178
16	253	244	237	232	227	222	216	209	200

\* Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

**0/00** Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Derived from 1971-2000 serially complete daily data

Complete documentation available from:  
[www.ncdc.noaa.gov/oa/climate/normal/usnormals.html](http://www.ncdc.noaa.gov/oa/climate/normal/usnormals.html)

**Climatography  
of the United States  
No. 20  
1971-2000**

**Station: MYTON, UT**

**COOP ID: 425969**

**Climate Division: UT 6      NWS Call Sign:      Elevation: 5,080 Feet    Lat: 40°12N    Lon: 110°04W**

Degree Days to Selected Base Temperatures (°F)													
Base	Heating Degree Days (1)												
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	1472	1153	837	529	278	81	6	12	155	516	948	1358	7345
60	1317	1013	682	389	152	28	0	1	68	365	798	1203	6016
57	1227	939	590	309	94	12	0	0	35	279	708	1110	5303
55	1168	886	532	259	65	6	0	0	21	227	648	1048	4860
50	1023	756	390	157	20	0	0	0	4	117	499	893	3859
32	541	359	67	5	0	0	0	0	0	1	93	394	1460

Base	Cooling Degree Days (1)												
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	92	129	253	466	751	1006	1237	1180	867	508	135	58	6682
55	6	13	4	30	103	322	524	467	198	21	0	0	1688
57	3	10	1	20	71	267	462	405	152	11	0	0	1402
60	0	0	0	10	35	193	369	313	94	4	0	0	1018
65	0	0	0	0	7	97	220	169	32	0	0	0	525
70	0	0	0	0	1	36	97	61	6	0	0	0	201

Growing Degree Units (2)																								
Base	Growing Degree Units (Monthly)												Growing Degree Units (Accumulated Monthly)											
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	0	5	77	250	516	772	997	939	636	284	25	0	0	5	82	332	848	1620	2617	3556	4192	4476	4501	4501
45	0	0	27	143	365	622	842	784	487	162	5	0	0	0	27	170	535	1157	1999	2783	3270	3432	3437	3437
50	0	0	4	65	232	472	687	629	343	68	0	0	0	0	4	69	301	773	1460	2089	2432	2500	2500	2500
55	0	0	0	20	119	327	532	474	214	21	0	0	0	0	0	20	139	466	998	1472	1686	1707	1707	1707
60	0	0	0	4	46	199	377	321	103	2	0	0	0	0	0	4	50	249	626	947	1050	1052	1052	1052
Base	Growing Degree Units for Corn (Monthly)												Growing Degree Units for Corn (Accumulated Monthly)											
50/86	0	12	93	215	359	495	620	596	430	243	47	0	0	12	105	320	679	1174	1794	2390	2820	3063	3110	3110

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

**Note:** For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Complete documentation available from:  
[www.ncdc.noaa.gov/oa/climate/normal/usnormals.html](http://www.ncdc.noaa.gov/oa/climate/normal/usnormals.html)

## Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
- c. Only observed validated values were used to select the extreme daily values.
- d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.  
Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.
- e. Degree Days were derived using the same techniques as the 1971-2000 normals.  
Complete documentation for the 1971-2000 Normals is available on the internet from:  
[www.ncdc.noaa.gov/oa/climate/normal/usnormals.html](http://www.ncdc.noaa.gov/oa/climate/normal/usnormals.html)
- f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set.  
Documentation of the serially complete data set is available from the link below:
- g. Snowfall and snow depth statistics were derived from the Snow Climatology.  
Documentation for the Snow Climatology project is available from the link under references.

## Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- |   |   |
|---|---|
| <ol style="list-style-type: none"><li>a. Temperature/ Precipitation Tables<ol style="list-style-type: none"><li>1. 1971-2000 Monthly Normals</li><li>2. Cooperative Summary of the Day</li><li>3. National Weather Service station records</li><li>4. 1971-2000 serially complete daily data</li></ol></li><li>b. Degree Day Table<ol style="list-style-type: none"><li>1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals</li><li>2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data</li></ol></li></ol> | <ol style="list-style-type: none"><li>c. Snow Tables<ol style="list-style-type: none"><li>1. Snow Climatology</li><li>2. Cooperative Summary of the Day</li></ol></li><li>d. Freeze Data Table<br/>1971-2000 serially complete daily data</li></ol> |
|---|---|

## References

U.S. Climate Normals 1971-2000, [www.ncdc.noaa.gov/normal.html](http://www.ncdc.noaa.gov/normal.html)  
U.S. Climate Normals 1971-2000-Products Clim20, [www.ncdc.noaa.gov/oa/climate/normal/usnormalsprods.html](http://www.ncdc.noaa.gov/oa/climate/normal/usnormalsprods.html)  
Snow Climatology Project Description, [www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html](http://www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html)  
Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,  
[www1.ncdc.noaa.gov/pub/data/special/serialcomplete\\_jam\\_0900.pdf](http://www1.ncdc.noaa.gov/pub/data/special/serialcomplete_jam_0900.pdf)