

# Climatology of the United States

No. 20

1971-2000

Station: **TIMBER LAKE, SD**

COOP ID: 398307

Climate Division: SD 2

NWS Call Sign:

Elevation: 2,150 Feet Lat: 45° 26N

Lon: 101° 04W

## Temperature (°F)

Mean (1)				Extremes										Degree Days (1) Base Temp 65		Mean Number of Days (3)					
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	25.0	4.7	14.9	66	1981	23	27.7	1983	-36	1966	29	.4	1978	1555	0	.0	.0	1.1	19.7	30.6	12.0
Feb	31.7	11.8	21.8	70+	1992	29	32.2	1984	-35	1996	2	5.0	1979	1211	0	.0	.0	3.5	13.8	27.3	6.9
Mar	42.0	21.1	31.6	80	1963	28	40.0	1986	-25+	1962	1	21.8	1996	1038	0	.0	.0	9.3	7.1	27.1	2.2
Apr	57.3	32.8	45.1	95+	1992	30	52.4	1987	-1	1975	1	37.6	1975	600	2	.0	.2	22.0	.9	15.0	@
May	69.6	44.5	57.1	100	1969	27	64.7	1977	16	1967	3	51.4	1996	268	22	.0	.4	30.2	.0	2.3	.0
Jun	78.6	53.8	66.2	105	1988	24	76.7	1988	32+	1951	2	60.1	1993	83	118	.2	3.0	30.0	.0	.0	.0
Jul	84.9	59.4	72.2	110	1949	3	78.1	1974	39	1959	1	63.6	1993	28	249	1.3	9.1	31.0	.0	.0	.0
Aug	84.1	57.7	70.9	107+	1988	15	77.2	1983	35	1964	12	65.3	1992	33	217	.6	8.3	31.0	.0	.0	.0
Sep	73.7	46.9	60.3	105	1948	15	67.2	1998	19+	1974	30	55.3	1986	191	50	.1	2.3	29.5	.0	1.6	.0
Oct	59.6	35.2	47.4	94	1953	1	51.0	1973	-6	1991	30	44.2	1972	545	0	.0	.1	25.0	.4	11.1	.1
Nov	39.9	20.5	30.2	77+	1999	7	41.4	1999	-20	1985	27	15.9	1985	1043	0	.0	.0	7.8	8.6	27.0	1.7
Dec	28.3	9.0	18.7	70	1965	4	28.7	1999	-34	1989	22	1.4	1983	1436	0	.0	.0	1.7	17.2	30.6	8.1
Ann	56.2	33.1	44.7	110	Jul 1949	3	78.1	Jul 1974	-36	Jan 1966	29	.4	Jan 1978	8031	658	2.2	23.4	222.1	67.7	172.6	31.0

+ Also occurred on an earlier date(s)

@ Denotes mean number of days greater than 0 but less than .05

Complete documentation available from: [www.ncdc.noaa.gov/oa/climate/normals/usnormals.html](http://www.ncdc.noaa.gov/oa/climate/normals/usnormals.html)

Issue Date: February 2004

(1) From the 1971-2000 Monthly Normals

(2) Derived from station's available digital record: 1948-2001

(3) Derived from 1971-2000 serially complete daily data

096-A

# Climatography of the United States

## No. 20 1971-2000

National Climatic Data Center  
Federal Building  
151 Patton Avenue  
Asheville, North Carolina 28801  
www.ncdc.noaa.gov

**Station: TIMBER LAKE, SD**

**COOP ID: 398307**

**Climate Division: SD 2**

**NWS Call Sign:**

**Elevation: 2,150 Feet Lat: 45°26N**

**Lon: 101°04W**

Precipitation (inches)																								
	Precipitation Totals									Mean Number of Days (3)				Precipitation Probabilities (1) Probability that the monthly/annual precipitation will be equal to or less than the indicated amount										
	Means/ Medians(1)		Extremes							Daily Precipitation				Monthly/Annual Precipitation vs Probability Levels These values were determined from the incomplete gamma distribution										
Month	Mean	Med-ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	.41	.39	1.46	1949	4	.98	1997	.00+	1983	4.4	1.6	.1	.0	.00	.06	.14	.20	.27	.34	.42	.52	.65	.86	1.06
Feb	.54	.45	2.09	1951	28	2.34	1987	.03	1984	4.6	1.9	.1	.0	.06	.10	.18	.25	.33	.42	.53	.66	.84	1.14	1.43
Mar	1.20	.83	3.50	1966	4	3.30	2000	.18	1981	6.2	3.3	.5	.1	.14	.23	.40	.57	.74	.95	1.18	1.47	1.87	2.52	3.15
Apr	1.96	1.74	2.50	1989	28	4.22	1984	.02	1987	7.0	4.5	1.3	.3	.17	.31	.57	.84	1.14	1.48	1.88	2.39	3.08	4.24	5.38
May	2.90	2.45	2.70	1957	25	9.53	1982	.52	1984	9.3	6.4	1.8	.7	.52	.77	1.20	1.59	2.00	2.43	2.93	3.54	4.34	5.64	6.87
Jun	3.17	2.89	3.75	1988	30	6.69	1999	.70	1974	9.2	6.1	1.9	.6	1.00	1.30	1.75	2.13	2.50	2.88	3.30	3.80	4.43	5.42	6.34
Jul	2.46	2.36	3.05	1995	3	6.11	1993	.18	1988	7.7	5.1	1.7	.4	.55	.78	1.14	1.46	1.79	2.13	2.52	2.98	3.59	4.56	5.47
Aug	1.89	1.47	2.55	1978	15	5.34	1987	.16	2000	6.3	4.1	1.2	.4	.27	.42	.69	.96	1.23	1.53	1.88	2.31	2.88	3.82	4.73
Sep	1.26	.91	1.55	1996	18	4.88	1996	.12	1974	5.4	3.3	.7	.3	.15	.24	.42	.60	.78	.99	1.24	1.54	1.96	2.64	3.30
Oct	1.63	1.06	2.17	1972	5	5.52	1994	.00	1988	4.9	3.3	.8	.5	.03	.11	.31	.53	.79	1.10	1.48	1.97	2.66	3.85	5.04
Nov	.67	.61	1.14	1956	2	2.15	1985	.00+	1999	4.7	2.1	.2	.0	.00	.00	.12	.23	.35	.48	.64	.83	1.10	1.56	2.00
Dec	.51	.35	1.08	1949	11	2.15	1996	.00	1986	4.9	1.8	.1	@	.02	.06	.13	.21	.29	.38	.49	.62	.81	1.12	1.43
Ann	18.60	18.11	3.75	Jun 1988	30	9.53	May 1982	.00+	Nov 1999	74.6	43.5	10.4	3.3	12.13	13.34	14.92	16.13	17.22	18.27	19.37	20.60	22.10	24.29	26.21

+ Also occurred on an earlier date(s)

# Denotes amounts of a trace

@ Denotes mean number of days greater than 0 but less than .05

\*\* Statistics not computed because less than six years out of thirty had measurable precipitation

(1) From the 1971-2000 Monthly Normals

(2) Derived from station's available digital record: 1948-2001

(3) Derived from 1971-2000 serially complete daily data

Complete documentation available from:  
www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

# Climatography of the United States

## No. 20 1971-2000

National Climatic Data Center  
Federal Building  
151 Patton Avenue  
Asheville, North Carolina 28801  
[www.ncdc.noaa.gov](http://www.ncdc.noaa.gov)

**Station: TIMBER LAKE, SD**

**COOP ID: 398307**

**Climate Division: SD 2**

**NWS Call Sign:**

**Elevation: 2,150 Feet**

**Lat: 45°26N**

**Lon: 101°04W**

Snow (inches)																							
Snow Totals															Mean Number of Days (1)								
Means/Medians (1)					Extremes (2)										Snow Fall >= Thresholds					Snow Depth >= Thresholds			
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	5.4	5.0	5	4	8.0	1997	4	13.0	1996	31	1997	17	29	1997	4.0	2.5	.5	.1	.0	22.1	15.9	10.1	4.8
Feb	6.3	4.8	5	2	11.0	1987	27	29.7	1987	30	1978	13	24	1997	3.8	2.5	.7	.1	@	14.1	11.2	7.6	4.9
Mar	8.0	5.4	3	2	14.0	1982	19	28.5	1975	26	1987	1	11	1997	3.9	2.7	1.2	.4	@	13.2	9.1	5.8	2.3
Apr	5.1	2.0	1	#	8.0	1989	28	21.7	1995	22	1975	2	6	1975	1.9	1.7	.8	.4	.0	2.9	1.8	1.1	.3
May	.2	.0	#	0	5.0	1991	3	5.0	1991	2	1991	3	#+	1991	.1	.1	@	@	.0	.1	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	#	.0	#	0	#	1985	24	#+	1985	#	1984	24	#	1984	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	1.1	.0	#	0	6.0	1991	28	7.0	1991	7	1991	29	1	1991	.6	.5	.2	.1	.0	.6	.2	.1	.0
Nov	6.2	2.0	2	1	8.0	1977	19	31.4	1985	25	1985	30	9	1985	3.4	2.5	.9	.2	.0	8.8	5.6	3.4	1.1
Dec	6.7	4.7	4	2	15.0	1996	14	28.3	1996	32	1996	31	23	1985	4.1	2.6	.5	.2	.1	17.8	12.6	7.5	3.8
Ann	39.0	23.9	N/A	N/A	15.0	Dec 1996	14	31.4	Nov 1985	32	Dec 1996	31	29	Jan 1997	21.8	15.1	4.8	1.5	.1	79.6	56.4	35.6	17.2

+ Also occurred on an earlier date(s) #Denotes trace amounts

@ Denotes mean number of days greater than 0 but less than .05

-9/-9.9 represents missing values

Annual statistics for Mean/Median snow depths are not appropriate

(1) Derived from Snow Climatology and 1971-2000 daily data

(2) Derived from 1971-2000 daily data

Complete documentation available from:

[www.ncdc.noaa.gov/oa/climate/normals/usnormals.html](http://www.ncdc.noaa.gov/oa/climate/normals/usnormals.html)

# Climatography of the United States

## No. 20 1971-2000

**Station: TIMBER LAKE, SD**

**COOP ID: 398307**

**Climate Division: SD 2**

**NWS Call Sign:**

**Elevation: 2,150 Feet**

**Lat: 45° 26N**

**Lon: 101° 04W**

Freeze Data									
Spring Freeze Dates (Month/Day)									
Temp (F)	Probability of later date in spring (thru Jul 31) than indicated(*)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	6/02	5/28	5/24	5/21	5/19	5/16	5/13	5/09	5/04
32	5/22	5/18	5/15	5/12	5/10	5/07	5/04	5/01	4/27
28	5/13	5/08	5/05	5/02	4/29	4/26	4/23	4/20	4/15
24	4/29	4/25	4/22	4/19	4/17	4/14	4/12	4/08	4/04
20	4/18	4/14	4/11	4/09	4/06	4/04	4/01	3/29	3/25
16	4/12	4/07	4/04	4/01	3/30	3/28	3/25	3/22	3/17
Fall Freeze Dates (Month/Day)									
Temp (F)	Probability of earlier date in fall (beginning Aug 1) than indicated(*)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	9/10	9/13	9/15	9/17	9/19	9/20	9/22	9/24	9/27
32	9/14	9/19	9/22	9/25	9/28	9/30	10/03	10/07	10/11
28	9/20	9/24	9/28	10/01	10/04	10/07	10/10	10/13	10/18
24	9/26	10/02	10/06	10/10	10/13	10/17	10/21	10/25	10/31
20	10/09	10/14	10/18	10/21	10/24	10/28	10/31	11/04	11/09
16	10/16	10/22	10/26	10/30	11/03	11/06	11/10	11/14	11/20
Freeze Free Period									
Temp (F)	Probability of longer than indicated freeze free period (Days)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	139	133	129	126	122	119	115	111	105
32	159	153	148	144	140	137	133	128	122
28	177	170	165	161	157	153	149	144	138
24	201	194	188	183	179	175	170	164	157
20	222	214	209	205	201	196	192	187	179
16	238	230	225	221	217	213	208	203	196

\* Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

**0/00** Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Derived from 1971-2000 serially complete daily data

Complete documentation available from:

[www.ncdc.noaa.gov/oa/climate/normal/usnormals.html](http://www.ncdc.noaa.gov/oa/climate/normal/usnormals.html)

**Climatography  
of the United States  
No. 20  
1971-2000**

**Station: TIMBER LAKE, SD**

**COOP ID: 398307**

**Climate Division: SD 2      NWS Call Sign:      Elevation: 2,150 Feet    Lat: 45° 26N      Lon: 101° 04W**

Degree Days to Selected Base Temperatures (°F)													
Base	Heating Degree Days (1)												
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	1555	1211	1038	600	268	83	28	33	191	545	1043	1436	8031
60	1400	1071	883	457	156	30	9	10	99	391	893	1281	6680
57	1307	991	790	376	105	14	2	3	60	300	803	1188	5939
55	1245	940	728	326	77	8	0	1	39	243	743	1126	5476
50	1097	809	582	214	30	0	0	0	11	123	604	977	4447
32	600	394	166	15	0	0	0	0	0	2	197	486	1860

Base	Cooling Degree Days (1)												
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	68	107	152	407	777	1025	1244	1206	849	480	144	73	6532
55	0	9	1	27	141	344	531	495	198	9	0	0	1755
57	0	4	0	18	107	290	471	434	158	4	0	0	1486
60	0	0	0	9	66	216	385	348	108	1	0	0	1133
65	0	0	0	2	22	118	249	217	50	0	0	0	658
70	0	0	0	0	5	52	144	117	18	0	0	0	336

Growing Degree Units (2)																								
Base	Growing Degree Units (Monthly)												Growing Degree Units (Accumulated Monthly)											
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	0	6	43	218	545	798	1005	968	624	279	36	0	0	6	49	267	812	1610	2615	3583	4207	4486	4522	4522
45	0	2	10	125	395	648	850	813	478	165	15	0	0	2	12	137	532	1180	2030	2843	3321	3486	3501	3501
50	0	0	3	65	257	498	695	658	342	85	3	0	0	0	3	68	325	823	1518	2176	2518	2603	2606	2606
55	0	0	0	28	149	352	540	504	218	35	0	0	0	0	0	28	177	529	1069	1573	1791	1826	1826	1826
60	0	0	0	11	73	217	386	356	118	9	0	0	0	0	0	11	84	301	687	1043	1161	1170	1170	1170
Base	Growing Degree Units for Corn (Monthly)												Growing Degree Units for Corn (Accumulated Monthly)											
50/86	0	12	40	151	331	502	657	628	390	182	33	1	0	12	52	203	534	1036	1693	2321	2711	2893	2926	2927

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

**Note:** For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Complete documentation available from:  
[www.ncdc.noaa.gov/oa/climate/normals/usnormals.html](http://www.ncdc.noaa.gov/oa/climate/normals/usnormals.html)

## Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
- c. Only observed validated values were used to select the extreme daily values.
- d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.  
Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.
- e. Degree Days were derived using the same techniques as the 1971-2000 normals.  
Complete documentation for the 1971-2000 Normals is available on the internet from:  
[www.ncdc.noaa.gov/oa/climate/normal/usnormals.html](http://www.ncdc.noaa.gov/oa/climate/normal/usnormals.html)
- f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set.  
Documentation of the serially complete data set is available from the link below:
- g. Snowfall and snow depth statistics were derived from the Snow Climatology.  
Documentation for the Snow Climatology project is available from the link under references.

## Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- |   |   |
|---|---|
| <ol style="list-style-type: none"><li>a. Temperature/ Precipitation Tables<ol style="list-style-type: none"><li>1. 1971-2000 Monthly Normals</li><li>2. Cooperative Summary of the Day</li><li>3. National Weather Service station records</li><li>4. 1971-2000 serially complete daily data</li></ol></li><li>b. Degree Day Table<ol style="list-style-type: none"><li>1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals</li><li>2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data</li></ol></li></ol> | <ol style="list-style-type: none"><li>c. Snow Tables<ol style="list-style-type: none"><li>1. Snow Climatology</li><li>2. Cooperative Summary of the Day</li></ol></li><li>d. Freeze Data Table<br/>1971-2000 serially complete daily data</li></ol> |
|---|---|

## References

U.S. Climate Normals 1971-2000, [www.ncdc.noaa.gov/normal.html](http://www.ncdc.noaa.gov/normal.html)  
U.S. Climate Normals 1971-2000-Products Clim20, [www.ncdc.noaa.gov/oa/climate/normal/usnormalsprods.html](http://www.ncdc.noaa.gov/oa/climate/normal/usnormalsprods.html)  
Snow Climatology Project Description, [www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html](http://www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html)  
Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,  
[www1.ncdc.noaa.gov/pub/data/special/serialcomplete\\_jam\\_0900.pdf](http://www1.ncdc.noaa.gov/pub/data/special/serialcomplete_jam_0900.pdf)